

Logic, First Course, Winter 2020. Week 4, Lecture 1. [Back to course website](#)

Quantification

In this lecture, we motivate the idea of predicate logic and try to state the general idea of how it extends the propositional logic which we have been learning so far. Then we learn the basic idea of translating natural-language sentences into predicate logic, focusing on atomic sentences and quantifier expressions.

- [Predicate logic and atomic statements](#)
- [The quantifiers](#)
- [Multiple variables](#)
- [Translation schemas](#)

Predicate logic and atomic statements

In propositional logic, we take as our basic unit the proposition, something that can be true or false. By taking it as the basic unit, we mean we do not subject it to any further analysis. For instance, while we translate "Christina is a student and Daisy is a student" as $p \wedge q$, we treat p as a primitive and q as primitives: they are basic. In predicate logic, the idea is to introduce another layer of analysis. In particular, the most basic idea is to further analyze "Christina is a student" as Sc and analyze "Daisy is a student" as Sd . So we translate "Christina is a student and Daisy is a student as" as $Sc \wedge Sd$.

One reason is that "Christina is a student" and "Daisy is a student" seem to have a common structure. Someone could not understand the one without understanding the other. And there is a common way to evaluate them: look at the list of students! So translating as Sc and Sd reveals this common structure. Here are some more examples, where we use the key:

a = "Alyssa"

b = "Bryan"

c = "Christina"

d = "Daisy"

L = "is a lawyer"

M = "is a musician"

H = "likes hockey"

S = "likes soccer"

The name 'Predicate logic' comes from the idea that things like L, M, H, S are predicates or properties. When paired with objects, they form propositions. This is the way in which predicate logic extends propositional logic.

Alyssa is a lawyer and Bryan is a musician.

Alyssa is a lawyer and Bryan is a musician.

Alyssa is not a musician and Bryan is not a lawyer.

Alyssa is not a musician and Bryan is not a lawyer.

If Christina likes hockey then Daisy likes hockey.

If Christina likes hockey then Daisy likes hockey.

Christina likes hockey or Daisy likes soccer.

Christina likes hockey or Daisy likes soccer.

Motivating quantifiers

Consider the following three sentences:

Sentence

Alyssa is nice.

Someone is nice.

Eveyrone is nice.

There is an obvious sense in which all of these sentences are formed by plugging different words into the blank in “--- is nice.” This is an important perspective. But our translations are intended to display the truth-conditions of the statements: how their truth is determined, usually on the basis of decomposing them into smaller parts. And the truth-conditions of these three sentences differ in obvious ways. When we are trying to figure out whether "Alyssa is nice" is true, we go look at Alyssa and see whether she is nice. To see whether "someone is nice" is true, we go searching for someone (perhaps Bryan?) who is nice. For "everyone is nice," we need to make sure that Alyssa is nice, Bryan is nice, etc. And note that in thinking about the first sentence, we had said how to do that: to see whether a person is nice, simply go look and see whether they are nice. Hence, the moral is: while recognizing the differences between the three sentences, we should recognize the truth of the last two is somehow based on the kinds of things that make sentences like the first sentence true.

The quantifiers

Our solution is to translate these as follows, where we follow the key that $Nx = x$ is nice, and $a =$ Alyssa:

Sentence	Translation	Typed	Pronunciation	Colloquial pronunciation
Alyssa is nice.	Na	Na	Na	a has N
Someone is nice.	$\exists x Nx.$	$ExNx$	There is x such that Nx	There is x such that x has N
Everyone is nice.	$\forall x Nx$	$AxNx$	For all x (pause), Nx	For all x (pause), x has N

In this we use the following symbols:

Symbol	Name	Handwritten	Typed
\exists	existential quantifier		E
\forall	universal quantifier		A

Note that in our translation of the second sentence, the x appears twice. The instance of x in $\exists x$ is a signal: go look for d such that Nd , where you get Nd from Nx by plugging in $x = d$. More generally, the rule for the truth of $\exists x Fx$ is: it is true when there is at least one d such that Fd .

Similarly, in our translation of the third sentence, the x appears twice. The instance of x in $\forall x$ is a signal that one is making an "every" or "all" claim. And the rule for the truth of $\forall x Fx$ is: it is true when Fd holds for every individual d .

Here are some examples using the key $Nx = x$ is nice, and $a = \text{Alyssa}$:

If someone is nice then everyone is nice.

If someone is nice then everyone is nice.

Not everyone is nice.

Not everyone is nice.

Everyone is not nice.

Everyone is not nice.

If Alyssa is nice then someone is nice.

If Alyssa is nice then someone is nice.

Multiple variables

The variables act like the variables in algebra. For instance, $x = 3$ is a solution to $x + 2 = 5$, since if you plug in 3 for x you get something true. And $x = 4$ and $y = 2$ is a solution to $x + y = 6$, since if you plug in 4 for x and 2 for y you get something true. The existential quantifier is a way of saying that *there is* a solution which makes the corresponding "equation" true. Let's first practice with respect to the following familiar key:

a = "Alyssa"

b = "Bryan"

c = "Christina"

d = "Daisy"

L = "is a lawyer"

M = "is a musician"

H = "likes hockey"

S = "likes soccer"

If Alyssa is a lawyer and Alyssa likes hockey

If Alyssa is a lawyer and Alyssa likes hockey and Bryan likes soccer, then someone is both a lawyer and likes hockey.

It is not the case that if Alyssa is a lawyer

It is not the case that if Alyssa is a lawyer and Alyssa likes hockey and Bryan likes soccer, then someone is both a lawyer and likes soccer.

If Alyssa is a lawyer and Alyssa likes hockey

If Alyssa is a lawyer and Alyssa likes hockey and Bryan likes soccer, then someone is both a lawyer and likes hockey, and someone likes soccer.

If someone is a lawyer, then Alyssa is a lawyer

If someone is a lawyer, then Alyssa is a lawyer or Bryan is a lawyer.

If someone is a lawyer and someone is a musician

If someone is a lawyer and someone is a musician, then Alyssa is a lawyer and Daisy is a musician.

If someone likes soccer and is a musician, then

If someone likes soccer and is a musician, then Christina likes soccer and Christina is a musician, or Daisy likes soccer and Daisy is a musician.

The universal quantifier is usually a way of stating generalizations or laws. It is a way of saying that everyone/everything has to have some property or feature. Let's translate with the following key:

a = "Alyssa"

b = "Bryan"

c = "Christina"

d = "Daisy"

C = "is drinking coffee"

T = "is drinking tea"

W = "is wide awake"

If everyone is drinking coffee or tea, then e'

If everyone is drinking coffee or tea, then everyone is wide awake.

If everyone is drinking coffee or everyone is

If everyone is drinking coffee or everyone is drinking tea, then everyone is wide awake.

Everyone drinking coffee or everyone drinking

Everyone drinking coffee or everyone drinking tea is a sufficient condition for everyone drinking coffee or tea.

Everyone drinking coffee or everyone drinking

Everyone drinking coffee or everyone drinking tea is not a sufficient condition for everyone drinking coffee or for everyone drinking tea.

Daisy is not drinking coffee and Christina is

Daisy is not drinking coffee and Christina is not drinking tea, and it is not the case that everyone is drinking coffee or everyone is drinking tea.

These last examples hopefully give one a better sense of the truth-conditions of universal statements. For instance, the last couple of examples were pointing out that it can be true that every person taken one by one is either busy or tired, without it being true that everyone is in the busy category or everyone is in the tired category.

Here are some examples with multiple universal quantifiers. In this first one, note that even though we use different variables for the two universal statements in the antecedent, they both have consequences for the individual Bryan under consideration.

If everyone is drinking coffee and everyone is drinking tea,

If everyone is drinking coffee and everyone is wide awake, then Bryan is drinking coffee and Bryan is wide awake.

If everyone is wide awake and not everyone is drinking tea,

If everyone is wide awake and not everyone is drinking tea, then Bryan is drinking coffee.

If Daisy is not wide awake and Daisy is not drinking tea,

If Daisy is not wide awake and Daisy is not drinking tea, then not everyone is wide awake and not everyone is drinking tea.

Translation schemas

Quantifiers are also very good at capturing the truth-conditions of statements about "some" and "all" which connect two properties. Here are some common translation schemas:

Schema	Translation	Schema Negated	Translation of Negation
Some <i>F</i> are <i>G</i>	$\exists x (Fx \wedge Gx)$	No <i>F</i> are <i>G</i>	$\neg(\exists x (Fx \wedge Gx))$
Some <i>F</i> are not <i>G</i>	$\exists x (Fx \wedge \neg Gx)$	No <i>F</i> are not <i>G</i>	$\neg(\exists x (Fx \wedge \neg Gx))$
All <i>F</i> are <i>G</i>	$\forall x (Fx \rightarrow Gx)$	Not all <i>F</i> are <i>G</i>	$\neg(\forall x (Fx \rightarrow Gx))$
All <i>F</i> are not <i>G</i>	$\forall x (Fx \rightarrow \neg Gx)$	Not all <i>F</i> are <i>G</i>	$\neg(\forall x (Fx \rightarrow Gx))$

Note that in these schemas the "some"-statements are translated with an existential quantifier which stands outside a conjunction, while the "all"-statements are translated with a universal quantifier together with an arrow statement.

Let us practice with these translation schemas with respect to the following examples:

C = "is cheerful"

F = "is festive"

G = "is a geography major"

L = "is a law student"

R = "is relaxed"

T = "likes table-tennis"

Every law student is cheerful and some geogra|

Every law student is cheerful and some geography majors are cheerful.

In the following, remember that "but" would just be translated by "and":

Some geography majors are relaxed but no law :

Some geography majors are relaxed but no law students are relaxed.

Some geography majors are not festive, but no

Some geography majors are not festive, but no law students are not festive.

Not all law students like table-tennis.

Not all law students like table-tennis.

If all law students are relaxed, then all geo!

If all law students are relaxed, then all geography majors are festive.

If all law students are cheerful, then some l

If all law students are cheerful, then some law students are festive.

These are lecture notes written for [this course](#).¹

1. It is run on the Carnap software, which is ↩

An **Open Tower** project. Copyright 2015-2019 G. Leach-Krouse <gleachkr@ksu.edu> and J. Ehrlich