MySQL Exercise 4: Answer Key

```
Question 1:
%%sql
SELECT COUNT(DISTINCT Dog Guid)
FROM complete tests
WHERE created at>'2014 03 01';
Question 2:
%%sal
SELECT COUNT(*)
FROM dogs;
Question 3:
%%sql
SELECT COUNT(exclude)
FROM dogs;
Question 4:
%%sql
SELECT COUNT(DISTINCT dog guid)
FROM dogs
WHERE exclude=1;
Question 5:
%%sql
SELECT test_name, AVG(rating) AS AVG_Rating, MIN(rating) AS MIN_Rating,
       MAX(rating) AS MAX Rating
FROM reviews
WHERE test name="Memory versus Pointing";
Question 6:
%%sal
SELECT TIMESTAMPDIFF(minute,start_time,end_time) AS Duration
FROM exam answers
LIMIT 200;
Question 7:
%%sql
SELECT dog_guid, start_time, end_time, TIMESTAMPDIFF(minute, start_time, end_time)
       AS Duration
FROM exam_answers
LIMIT 2000;
Question 8:
%%sql
SELECT AVG(TIMESTAMPDIFF(minute, start time, end time)) AS AvgDuration
FROM exam_answers;
```

```
Question 9:
%%sql
SELECT AVG(TIMESTAMPDIFF(minute, start_time, end_time)) AS AvgDuration
FROM exam answers
WHERE test name="Treat Warm-Up";
Question 10:
%%sal
SELECT COUNT(DISTINCT test_name)
FROM exam answers;
Question 11:
%%sql
SELECT MIN(TIMESTAMPDIFF(minute, start time, end time)) AS MinDuration,
      MAX(TIMESTAMPDIFF(minute, start time, end time)) AS MaxDuration
FROM exam answers;
Question 12:
%%sql
SELECT COUNT(TIMESTAMPDIFF(minute, start_time, end_time)) AS Duration
FROM exam_answers
WHERE TIMESTAMPDIFF(minute, start time, end time)<0;
Question 13:
%%sql
SELECT*
FROM exam_answers
WHERE TIMESTAMPDIFF(minute,start_time,end_time)<0;
Question 14:
%%sql
SELECT AVG(TIMESTAMPDIFF(minute,start_time,end_time)) AS AvgDuration
FROM exam answers
```

WHERE TIMESTAMPDIFF(minute, start time, end time)>0;