# Single source shortest path, nonnegative weights

Problem ID: shortestpath1 CPU Time limit: 3 seconds Memory limit: 1024 MB Difficulty: 3.8

Author: Per Austrin

Source: KTH CSC Popup 2005

License: (00) BY

## Input

The input consists of several test cases. Each test case starts with a line with four non-negative integers,  $1 \le n \le 10\,000$ ,  $0 \le m \le 30\,000, 1 \le q \le 100$  and  $0 \le s < n$ , separated by single spaces, where n is the numbers of nodes in the graph, mthe number of edges, q the number of queries and s the index of the starting node. Nodes are numbered from 0 to n-1. Then follow m lines, each line consisting of three (space–separated) integers u,v and w indicating that there is an edge from u to vin the graph with weight  $0 \le w \le 1000$ . Then follow q lines of queries, each consisting of a single non-negative integer, asking for the minimum distance from node s to the node number given on the query line.

Input will be terminated by a line containing four zeros, this line should not be processed.

#### Output

For each query, output a single line containing the minimum distance from node s to the node specified in the query, or the word "Impossible" if there is no path from s to that node. For clarity, the sample output has a blank line between the output for different cases.

#### Sample Input 1

```
4 3 4 0
0 1 2
3 0 2
2 1 1 0
0 1 100
0 0 0 0
```

### Sample Output 1

```
2
Impossible
100
```