# Scan Report

# June 11, 2021

### Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "windowsxp". The scan started at Fri Jun 11 08:47:10 2021 UTC and ended at Fri Jun 11 08:50:31 2021 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

# Contents

1	Result Overview							
2	Res	Results per Host						
	2.1	10.10.1	10.4	. 2				
		2.1.1	High general/tcp	. 2				
		2.1.2	High 445/tcp	. 3				
		2.1.3	Log 135/tcp	. 5				
		2.1.4	$Log \ general/tcp \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $	. 5				
		2.1.5	Log general/CPE-T	. 7				
		2.1.6	Log general/icmp	. 8				
		2.1.7	Log 445/tcp	. 9				
		2.1.8	Log 137/udp	. 11				
		2.1.9	Log 123/udp	. 12				
		2.1.10	Log 139/tcp	. 12				

# 1 Result Overview

Host	High	Medium	Low	$\operatorname{Log}$	False Positive
10.10.10.4	2	0	0	14	0
COMPUTER_1					
Total: 1	2	0	0	14	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level "High" are not shown.

Issues with the threat level "Medium" are not shown.

Issues with the threat level "Low" are not shown.

Issues with the threat level "Log" are not shown.

Issues with the threat level "Debug" are not shown.

Issues with the threat level "False Positive" are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 16 results selected by the filtering described above. Before filtering there were 17 results.

# 2 Results per Host

# $2.1 \quad 10.10.10.4$

Host scan start Fri Jun 11 08:47:30 2021 UTC Host scan end Fri Jun 11 08:50:29 2021 UTC

Service (Port)	Threat Level
m general/tcp	High
$445/\mathrm{tcp}$	High
$135/\mathrm{tcp}$	Log
general/tcp	Log
general/CPE-T	Log
m general/icmp	Log
$445/\mathrm{tcp}$	Log
$137/\mathrm{udp}$	Log
$123/\mathrm{udp}$	Log
$139/\mathrm{tcp}$	Log

# 2.1.1 High general/tcp

# High (CVSS: 10.0)

NVT: OS End Of Life Detection

#### Product detection result

cpe:/o:microsoft:windows\_xp

Detected by OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0  $\hookrightarrow$  .105937)

3

# Summary

OS End Of Life Detection.

The Operating System on the remote host has reached the end of life and should not be used anymore.

### Vulnerability Detection Result

The "Windows XP" Operating System on the remote host has reached the end of life

 $\hookrightarrow$  .

CPE: cpe:/o:microsoft:windows\_xp

EOL date: 2014-04-08

EOL info: https://support.microsoft.com/en-us/lifecycle/search?sort=PN&

⇔alpha=Microsoft%20Windows%20XP&Filter=FilterNO

# Solution:

Solution type: Mitigation

Upgrade the Operating System on the remote host to a version which is still supported and receiving security updates by the vendor.

# Vulnerability Detection Method

Details: OS End Of Life Detection OID:1.3.6.1.4.1.25623.1.0.103674 Version used: 2021-04-16T10:39:13Z

### **Product Detection Result**

Product: cpe:/o:microsoft:windows\_xp

 $\operatorname{Method}$ : OS Detection Consolidation and Reporting

OID: 1.3.6.1.4.1.25623.1.0.105937)

[ return to 10.10.10.4 ]

# 2.1.2 High 445/tcp

### High (CVSS: 9.3)

NVT: Microsoft Windows SMB Server Multiple Vulnerabilities-Remote (4013389)

### Summary

This host is missing a critical security update according to Microsoft Bulletin MS17-010.

... continued from previous page ...

### Vulnerability Detection Result

Vulnerability was detected according to the Vulnerability Detection Method.

### Impact

Successful exploitation will allow remote attackers to gain the ability to execute code on the target server, also could lead to information disclosure from the server.

### Solution:

# Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

### Affected Software/OS

- Microsoft Windows 10 x 32/x 64
- Microsoft Windows Server 2012
- Microsoft Windows Server 2016
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012 R2
- Microsoft Windows 7 x32/x64 Service Pack 1
- Microsoft Windows Vista x32/x64 Service Pack 2
- Microsoft Windows Server 2008 R2 x64 Service Pack 1
- Microsoft Windows Server 2008 x32/x64 Service Pack 2

### Vulnerability Insight

Multiple flaws exist due to the way that the Microsoft Server Message Block 1.0 (SMBv1) server handles certain requests.

### **Vulnerability Detection Method**

Send the crafted SMB transaction request with fid = 0 and check the response to confirm the vulnerability.

 $Details: \ \ Microsoft \ \ Windows \ \ SMB \ \ Server \ \ Multiple \ \ Vulnerabilities-Remote \ (4013389)$ 

OID:1.3.6.1.4.1.25623.1.0.810676 Version used: 2020-06-04T12:11:49Z

# References

cve: CVE-2017-0143 cve: CVE-2017-0144 cve: CVE-2017-0145 cve: CVE-2017-0146 cve: CVE-2017-0147 cve: CVE-2017-0148

bid: 96703 bid: 96704 bid: 96705 bid: 96707 bid: 96709

bid: 96706

url: https://support.microsoft.com/en-in/kb/4013078

url: https://technet.microsoft.com/library/security/MS17-010

url: https://github.com/rapid7/metasploit-framework/pull/8167/files

cert-bund: CB-K17/0435 dfn-cert: DFN-CERT-2017-0448

[ return to 10.10.10.4 ]

# 2.1.3 Log 135/tcp

### Log (CVSS: 0.0)

NVT: DCE/RPC and MSRPC Services Enumeration

#### Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.

The actual reporting takes place in the NVT 'DCE/RPC and MSRPC Services Enumeration Reporting' (OID: 1.3.6.1.4.1.25623.1.0.10736)

### Vulnerability Detection Result

A DCE endpoint resolution service seems to be running on this port.

#### Impact

An attacker may use this fact to gain more knowledge about the remote host.

### Solution:

Solution type: Mitigation

Filter incoming traffic to this port.

# Log Method

Details: DCE/RPC and MSRPC Services Enumeration

OID:1.3.6.1.4.1.25623.1.0.108044 Version used: 2021-04-15T13:23:31Z

[ return to 10.10.10.4 ]

# 2.1.4 Log general/tcp

#### Log (CVSS: 0.0)

NVT: Hostname Determination Reporting

# Summary

The script reports information on how the hostname of the target was determined.

### Vulnerability Detection Result

Hostname determination for IP 10.10.10.4:

Hostname | Source

10.10.10.4 | IP-address

#### Solution:

### Log Method

Details: Hostname Determination Reporting

 $\begin{aligned} & \text{OID:} 1.3.6.1.4.1.25623.1.0.108449 \\ & \text{Version used: } \textbf{2018-11-19T11:} \textbf{11:} \textbf{31Z} \end{aligned}$ 

# Log (CVSS: 0.0) NVT: Traceroute

# Summary

Collect information about the network route and network distance between the scanner host and the target host.

### Vulnerability Detection Result

Network route from scanner (10.10.10.3) to target (10.10.10.4):

10.10.10.3

10.10.10.4

Network distance between scanner and target: 2

### Solution:

### Vulnerability Insight

For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

# Log Method

A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.

Details: Traceroute

OID: 1.3.6.1.4.1.25623.1.0.51662

Version used: 2021-03-12T14:25:59Z

# $\overline{\text{Log (CVSS: 0.0)}}$

# NVT: OS Detection Consolidation and Reporting

#### Summary

This script consolidates the OS information detected by several VTs and tries to find the best matching OS.

7

Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection. If any of this information is wrong or could be improved please consider to report these to the referenced community portal.

# Vulnerability Detection Result

Best matching OS:

OS: Windows XP

CPE: cpe:/o:microsoft:windows\_xp

Found by NVT: 1.3.6.1.4.1.25623.1.0.102011 (SMB NativeLanMan)

Concluded from SMB/Samba banner on port 445/tcp:

OS String: Windows 5.1

SMB String: Windows 2000 LAN Manager

Setting key "Host/runs\_windows" based on this information

Other OS detections (in order of reliability):

OS: Microsoft Windows

CPE: cpe:/o:microsoft:windows

Found by NVT: 1.3.6.1.4.1.25623.1.0.108044 (DCE/RPC and MSRPC Services Enumerati

→on)

Concluded from DCE/RPC and MSRPC Services Enumeration on port 135/tcp

OS: Microsoft Windows

CPE: cpe:/o:microsoft:windows

Found by NVT: 1.3.6.1.4.1.25623.1.0.10150 (Using NetBIOS to retrieve information

 $\hookrightarrow$  from a SMB host)

Concluded from NetBIOS information on port 137/udp

#### Solution:

#### Log Method

Details: OS Detection Consolidation and Reporting

 $\begin{aligned} & \text{OID:} 1.3.6.1.4.1.25623.1.0.105937 \\ & \text{Version used: } 2021\text{-}05\text{-}17T10\text{:}34\text{:}03Z \end{aligned}$ 

#### References

url: https://community.greenbone.net/c/vulnerability-tests

[ return to 10.10.10.4 ]

# 2.1.5 Log general/CPE-T

8

# Log (CVSS: 0.0) NVT: CPE Inventory

#### Summary

This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.

Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

### Vulnerability Detection Result

10.10.10.4 | cpe:/o:microsoft:windows\_xp

#### Solution:

### Log Method

Details: CPE Inventory

OID:1.3.6.1.4.1.25623.1.0.810002 Version used: 2021-04-16T10:39:13Z

### References

url: https://nvd.nist.gov/products/cpe

[ return to 10.10.10.4 ]

# 2.1.6 Log general/icmp

#### Log (CVSS: 0.0)

NVT: ICMP Timestamp Detection

#### Summary

The remote host responded to an ICMP timestamp request. The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp. This information could theoretically be used to exploit weak time-based random number generators in other services.

# Vulnerability Detection Result

Vulnerability was detected according to the Vulnerability Detection Method.

# Solution:

### Log Method

 $\operatorname{Details:}$  ICMP Timestamp Detection

OID:1.3.6.1.4.1.25623.1.0.103190 Version used: 2021-03-23T06:51:29Z

#### References

cve: CVE-1999-0524

url: http://www.ietf.org/rfc/rfc0792.txt

cert-bund: CB-K15/1514 cert-bund: CB-K14/0632 dfn-cert: DFN-CERT-2014-0658

 $[ \ \mathrm{return} \ \mathrm{to} \ 10.10.10.4 \ ]$ 

### $2.1.7 \quad \text{Log } 445/\text{tcp}$

# Log (CVSS: 0.0) NVT: SMB NativeLanMan

### Summary

It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.

### Vulnerability Detection Result

Detected SMB workgroup: WORKGROUP

Detected SMB server: Windows 2000 LAN Manager

Detected OS: Windows 5.1

### Solution:

# Log Method

Details: SMB NativeLanMan OID:1.3.6.1.4.1.25623.1.0.102011 Version used: 2021-04-15T13:23:31Z

# Log (CVSS: 0.0)

# NVT: SMB/CIFS Server Detection

### Summary

This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.

### Vulnerability Detection Result

A CIFS server is running on this port

### Solution:

#### Log Method

Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 Version used: 2020-11-10T15:30:28Z

### Log (CVSS: 0.0)

### NVT: SMB Remote Version Detection

### Summary

Detection of Server Message Block(SMB).

This script sends SMB Negotiation request and try to get the version from the response.

### Vulnerability Detection Result

Only SMBv1 is enabled on remote target

#### Solution:

### Log Method

Details: SMB Remote Version Detection

 $\begin{aligned} & \text{OID:} 1.3.6.1.4.1.25623.1.0.807830 \\ & \text{Version used: } \textbf{2019-05-16T07:} \textbf{13:} \textbf{31Z} \end{aligned}$ 

### Log (CVSS: 0.0)

# NVT: SMBv1 enabled (Remote Check)

#### Summary

The host has enabled SMBv1 for the SMB Server.

# Vulnerability Detection Result

SMBv1 is enabled for the SMB Server

#### Solution:

### Log Method

Checks if SMBv1 is enabled for the SMB Server based on the information provided by the following VT:

- SMB Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.807830).

Details: SMBv1 enabled (Remote Check)

 $\begin{aligned} & \text{OID:} 1.3.6.1.4.1.25623.1.0.140151} \\ & \text{Version used: } & \textbf{2021-03-19T08:40:35Z} \end{aligned}$ 

... continued from previous page ...

### References

url: https://www.us-cert.gov/ncas/current-activity/2017/01/16/SMB-Security-Best-

 $\hookrightarrow$ Practices

url: https://support.microsoft.com/en-us/kb/2696547 url: https://support.microsoft.com/en-us/kb/204279

### Log (CVSS: 0.0)

NVT: Microsoft SMB Signing Disabled

#### Summary

Checks if SMB Signing is disabled at the remote SMB server.

### Vulnerability Detection Result

SMB Signing is disabled at the server.

### Solution:

### Log Method

Details: Microsoft SMB Signing Disabled

OID:1.3.6.1.4.1.25623.1.0.802726 Version used: 2020-12-07T08:53:10Z

[ return to 10.10.10.4 ]

# 2.1.8 Log 137/udp

#### Log (CVSS: 0.0)

NVT: Using NetBIOS to retrieve information from a SMB host

#### Summary

This script is using NetBIOS (port UDP:137) to retrieve information from a SMB host.

#### Vulnerability Detection Result

The following 6 NetBIOS names have been gathered :

COMPUTER\_1 = Computer name

COMPUTER\_1 = This is the computer name registered for workstation services

 $\hookrightarrow$  by a WINS client.

WORKGROUP = Workgroup / Domain name

WORKGROUP = Workgroup / Domain name (part of the Browser elections)

The remote host has the following MAC address on its adapter :

08:00:27:7b:f5:ac

If you do not want to allow everyone to find the NetBIOS name of your computer,  $\ensuremath{\mathsf{N}}$ 

 $\hookrightarrow$ you should filter incoming traffic to this port.

### Solution:

### Log Method

 $\operatorname{Details}$ : Using NetBIOS to retrieve information from a SMB host

 $\begin{aligned} & \text{OID:} 1.3.6.1.4.1.25623.1.0.10150 \\ & \text{Version used: } 2021\text{-}04\text{-}15\text{T}13:23:31Z \end{aligned}$ 

[ return to 10.10.10.4 ]

# $2.1.9 \quad \text{Log } 123/\text{udp}$

# Log (CVSS: 0.0) NVT: NTP(d) Server Detection

# Summary

This script performs detection of NTP servers.

### Vulnerability Detection Result

Vulnerability was detected according to the Vulnerability Detection Method.

#### Solution:

Quickfix: Restrict default access to ignore all info packets.

### Vulnerability Insight

It is possible to determine a lot of information about the remote host by querying the NTP (Network Time Protocol) variables - these include OS descriptor, and time settings.

# Log Method

Details: NTP(d) Server Detection OID:1.3.6.1.4.1.25623.1.0.10884 Version used: 2020-11-10T15:30:28Z

[ return to 10.10.10.4 ]

# 2.1.10 Log 139/tcp

# Log (CVSS: 0.0)

NVT: SMB/CIFS Server Detection

### Summary

This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.

# Vulnerability Detection Result

A SMB server is running on this port

Solution:

# Log Method

Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 Version used: 2020-11-10T15:30:28Z

[ return to 10.10.10.4 ]

This file was automatically generated.