

## Configure Basic Router Settings

---

Laboratory protocol Configure Basic Router Settings



Subject: NWT|ANGE  
Class: 3AHITN  
Name: Stefan Fürst, Marcel Raichle  
Group Name/Number: Dumm und Dümmer/7  
Supervisor: ANGE  
Exercise dates:  
Submission date:

## Contents

<b>1 Task definition</b>	<b>3</b>
<b>2 Summary</b>	<b>3</b>
<b>3 Exercise Execution</b>	<b>4</b>
3.1 Set Up the Topology and Initialize Devices . . . . .	4
3.2 Configure Devices and Verify Connectivity . . . . .	4
3.2.1 Configure the PC interfaces . . . . .	4
<b>4 References</b>	<b>5</b>
<b>5 List of figures</b>	<b>6</b>

## **1 Task definition**

## **2 Summary**

### 3 Exercise Execution

#### 3.1 Set Up the Topology and Initialize Devices

This exercise was done in Cisco Packet Tracer and the devices were placed and wired using the automatic cabling type, as all the devices are Auto-MDIX compliant anyway.

After that, everything was turned on and the router and switch were both initialized and reloaded.




Figure 1: Network topology required for this exercise

#### 3.2 Configure Devices and Verify Connectivity

##### 3.2.1 Configure the PC interfaces

## 4 References

### References

**5 List of figures**

**List of Figures**

1    Network topology required for this exercise . . . . . 4