TABELLA DI PARSING PER GO

Id	\$ let	in	end	letrec	var	=	and	lambda	()	if
Prog	1.1			1.2							
Bind					2.1						
X		3.2					3.1				
Exp	4.1			4.1	4.3			4.2	4.3		4.5
ExpA					5.1				5.1		
E1	6.2	6.2	6.2	6.2	6.2		6.2	6.2	6.2	6.2	6.2
Т					7.1				7.1		
T1	8.2	8.2	8.2	8.2	8.2		8.2	8.2	8.2	8.2	8.2
F					9.1				9.3		
Υ	10.2	10.2	10.2	10.2	10.2		10.2	10.2	10.1 10.2	10.2	10.2
OPA											
ОРМ											
OPP											
Seq_Exp	14.1			14.1	14.1			14.1	14.1	14.2	14.1
Seq_Var					15.1					15.2	

Id	then	else	exp_const	+	-	*	1	cons	car	cdr	eq	leq	atom
Prog													
Bind													
Х													
Exp			4.3					4.4	4.4	4.4	4.4	4.4	4.4
ExpA			5.1										
E1	6.2	6.2	6.2	6.1	6.1			6.2	6.2	6.2	6.2	6.2	6.2
Т			7.1										
T1	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.2	8.2	8.2	8.2	8.2	8.2
F			9.2										
Υ	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2
ОРА				11.1	11.2								
ОРМ						12.1	12.2						
OPP								13.1	13.2	13.3	13.4	13.5	13.6
Seq_Exp			14.1					14.1	14.1	14.1	14.1	14.1	14.1
Seq_Var													