1 (a) (i) Define velocity.

(ii) Distinguish between speed and velocity.

	•••••
[0]	

(b) A car of mass 1500 kg moves along a straight, horizontal road. The variation with time t of the velocity v for the car is shown in Fig. 1.1.




Fig. 1.1

The brakes of the car are applied from t = 1.0 s to t = 3.5 s. the time when the brakes are applied,

(i) calculate the distance moved by the car,

(ii) calculate the magnitude of the resultant force on the car.

resultant force =N [3]

(c) The direction of motion of the car in (b) at time $t = 2.0 \,\mathrm{s}$ is shown in Fig. 1.2.




Fig. 1.2

On Fig. 1.2, show with arrows the directions of the acceleration (label this arrow A) and the resultant force (label this arrow F).

(a)	(i)	Define power.
	(ii)	your definition in (i) to show that power may also be expressed as the product of force and velocity.
		[2]
(b)	A lo	erry moves up a road that is inclined at 9.0° to the horizontal, as shown in Fig. 2.1.
		8.5 m s ⁻¹
		Fig. 2.1
		e lorry has mass 2500 kg and is travelling at a constant speed of 8.5 m s ⁻¹ . The force due to resistance is negligible.
	(i)	Calculate the useful power from the engine to move the lorry up the road.
		power = kW [3]
	(ii)	State two reasons why the rate of change of potential energy of the lorry is equal to the power calculated in (i).
		1
		(ii) (b) A lo

[2]

3 A uniform plank AB of length 5.0 m and weight 200 N is placed across a stream, as shown in Fig. 3.1.




Fig. 3.1

A man of weight 880 N stands a distance x from end A. The ground exerts a vertical force $F_{\rm A}$ on the plank at end A and a vertical force $F_{\rm B}$ on the plank at end B. As the man moves along the plank, the plank is always in equilibrium.

(a)	(i)	Explain why the sum of the forces $F_{\rm A}$ and $F_{\rm B}$ is constant no matter where the man stands on the plank.
		[2]

(ii) The man stands a distance $x = 0.50 \,\mathrm{m}$ from end A. the principle of moments to calculate the magnitude of F_{B} .

(b) The variation with distance x of force F_A is shown in Fig. 3.2.




Fig. 3.2

On the axes of Fig. 3.2, sketch a graph to show the variation with x of force $F_{\rm B}$.

[3]

4 A metal ball of mass 40 g falls vertically onto a spring, as shown in Fig. 4.1.




Fig. 4.1 (not to scale)

The spring is supported and stands vertically. The ball has a speed of 2.8 m s⁻¹ as it makes contact with the spring. The ball is brought to rest as the spring is compressed.

(a) Show that the kinetic energy of the ball as it makes contact with the spring is 0.16 J.

(b) The variation of the force F acting on the spring with the compression x of the spring is shown in Fig. 4.2.




Fig. 4.2

The ball produces a maximum compression $X_{\rm B}$ when it comes to rest. The spring has a spring constant of $800\,{\rm N\,m^{-1}}$.

Fig. 4.2 to

(i) calculate the compression $X_{\rm B}$,

 $X_{\rm B}$ = m [2]

[2]

(ii)	show that not all the kinetic energy in (a) is converted into elastic potential energy in the spring.
	[2]

- 5 (a) Explain what is meant by the following quantities for a wave on the surface of water:
 - displacementamplitude
 - (ii) frequency and time period.

displacement and amplitude,

(i)

time period

[2]

[2]

(b) Fig. 5.1 represents waves on the surface of water in a ripple tank at one particular instant of time.




Fig. 5.1 (not to scale)

A vibrator moves the surface of the water to produce the waves of frequency f. The speed of the waves is $7.5\,\mathrm{cm\,s^{-1}}$. Where the waves travel on the water surface, the maximum depth of the water is $15\,\mathrm{mm}$ and the minimum depth is $12\,\mathrm{mm}$.

	(i)	Calculate, for the waves,
		1. the amplitude,
		amplitude = mm [1] 2. the wavelength.
	(ii)	wavelength =
(c)	Sta	time period =s [2] te and explain whether the waves on the surface of the water shown in Fig. 5.1 are progressive or stationary,
	(ii)	transverse or longitudinal.
		[1]

6	(a)	Distinguish between electromotive force (e.m.f.) and potential difference (p.d.).			
			[0]		
			[2]		
((b)		attery of e.m.f. 12V and internal resistance 0.50 Ω is connected to two identical lamps, as wn in Fig. 6.1.		
			12V		
			''		
			Fig. 6.1		
			ch lamp has constant resistance. The power rating of each lamp is 48W when connected oss a p.d. of 12V.		
		(i)	Explain why the power dissipated in each lamp is not 48W when connected as shown in Fig. 6.1.		
			[1]		
		(ii)	Calculate the resistance of one lamp.		
			resistance = Ω [2]		

 α-particle: β-particle: γ-radiation: (b) Describe the changes to the proton number and the nucleon number of emission occurs of (i) an α-particle, 	[2]
 γ-radiation: (b) Describe the changes to the proton number and the nucleon number of emission occurs of (i) an α-particle, 	[2]
(b) Describe the changes to the proton number and the nucleon number of emission occurs of(i) an α-particle,	[2]
emission occurs of (i) an α-particle,	a nucleus when
	[1]
(ii) a β-particle,	
	[1]
(iii) γ-radiation.	
	[1]