4	(a)	State the difference between progressive waves and stationary waves in terms of the transfer of energy along the wave.
		[1]
	(b)	A progressive wave travels from left to right along a stretched string. Fig. 4.1 shows part of the string at one instant.
		string O.48 m
		Fig. 4.1
		P, Q and R are three different points on the string. The distance between P and R is $0.48\mathrm{m}$. The wave has a period of $0.020\mathrm{s}$.
		(i) Fig. 4.1 to determine the wavelength of the wave.
		wavelength = m [1]
		(ii) Calculate the speed of the wave.
		speed = ms ⁻¹ [2]
		(iii) Determine the phase difference between points Q and R.
		phase difference =° [1]

(iv)	Fig. 4.1 shows the position of the string at time $t = 0$. Describe how the displacement of point Q on the string varies with time from $t = 0$ to $t = 0.010$ s.
	[2]
X	stationary wave is formed on a different string that is stretched between two fixed points and Y. Fig. 4.2 shows the position of the string when each point is at its maximum placement.
	W
	X
	Fig. 4.2
(i)	Explain what is meant by a <i>node</i> of a stationary wave.
	[1]
(ii)	State the number of antinodes of the wave shown in Fig. 4.2.
	number = [1]
(iii)	State the phase difference between points W and Z on the string.
	phase difference =° [1]
(iv)	A new stationary wave is now formed on the string. The new wave has a frequency that is half of the frequency of the wave shown in Fig. 4.2. The speed of the wave is unchanged.
	On Fig. 4.3, draw a position of the string, for this new wave, when each point is at its maximum displacement.
	₹