



Portfolio

Wagner Steve

Tracer



Goal

To know the placement of a parcel in real time through an embedded system

Methods

The user enters the arrived coordinates and his phone number in a text file. The text file is saved in a webserver. The embedded system receives his GPS coordinates every 5 minutes through a GPS module and sends it to the server. The server compares the received coordinate with the saved coordinate. If the coordinates correspond, the server

sends a message with the user's phone number to the embedded system. The embedded system sends at this time a SMS to the user to inform him that his parcel is arrived.

Team

2 Students in Bachelor of Informatics specialized in embedded system (third year)

Programming Software

MBED platform, Wasp mote platform

Material used

Ublox C027 and Wasp mote embedded board

Programming language

C, C++


Time of work

50 hours (February 2015 – April 2015)

Final Result

Each embedded system receives its GPS coordinates and sent them to the server. A SMS is sent to the user when the parcel is arrived.

Autonomous Robot Car




Goal

The robot may move in an unknown environment and avoid the obstacles. The robot may be guided through a software interface.

Method

Ultrasonic sensors are used to determine the distances on each side of the robot. This one move automatically without touching any obstacle. Through the software interface, the robot can be guided by a user through the software




interface or move freely. On the software interface each distance of each sensor, between the robot and an eventual obstacle, can be visualized.

Team

Only in Bachelor of Informatics specialized in embedded system (third year)

Programming software

Codewarrior, LabVIEW



Programming Language

C


Time of work

150 hours (February 2015 - May 2015)

Final Result

The robot move automatically and can be guided through the software interface. On the software interface can the speed, the start and stop of the robot and the automatic and manual mode chosen.

Freescale Cup




Goal

The robot may move as speed as possible on a white circuit with two lines on each part without going out of it.

Method

The robot has a camera on the top of a stand, which is on the front of the robot and allow visualizing the circuit. The result of the camera is processed and depending on the result the interpretation on the



engines is different (acceleration, braking, turn right or left, etc.). The result of the processed image could be visualized on a software interface.

Team

Two students in Bachelor of Informatics specialized in embedded system (third year).

Programming Software

Codewarrior, LabVIEW



Programming language

C


Time of work

200 hours (September 2014 - February 2015)

Final Result

The robot can drive without going out of the circuit. The processed image can be visualized on a software interface with the state of the robot (acceleration, breaking, stopped) and the average speed.

Led controller via Android



Goal

Creation of an android application which allows the change of led's color long-distance.

Method

The color is sent through the Bluetooth communication from a phone to an embedded board (where the led are connected). This board receipts the color and adapts the values to send it to the leds.

Team

Two Students in Bachelor of Informatics specialized in embedded system (third year).

Programming Software

Eclipse (programming of the Android application), MPLAB X IDE (programming of the embedded board)

Time of work

200 hours (September 2014 – February 2015)

Programming Language

C (for the embedded board) and Java Android (for the Android application)

Time of work

200 hours (September 2014 – February 2015)

Final Result

The color changes in four methods (phone rotation, movement of shake and through a slider).

Video Game (Battleship)

**Goal**

Creation of a video game which may allow a player to play against a computer.

Method

The player places his ships on a predefined grill. The placement of the computer's ships is done randomly on another grill. The player and the computer play each in turn.

Team

2 Students in Bachelor of Informatics specialized in embedded system (first year)

Programming Software

Eclipse, SQL Library

Programming Language

C

Time of work

200 hours (February 2013 - June 2013)

Final Result

Each ship can be placed on the grill without going beyond the grill. Ships are randomly placed without being visible to the player. Each one plays in turn till one player has no ship anymore.