

Software Requirements Specification
for
Ubuntu Touch Audio Mixer (working name)

Prepared by:

Steven Lares

Contents

1	Introduction	2
1.1	Purpose	2
1.2	Product Scope	3
1.3	Risk Definition and Management	3
2	Development Practices	4
2.1	Code Style	4
2.2	Test Style	4
3	Functional Requirements	5
3.1	System	5
3.2	Audio Effect Modules	5
3.3	Audio Control Modules	6
4	Non Functional Requirements	7
5	Ubuntu Touch Specifics	8
5.1	License	8
5.2	IDE and Debugger Choice	9
5.3	App Suspension	9
5.4	Shared Dependencies	9

Chapter 1

Introduction

The aim of this document is to provide in-depth insight of the Ubuntu Touch Audio Mixer software by defining the problem statement in detail.

It describes expected capabilities from end users while defining high-level product features.

This document was built using references from:

1. <https://www.overleaf.com/latex/templates/cse355-software-requirements-specification-layout/pvjpxzthtngc>
2. <https://www.perforce.com/blog/alm/how-write-software-requirements-specification-srs-document>
3. <https://www.geeksforgeeks.org/software-engineering-quality-characteristics-of-a-good-srs/>
4. <https://www.geeksforgeeks.org/software-engineering-classification-of-software-requirements/?ref=lbp>
5. utdallas.edu -SRS4.0 doc
6. <https://ieeexplore.ieee.org/document/278253>

It was compiled through the LaTeX template found in

<https://www.overleaf.com/latex/templates/cse355-software-requirements-specification-layout/pvjpxzthtngc>

It uses Prototype Outline 1 for SRS Section 3 from the IEEE link

1.1 Purpose

This document is intended to be read by volunteer developers and testers, as well as anyone else curious enough to learn more about the project.

Admittedly, this SRS is more developer/tester oriented since it relies on git version control to track its development. Git is used instead of maintaining a version history table within the SRS itself; the latter of which is typical for SRS documents created in Microsoft Word or SRS-creation software.

Therefore, learning how to compare git commits and branches will help with understanding the SRS development over time.

NOTE 1: This document is meant to aid a first official release. It will likely not be maintained once the project has it's official release, and will stay for archival purposes.

NOTE 2: This document is also a loose adaptation of an SRS. As such, it contains design decisions, doesn't make mention of financials, and has some code practices outlined.

1.2 Product Scope

The app will be downloaded by the user through Ubuntu Touch's Open Store. It will not be available elsewhere, other than the GitHub repo which hosts source code and possibly test builds of the app.

It is intended to be used in two major ways:

1. It can be used as a portable external audio mixer.
 - (a) This means that the app will act as a bridge between:
 - i. An external audio playback / microphone device feeding audio input into the phone running the app.
 - ii. An external audio playback device receiving mixed audio output from the phone running the app.
 - (b) This is the main strength of this app for the following reasons:
 - i. As of 10/21/2022, there are no Android or iOS alternatives that provide this functionality.
 - ii. PulseEffects does provide similar functionality, however there is a major limitation: You must run a server on an Linux machine, and have another Linux machine (with the same package installed) connect to this machine in order to receive the mixed audio output
2. It can also be used as an internal audio mixer.
 - (a) This means that the app will be able to mix audio across the system.
 - (b) This functionality is comparable to other apps on the Android and iOS stores, usually with the terms "equalizer", "EQ", "Mixer" in their name.
 - (c) This functionality leads this app into having desktop counterparts:
 - i. EQualizerAPO for Windows (<https://sourceforge.net/projects/equalizerapo/>)
 - ii. PulseEffects for Linux (<https://github.com/wwmm/easyeffects>).
 - (d) Why use this Ubuntu Touch implementation instead of Android or iOS? Well:
 - i. This app will behave closer to its desktop counterparts in that it will not contain ads, subscriptions, and other scummy money-grubbing schemes. If donations are added to support the app, they will stay on the official Open Store page and out of the user's way.
 - ii. The app is open source, and is not a mysterious black box.
 - iii. Will be implemented using as much native Ubuntu Touch and Linux functionality as possible.
 - iv. Will allow the user to branch audio streams, do processing on those branched off streams, and then finally converge them.
 - v. The app will allow you to order the processing modules in the order that you want. This allows for more robust audio processing than currently available alternatives.
 - vi. It will also be written with a faster and more memory efficient programming language compared to Java (Android) or Swift (iOS). This is especially important as real time audio mixing can be a CPU and memory intensive process.
 - (e) **NOTE:** This is also the "fall-back" in case functionality #1 is not possible in the UT environment. However, it will still retain its strength over Android / iOS counterparts.

NOTE: The above list may be revised over time depending on how closely initial requirements can be fulfilled in the UT environment.

1.3 Risk Definition and Management

At this early stage within the project, there are no risks. This may change as the project matures.

Chapter 2

Development Practices

2.1 Code Style

<https://mitcommlab.mit.edu/broad/commkit/coding-and-comment-style/>

2.2 Test Style

Will also implement a Test Driven development style, using Unit Testing Principles, Practices, and Patterns by Vladimir Khorikov

TDD will likely be implemented using concepts from parts 1 and 2 of the book. Part 3 is on an as-needed basis.

By combining TDD with this SRS, I will be able to better test outline units of behavior and individual requirements (like Ubuntu dependencies separately)

Chapter 3

Functional Requirements

TODO: These functional requirements were written down in a way that resembled unit tests. I am going to move away from this approach, and rewrite them to be closer to traditional functional requirements. Some of these will be translated to unit tests during the coding stage. That will likely be those that don't focus entirely on a shared dependency.

TODO: Continue adding on to this list

3.1 System

1. File IO
 - (a) load_template
 - (b) save_template
2. Device Setup Per Selected Mode
 - (a) switch_between_bridge_and_internal_modes
 - (b) in_bridge_mode_set_the_audio_source_input
 - (c) in_bridge_mode_set_the_audio_source_output
 - (d) in_internal_mode_block_the_audio_source_input
 - (e) in_internal_mode_set_the_audio_source_output
3. Audio Routing
 - (a) chain_audio_effects_in_series
 - (b) split_audio_stream_into_two_streams
4. Audio Control
 - (a) adjust_audio_effect_parameters_during_audio_stream
 - (b) audio_control_modules_adjust_the_parameters_of_audio_effect

3.2 Audio Effect Modules

1. Equalization
 - (a) apply_15_band_EQ_to_audio_stream

- (b) `apply_30_band_EQ_to_audio_stream`
- (c) `apply_variable_band_EQ_to_audio_stream`

2. Filtering

- (a) `apply_all_pass_filter_to_audio_stream`
- (b) `apply_band_pass_filter_to_audio_stream`
- (c) `apply_low_pass_filter_to_audio_stream`
- (d) `apply_notch_filter_to_audio_stream`
- (e) `apply_high_pass_filter_to_audio_stream`
- (f) `apply_high_shelf_filter_to_audio_stream`
- (g) `apply_low_shelf_filter_to_audio_stream`
- (h) `apply_peaking_filter_to_audio_stream`

3. Miscellaneous

- (a) `apply_compressor_to_audio_stream`
- (b) `apply_limiter_to_audio_stream`
- (c) `apply_delay_to_audio_stream`
- (d) `apply_loudness_correction_to_audio_stream`
- (e) `apply_preamp_to_audio_stream`

3.3 Audio Control Modules

1. LFO
2. Math calculator

Chapter 4

Non Functional Requirements

TODO: After reviewing external and internal *UTSpecific* dependencies and limitations, decide if you want to include this section.

Chapter 5

Ubuntu Touch Specifics

This chapter contains items that are specific to the development in the UT environment. There is some decision making that is listed here.

General docs: <https://docs.ubuntu.com/en/latest/>

5.1 License

Choose license from the following list.

1. <https://www.gnu.org/licenses/gpl-3.0.en.html>
 - (a) As far as I can tell, this is the only one with a "viral" approach to software licensing. That is, if you use a GPL component in your software project, your entire software project must be GPL.
 - (b) Will go with this, since I plan to make this an open source, non commercial project (but might open donations in the future)
 - (c) Most open source linux projects tend to be GPL anyways, and since it is viral it makes sense to just pick this to begin with.
2. <https://opensource.org/licenses/MIT>
3. <https://opensource.org/licenses/BSD-3-Clause>
4. <https://opensource.org/licenses/ISC>
5. <https://www.apache.org/licenses/LICENSE-2.0>

Resources:

1. <https://www.quora.com/What-are-the-four-licenses-MIT-Apache-GPL-and-Creative-Commons-How-are-they-different>
2. <https://www.quora.com/Which-license-should-you-use-on-Github-for-open-source-projects>
3. <https://www.gnu.org/licenses/license-recommendations.html>
4. <https://www.gnu.org/licenses/why-not-lgpl.html>

5.2 IDE and Debugger Choice

- Use QtCreator for IDE since it has debugging and testing:
 - <https://docs.ubports.com/en/latest/appdev/code-editor.html>
- Use either C++ or RUST. Use UT Specific libraries when possible:
 - <https://docs.ubports.com/en/latest/appdev/nativeapp/index.html>

5.3 App Suspension

Apps are suspended whenever not in the foreground, or when the device is locked. When an app is suspended, it cannot receive location data. For this reason, apps will not be able to track your location whenever they are not in use or the device is locked.

1. <https://docs.ubports.com/en/latest/userguide/dailyuse/location.html>
2. https://docs.ubports.com/_/downloads/ro/latest/pdf/

NOTE: May need the user to use UT Tweak to remove app suspension for full usage. However, there may be a way around it.

5.4 Shared Dependencies

This is the section that outlines external and out-of-memory dependencies that the project will have.

As it stands, this project is shared dependency heavy.

Since I will follow the classical approach to TDD, I need to know these "shared" dependencies so that my unit tests can mock these out.

Below are results of learning how to import external libraries and linux packages into the project.

- NOTES:
 - You can include C++ dependencies (libraries) in your project through clickable.
 - From what I currently understand, Clickable can compile ARM software into desktop architecture as it uses a container. It may not be able to go the other way *x86/x86_64* → *ARM*
 - Interestingly, it can run the app in a continuous integration environment due to the use of the ARM → Desktop container. There are guides on how to do CLCI
 - The consensus on Quora seems to be that the difficulty will range from: rebuilding with an ARM compiler to rewriting from scratch. It all depends on the type of software
- Links
 - <https://docs.ubports.com/en/latest/appdev/guides/dependencies.html>
 - <https://ubports.com/blog/ubports-news-1/post/introduction-to-clickable-147>
 - <https://clickable.bhdouglass.com/en/latest/>
 - <https://www.quora.com/How-hard-is-it-to-port-an-application-from-x86-to-ARM>

TODO: Create a small list of external dependency candidates for each function in your proposed app. Favor dependencies that: already have an ARM build, that fit within your license model, is a C++ library, and requires the least amount of work to adapt.

TODO: Once the candidate list has been created, create a prototype project in which you try to import each dependency and use them one by one. Write down results for the results of each.

Contains the largest list of open source audio software that I could find.

Look under "Software Development Libraries & APIs":

<https://github.com/webprofusion/OpenAudio>

Name	Brief Description	License Type	ARM Build	C++ library	Estimated work	Link
Faust	Functional programming language for real-time signal processing	GNU General Public License v2.0	Y, doesn't depend on external libraries so compile the generated code into ARM	Y, after generating the code	May require knowing the full extent of code functionality. That may hamper scalability, and create software design compromises. However, there is a JIT compiler that may help with this.	https://faust.gra
RustAudio	Collection of audio processing and plugin libraries for the Rust language	MIT and Apache, to name a few	Not sure, may depend on how much of the code is native Rust	N, but it is written in Rust	This is a collection of REPO's. I think cpal and dsp-chain will take care of most of the use-cases, without too much effort. Unless this can't compile for ARM <i>oristooslow</i> , I might consider this a top pick, pretty straightforward.	https://github.co
DISTRHO	C++ framework for creating cross-platform audio plugins. DPF can build for LADSPA, DSSI, LV2, and VST formats.	ISC License	Most likely, seems to be mostly native code	Y	Might be a lot, doesn't hold your hand	https://github.co
JUCE	Cross-platform C++ framework for developing desktop and mobile apps and audio plugins	https://juce.com/gnu	Not natively. There are threads for workarounds. Also, most users of this software are for Windows / Mac Desktop users.	Y	The library itself seems straightforward, but lack of Linux ARM compatibility might add extra work.	https://juce.com/

