# Problem H. H

Time limit 1000 ms

Mem limit 131072 kB

OS Linux

For a given weighted graph G=(V,E), find the shortest path from a source to each vertex. For each vertex u, print the total weight of edges on the shortest path from vertex 0 to u.

## **Input**

In the first line, an integer n denoting the number of vertices in G is given. In the following n lines, adjacency lists for each vertex u are respectively given in the following format:

```
u k v_1 c_1 v_2 c_2 ... v_k c_k
```

Vertices in G are named with IDs 0, 1, ..., n-1. u is ID of the target vertex and k denotes its degree.  $v_i (i=1,2,...k)$  denote IDs of vertices adjacent to u and  $c_i$  denotes the weight of a directed edge connecting u and  $v_i$  (from u to  $v_i$ ).

### Output

For each vertex, print its ID and the distance separated by a space character in a line respectively. Print in order of vertex IDs.

#### **Constraints**

- $1 \le n \le 10,000$
- $0 \le c_i \le 100,000$
- |E| < 500,000
- All vertices are reachable from vertex 0

### Sample Input 1

```
5
0 3 2 3 3 1 1 2
1 2 0 2 3 4
2 3 0 3 3 1 4 1
3 4 2 1 0 1 1 4 4 3
4 2 2 1 3 3
```

## Sample Output 1

- 0 0
- 1 2
- 2 2
- 3 1
- 4 3

# Reference

Introduction to Algorithms, Thomas H. Cormen, Charles E. Leiserson, Ronald L. Rivest, and Clifford Stein. The MIT Press.