

HTML



CSS



HTML & CSS: FUNDAMENTALS OF DEVELOPMENT

Instructor: Beck Johnson
Week 1



INTRODUCTIONS

- Who are you?
- What do you do/study/etc?
- What is your experience with web development?
 - Do you have related skills like Photoshop, Wireframing, E-mail Marketing, etc?
- What are you hoping to get out of this class?

CLASS SCHEDULE

- 5 sessions over a 6 week period
- Wednesdays from Nov 1 to Dec 6, from 6:30-9:30pm
 - No class week of Thanksgiving
- 10 minute break somewhere in the middle
- No grades, no tests
- Questions and feedback highly encouraged!



COURSE OVERVIEW

- Basic rules of HTML and CSS
- Using CSS to style web pages
- Website structure, navigation and file organization
- Hosting, FTP
- Intro to Javascript
- How design communicates with development



TODAY

- Overview of a website
- Code editors
- Basic HTML and CSS
- How to FTP (put your website online)
- What does a developer DO anyway?



ODDS AND ENDS

kweeket.github.io/dev-101

Slides, sample files, “homework”, and interesting links will be posted here



OVERVIEW OF A WEBSITE

CONTENT, DESIGN, & CODE



CONTENT

most important part
of any website



DESIGN

critical to the best user
experience



CODE

brings content and
design to life



CONTENT



What am I presenting?

TEXT

- Articles
- Links
- Lists

MEDIA

- Images
- Videos
- Audio



What is the experience?

USER EXPERIENCE

- Layout
- Navigation
- User flows
- Ease of use

GRAPHIC DESIGN

- Colors
- Fonts
- Backgrounds
- Icons



How does the computer understand?

HTML structures and organizes content


CSS stylizes the content and creates layout

JAVASCRIPT adds interactivity



CODE EDITING TOOLS

CODE EDITORS



VS Code



Brackets



Atom



Sublime Text



Coda

HTML is just text

You can right-click and select "View Source" on any webpage to see how the developer made it

WEB BROWSERS



HTML and CSS require testing in all major modern browsers and devices

You can experiment directly in the browser before making permanent changes



DEVELOPER TOOLS

Chrome

- Right-click > Inspect
- OR hit the F12 key

Safari

- Open Preferences > Advanced > Show Develop menu
- Right-click > Inspect Element

Internet Explorer

- F12 key



DEVELOPER TOOLS

The screenshot shows a web browser window with the address bar displaying `www.digitalmullet.com`. The website has a dark theme with a large hero section. The hero section features the text "User Experience. Design. Development." in a large, light blue serif font. Below this text is a yellow button that says "EXPLORE OUR WORK". The website also has a navigation bar with links: WORK, SERVICES, LIFE, CONTACT, GET STARTED. On the left side, there is a sidebar with the text "Building a new reality for Envelop VR™" and a play button icon. On the right side, there is a sidebar with the text "Reviving Seattle's most historic neighborhood" and a play button icon. The developer tools are open at the bottom of the browser window. The "Elements" panel shows the HTML structure of the page, with the `h1` element selected. The "Styles" panel shows the CSS rules for the selected `h1` element, including `font-weight: 600;` and `font-size: 62px;`.

Seattle Web Development, Use X

www.digitalmullet.com

Digital Mullet

WORK SERVICES LIFE CONTACT GET STARTED

h1 735 x 163

User Experience.
Design. Development.

A Seattle-based, digital-awesome agency. We're design in the front, technology in the back.

EXPLORE OUR WORK

Building a new reality for Envelop VR™

Reviving Seattle's most historic neighborhood

Elements Console Sources Network Performance Memory Application Security Audits

```
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml" class="js cssanimations csscalc cssvhunit wf-aller-n4-active wf-aller-n3-active wf-active">
  <head>_</head>
  <body>
    <!--CONTENT-->
    <div class="wrapper topHero home">
      <header class="mastheadContainer">_</header>
      <article class="heroContent home">
        <div class="heroWorkPreview prev">_</div>
        <div class="heroWorkPreview next">_</div>
        <div class="heroTitles home">
          <div class="trinity"></div>
          <h1_</h1> == $0
          <h2_</h2>
          <div class="CTA gradient">_</div>
        </div>
        <div class="clear"></div>
      </article>
    </div>
    <div data-scrollmagic-pin-spacer class="scrollmagic-pin-spacer" style="top: auto; left: auto; bottom: auto; right: auto; margin: 0px auto;>
      html.js.cssanimations.csscalc.cssvhunit.wf-aller-n4-active.wf-aller-n3-active.wf-active body div.wrapper.topHero.home article.heroContent.home div.heroTitles.home h1
```

Styles Computed Event Listeners >>

Filter :hov .cls +

element.style {

.heroTitles.home h1:first-of-type main.css:336 {

font-weight: 600;

}

@media only screen and (max-width: 1399px)

.heroTitles.home h1 { layout.css:78

font-size: 62px;

line-height: 74px;

color: #fff;

padding-left: 32px;

}

.heroTitles h1:first-of-type { main.css:331

margin: 0 0 15px;

padding-top: 15px;

}




LET'S TRY IT

<html>

HTML DOCUMENTS

HTML DOCUMENT

```
<!doctype html>
<html>
<head>
  <meta charset="UTF-8">
  <title>My First Page</title>
</head>
<body>
  <h1>The body is what the browser sees.</h1>
  <p>Several ways to format text.</p>
</body>
</html>
```



HTML ELEMENTS

- HTML elements are contained in `<>` brackets
- Most HTML tags have an **opening** tag and a **closing** tag

`<tag>Content goes in here</tag>`

- Some types of tags are “self-closing”

`<tag />`

HTML ELEMENTS



HTML RULES

- Tags are written in lowercase

`<a>` not `<A>`

- Tags **must** be closed

`<p>Text in here.</p>`

`<div>Content in here.</div>`

`
` Self-closing line break

DOCTYPE

<!doctype html>

- The very first thing in any HTML document
- Tells the browser what version of HTML the document is written in (this one is HTML5)

HTML DECLARATION

<html>

- The top line after <doctype> declaration.
- Tells the browser “This is where everything starts!”

```
<html><!-- everything else --></html>
```

<!--HTML COMMENTS-->

<!-- Comments are great -->

- Are not visible to the user in their browser
- Great for leaving notes for yourself or other developers

<!--HTML COMMENTS-->

Sometimes they don't really have a point...

```
6857 </div></body></html>
6858 <!--
6859 . _ ( . ) < (MEOW)
6860 \ _
6861 ~~~~~-->
6862 <!--
6863 sp:eh:6p7vMBc2nA2xxUdwY0KTQgcTA2YCwqgEYK0cbqTFWBdaM/avbmHZ+VMc
6864 saiio5M4M6/ABWVE1BKS7xu8WLAvgIIitFD3meESk1ZCtQYF08pdrA+aJSKkzXA
6865 == -->
6866
```

HEAD ELEMENT

`<head></head>`

- **Required** for a valid HTML document
- Holds information about the document that is (mostly) not visible to the user
- Can contain CSS and Javascript

```
<head>
```

```
  <!-- metadata and resources -->
```

```
</head>
```

META TAGS

`<meta charset="UTF-8"/>`

- Used to specify "meta" information to the browser like page description, author, search engine keywords, and character encoding
- UTF-8 represents Unicode, a system to handle text consistently in a variety of languages.

`<head>`

`<meta name="author" content="Your Name" />`


`<meta name="description" content="A thrilling page"/>`

`</head>`

TITLE TAG

`<title>My First Page</title>`


- Displays in the browser tab
- **Required** inside `<head>`



TITLE TAG

`<title>My First Page</title>`

- Name of the page when page is bookmarked
- The title for the page in search results on Google (or Bing)



BODY ELEMENT

`<body></body>`

The part of the HTML document that's visible to the user

- Contains all content of the document, such as tags, links, images, tables, etc.

`<body>`

`<!-- all my sweet content -->`

`</body>`

MAJOR BODY ELEMENTS

- **Headings** for dividing up your page and content
- **Paragraphs** of text
- Bulleted, ordered, unordered **lists**
- **Images**
- **Links** to other pages, websites or resources.

HEADINGS

`<h1>`My Page Header`</h1>`

Headings range from most important to least important

`<h1>` to `<h6>`

Search engines use `<h1>` to determine important information about the page

HEADINGS

<h1>Heading 1</h1>

<h2>Heading 2</h2>

<h3>Heading 3</h3>

<h4>Heading 4</h4>

<h5>Heading 5</h5>

<h6>Heading 6</h6>

Heading 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

PARAGRAPHS

<p>Hi! I'm a paragraph!</p>

- Most text in the document
- Browsers automatically add space around <p> elements (although this can be changed with CSS)

FORMATTING

`` indicates *emphasis*

- By default, this displays as `italic`

`` indicates **importance**

- By default, this displays as `bold`

LIST ELEMENTS

```
<ul>  
  <li>Puppies</li>  
  <li>Kittens</li>  
</ul>
```

Unordered lists `` appear in the browser by default with **bullets**

- Puppies
- Kittens

LIST ELEMENTS

```
<ol>  
  <li>Puppies</li>  
  <li>Kittens</li>  
</ol>
```

Ordered lists `` appear in the browser by default with **numbers**

1. Puppies
2. Kittens

LIST ELEMENTS

```
<ul>  
  <li>Puppies</li>  
  <li>Kittens</li>  
</ul>
```

Both unordered and ordered lists can only contain **list items** `` directly

IMAGES

```

```

- Images do not have a closing tag
- Images have two required **attributes**:
 - **src** is where the file lives (local or external)
 - **alt** is a description of the image (used for screen readers, search engines, etc)

IMAGES

```

```

- **height** and **width** resize images and ensure the page doesn't jump
- **title** is shown as a tooltip in some browsers when you hover your mouse over the image



LINKS WITH THE ANCHOR TAG

```
<a href="http://google.com">Google</a>
```

The `<a>` element defines an "anchor" or link

- Anything inside `<a>` is clickable - can be text, an image, or any other valid HTML

SOME <A>TTIBUTES

```
<a href="http://google.com" title="Search"  
target="_blank">Google</a>
```

- **href** is the URL where the link should send the user
- **title** appears as a tooltip when you mouse over the link. It is read by screen readers
- **target="_blank"** opens link in a new tab

URL-SCUSE ME?

URL stands for “Uniform Resource Locator”

UNIFORM

because it is a global standard

RESOURCE LOCATOR

because that’s what an URL does – it locates a resource that lives on the internet

RELATIVE FILE PATHS

Relative paths are URLs that go to a resource in relation to the page you're on

- Resources “local” to you should all be relative paths
(your images, HTML documents, fonts, CSS and JS files)

```
<a href="other-page.html">Link to another page on my  
website</a>
```

```

```

 (image is in same folder)

```

```

 (image is in parent folder)

ABSOLUTE FILE PATHS

Absolute paths are URLs that start with **http**

```
<a href="http://google.com">Ubiquitous  
search engine</a>
```

- These documents are not hosted by you, so if someone renames or deletes the file, your link will be broken



PRACTICE TIME!

ASSIGNMENT

Create a website that about something that interests you

- At least 2 pages that are linked to each other
- Include a link to an outside website. Bonus: have the link open in a new tab
- Use 3 heading tags and at least one paragraph
- Use at least one list
- Show at least 2 images - one local and one remote
- Add one HTML comment
- Validate your website

DOMAINS & WEB HOSTING

DOMAINS & HOSTING

What is a domain name?

The Domain Name System, or **DNS**, is like a phone book for the internet.

It's essentially a list that maps the location of files on a server (identified by a series of unique numbers called an IP Address) to a friendly name, like Wikipedia.org

DOMAINS & HOSTING

How do I buy a domain name?

Companies called registrars manage the reservation of domain names.

- GoDaddy is one of the largest registrars, but many smaller companies also provide this service.
- ICANN is the agency responsible for regulating and accrediting registrars

DOMAINS & HOSTING

I bought a domain name... now what?

Registering a domain name maps that name to a location where the files will be hosted, but does NOT necessarily provide server space for your files.

- GoDaddy will both register and host your website, as will many other companies
- You can buy a domain name from one company and host your files at another (or, host from a computer you own!)

DOMAINS & HOSTING

How to get your files on the server?

A common way to upload your website is using FTP (File Transfer Protocol).

You don't have to understand it, just find an FTP client you like and copy your files using the program.

DOMAINS & HOSTING

FTP clients



Filezilla



Cyberduck




THE ROLE OF THE DEVELOPER

LIFECYCLE OF A WEBSITE

Step 1


UX creates wireframes based on research and conversations with the client



LIFECYCLE OF A WEBSITE

Step 2

Visual Designers
turn wireframes
into “comps”




LIFECYCLE OF A WEBSITE

Step 3

Developers turn comps into HTML and style with CSS

- Add interactivity with Javascript



THE ROLE OF THE DEV

What do I do besides code?

- Problem solve
- Innovate with new technologies & frameworks
- Bring designs to life with animation and motion
- Optimizing for fast loading

“HOMEWORK”

- Practice!
- Next time you see a cool website, inspect how they did it
- If you have questions during the week, feel free to email me
- Optional: read chapters 6-7 of *HTML and CSS: Design and Build Websites*

