

Project Luther Summary

Predicting High School Track Results

Dana Lindquist
October 12, 2018

Project Design

This project was motivated by the large quantity of data available on track and field meets on the web site www.athletic.net. The web site has lists of athletes competing in all events as well as detailed information for each athlete. For this project the focus was on Washington State high school athletes. The web site has full high school data for athletes graduating between 2006 and 2018.

The goal was to predict future performance of an athlete based on past performance. Data was pulled from the web site for girls and boys competing in the 400 meter and 1600 meter events. For each of the 4 high school years (9th, 10th, 11th and 12th grades) the personal record (PR) for these events were compiled. Only athletes who had competition results for all four years were included in the data set. More data points were collected for the 1600 race because for most of these races any number of athletes can enter the event. For the 400m races the entrants are limited due to a limited number of lanes on the track.

The data set included:

	# girls	# boys	Total	# Schools
400 meters	382	444	826	186
1600 meters	852	1204	2056	198

Data

For each athlete the following data was collected.

Variable	Description	Use in Model
Athlete's Name	Athlete's full name	N
Athlete's ID number	Record descriptor from athletic.net	N
Graduation Year	Year from 2006 to 2017	Y
Athlete's School	High school name	N
Athletic District	9 Districts in the state of Washington. Athletes from Districts 7, 8 & 9 were	Y

	removed due to minimal participation	
9th Grade PR (Personal Record)	Best competition time for 9th grade	Y
10th Grade PR (Personal Record)	Best competition time for 10th grade	Y
11th Grade PR (Personal Record)	Best competition time for 11th grade	Y
12th Grade PR (Personal Record)	Best competition time for 12th grade	Target

The athlete's athletic district and graduation year is an indication of the competition they would have during their races. There were approximately 200 schools represented in this dataset so the school feature was struck from the analysis in favor of the athletic district.

Models

Race times from 9th, 10th and 11th grade were used to predict the 12th grade times.

An investigation of model complexity was performed to determine what level of complexity was required to get a good prediction.

Algebraic

A simple examination of the data shows that plotting the ratio of growth from 10th grade to 11th grade and the growth from 11th grade to 12th grade is approximately the same.


$$\frac{t_{12}}{t_{11}} \approx \frac{t_{11}}{t_{10}}$$

From this knowledge a simple algebraic model can be tested to predict the 12th grade times.

$$t_{12}(\text{predicted}) = \frac{t_{11}^2}{t_{10}}$$

This model produces the following results

	RMSE 400 meters race Mean time = 58.4 sec	RMSE 1600 meters race Mean time = 317.0 sec
Algebraic model	3.7 sec (6.3% of ave)	21.6 sec (6.8% of ave)



This is pretty good but from the above plot of the residuals we are predicting faster times with this model then the data indicates.

Linear Regression

A simple linear regression model was fit to the data. One-hot encoding was used to account for the different districts.

From the above plot you can see that the residuals are more evenly distributed and the model is producing better results.

	RMSE 400 meters race Mean time = 58.4 sec	RMSE 1600 meters race Mean time = 317.0 sec
Algebraic model	3.70 (6.3% of ave)	21.64 (6.8% of ave)
Linear Regression	2.18 (3.7% of ave)	13.54 (4.3% of ave)

Other models

Two other models were tried. In the hope of picking up more of the taper off of times during the 12th grade year, higher order terms were added to the model. Two features were added, one with the square of the 12th grade PR and the other with the square of the 11th grade PR. This addition to the model did not improve the accuracy of the prediction and in fact started to overfit the data. The other model was a mixed effects regression which showed similar results as the linear regression.

	RMSE 400 meters race Mean time = 58.4 sec	RMSE 1600 meters race Mean time = 317.0 sec
Algebraic model	3.7 sec (6.3% of ave)	21.6 (6.8% of ave)
Linear Regression	2.2 sec (3.7% of ave)	13.5 (4.3% of ave)
Adding Higher Order terms to Linear Regression	2.3 sec	13.4 sec
Mixed Effects Model	2.1 sec	13.6 sec

Conclusions and Future Extensions

The accuracy of these linear models was quite good and a definite improvement over a simple algebraic model. But there was a limit to what the models could predict. This should be improved by adding more features to the model. The full event list for each athlete is available on www.athletic.net. It would be interesting to add more details about the athlete's competitions within each school year. It would also be interesting to add information on other events in which the athlete competed.

The model required relatively few features and data points (athletes) to provide an accurate prediction. For future work it should be noted that the dataset need not be this big.

This approach could easily be extended to an investigation of field events as well as to running events.

A relevant use of this type of predictive model is for athletic recruiting, for example colleges recruiting from high schools. The work here shows merit and indicates the potential of extension to the prediction of college performance based on high school performance.

Appendix

Tools used for this analysis

- Pandas
- Numpy
- Statsmodels
- Patsy
- Scikit Learn
- Beautiful Soup
- Yellowbrick
- Matplotlib