
#### Mancala Games




#### **Notation Conventions**

#### Class Diagram Conventions

**Abstract Base Class** 

Primarily Data




#### **Deco Chain Conventions**

- One path down the deco chain is used.
- · Intersecting arrows are decision points.
- Shown in call order from start dot (constructed in reverse order).
- Calls down the deco chain maybe at any point in each deco's processing.
- Some deco's do not call down the deco chain even if there is a follow-on deco.
- All paths shown might not be possible (see ginfo\_rules).


Optional deco

Deco Chain in Seperate Diagram


# MancalaGames (the Mancala Games UI class)




# GameChooser (the Play Mancala UI class)



## Mancala, GameState, AlPlayer and AlAlgorithm



#### Mancala UI Classes




#### **Animator Classes**

 Assignments to an AniList generate SetStateVar animations.


These animator hooks are used for 5 state variable and only when they are configured for use in a game.

These hooks are not included if animator. ENABLED is set False.


**AniGameState** 



#### Mancala Classes



# Additional Game Classes and Supporting Decorators



### Import Classes for Moves

## InhibitorIf new game() get\_state() set\_state() clear if() set\_on() set\_off() set child(condition) stop me capt(turn) stop me child(turn) InhibitorNone **InhibitorCaptN** InhibitorChildrenOnly InhibitorBoth

The decorator chains and button behaviors use and control the inhibitor.

#### MoveTpl

Moves are one of (based on game parameters):

- 1. position
- 2. (position, direction)
- 3. (row, position, direction)

MoveTpl prints the moves nicely.

Row is in terms of the UI, that is Top/True is 0 and Bottom/False is 1. This is the "not" of the game.turn.

Moves are created when initializing the HoleButtons for the human players and via the get\_moves deco chain for the Al player.

#### MoveData

MoveData is used to communicate information about each move between the deco chains and individual decorators.


See class comment for where each field is set and/or updated.

The current move's mdata is stored in Mancala, but anything stored directly into that could mess up the Monte Carlo Tree Search (it's node dictionary uses a limited version of game state, which does not include Mancala.mdata).


## **Decorator Usage**

Game Op/Step	Primary Decorator	Other Classes & Decorators Used	Description
New Game	new_game	StartPattern, inhibitor	Setups the game for initial play. Applies any prescribed moves.
Determine Drawable Holes	allow		Return a list of holes that are playable.
Collect Moves	get_moves		Return a list of possible moves.
Draw seeds to start a move	drawer		Parse the move, determine number of seeds to sow, possibly leave one seed
Determine sow direction	get_direction		Convert the move & location into an actual sowable direction: clockwise or counter-clockwise.
Sow	sower	MoveData, incr, make_child, inhibitor	Drop the seeds into the board holes.
Capture seeds	capturer & capt_ok	MoveData, incr, make_child, inhibitor	Perform any captures.
Evaluate end of game	ender	MoveData	At the end of each move determine if the game is over: game has been won, no more moves, game outcome can't change, etc.
Logging	get_string		Creates an ASCII string for the game.
Force end of game	quitter		The game needs to end either because of endless sow or user selection. Something fair will be done.


#### New Game Decorators and Chain



#### Allowables Decorators and Chain




State variables read:
turn
board
store
blocked
owner
child
min\_move
allow\_rule
mlength
mustshare
grandslam
udir\_holes
mcount



#### Notes:

- \* Simulates some portion of moves to determine allowables
- \*\* MemoizeAllowable is used for deco's that simulate moves

#### Allow Rule Decos




#### Notes:

Some allow rule decos are shown more than once for clarity.

\* Simulates some portion of moves to determine allowables

### Get Moves Decorators and Chain




State variables read: Parameters:
blocked mlength
board mustpass
owner sow\_direct
starter udir\_holes
store udirect
turn

DecoChainIf


MovesIf

get\_moves()


### Get Direction Decorators and Chain




State variables read: mcount turn Parameters: no\_sides sow\_direct udir\_holes udirect



### **Incrementer Decorators and Chains**







State variables read: blocked

Parameters: blocks skip\_start

#### MakeChild Decorator and Chain




### **Draw Decorators and Chain**




State variables:
Read:
turn
Changed:
board
unlocked


Parameters: allow\_rule mlength move\_one moveunlock sow\_start




#### **Sower Decorators**




#### Sower Deco Chain




## Lap Continuer Deco Chain and Mlap Operation



## Capt Ok Decorators and Chains




State variables read: Parameters:
board capt\_max
child capt\_min
turn capt\_on
unlocked capt\_side
moveunlock




This is the Basic Capture Criteria.

These are effectively ANDed. If any deco condition is false, it returns false, otherwise it calls down the deco chain.

### Capturer Decorators and Chain




State variables Parameters: Reads capsamedir inhibitor capt\_max starter capt min capt on turn Changes capt rturn capt side board capt type child child cvt store child\_type crosscapt evens grandslam mlaps multicapt nocaptmoves nosinglecapt pickextra prescribed round\_fill xc sown xcpickown





#### Notes:

- Not all paths are allowed: see ginfo\_rules.
- Child and Grand Slam decos cannot occur together.
- Pickers do nothing when a child is made.
- PickCross is only put in the deco chain once, either in Picker Decos or after CaptMultiple.


# Capturer Deco Chains (1 of 2)









# Capturer Deco Chains (2 of 2)



# Ender & Quiter Decorators and Chains (1 of 2)





## **Ender & Quiter Decorators and Chains** (2 of 2)

