

Printing date 03/01/2017 Reviewed on 03/01/2017

1 Identification

- · Product identifier
- · Trade name: Ferrol N
- · Application of the substance / the mixture

Dry-cleaning

Spotting agent, stain remover

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEITZ GmbH

Gutenbergstrasse 1 - 3 65830 Kriftel / Germany Tel. + 49(0) 6192-9948-0 Fax + 49(0) 6192-9948-99 order@seitz24.com www.seitz24.com

· Information department:

CHEM-TEL Inc. 1305 North Florida Ave Tampa Florida 33602

· Emergency telephone number: 1-800-255-3924

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05

- · Signal word Danger
- $\cdot \ \mbox{Hazard-determining components of labeling:}$

methyl dihydrogen phosphate oxalic acid

phosphoric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves / eye protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

(Contd. on page 2)



Printing date 03/01/2017 Reviewed on 03/01/2017

Trade name: Ferrol N

(Contd. of page 1)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· CAS-No. Components:				
CAS: 812-00-0	methyl dihydrogen phosphate	< 5%		
CAS: 77-92-9	citric acid	< 2.5%		
CAS: 144-62-7	oxalic acid	< 2.5%		
CAS: 7664-38-2	phosphoric acid	< 2.5%		

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information

Remove casualties from exposure.

Keep unprotected persons away.

Immediately remove any clothing soiled by the product.

· After inhalation

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact

Immediately rinse with water.

Seek medical treatment.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed

If swallowed or in case of vomiting, danger of entering the lungs

· Indication of any immediate medical attention and special treatment needed Symptomatic treatment

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant

· For safety reasons unsuitable extinguishing agents No further relevant information available.

(Contd. on page 3)



Printing date 03/01/2017 Reviewed on 03/01/2017

Trade name: Ferrol N

(Contd. of page 2)

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Ensure adequate ventilation

- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from bases.

· Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Time of storage: max. 24 month • Specific end use(s) Dry-cleaning

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Printing date 03/01/2017 Reviewed on 03/01/2017

Trade name: Ferrol N

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

CAS: 7664-38	CAS: 7664-38-2 phosphoric acid		
PEL (USA)	Long-term value: 1 mg/m³		
REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³		
TLV (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³		
EL (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³		
EV (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

· Protection of hands:

Acid resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles.
- · Body protection: Acid resistant protective clothing

115



Printing date 03/01/2017 Reviewed on 03/01/2017

Trade name: Ferrol N

(Contd. of page 4)

9 Physical and chemical prope	erties	
· Information on basic physical and chemical properties · General Information		
Appearance: Form: Color: Odor: Odor threshold:	Fluid Yellow-brown Product specific No further relevant information available.	
· pH-value at 20 °C (68 °F):	1.2	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	not applicable undetermined	
· Flash point:	Not applicable	
· Flammability (solid, gaseous)	No further relevant information available.	
· Ignition temperature:	No further relevant information available.	
· Decomposition temperature:	No further relevant information available.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:Lower:Upper:Oxidizing properties	No further relevant information available. No further relevant information available. No further relevant information available.	
· Vapor pressure:	No further relevant information available.	
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	~ 1.05 g/cm³ (~ 8.762 lbs/gal) (ISO 2811) No further relevant information available. No further relevant information available. No further relevant information available.	
· Solubility in / Miscibility with Water:	Fully miscible	
Partition coefficient (n-octanol/wa	ter): No further relevant information available.	
Viscosity: dynamic: kinematic:Other information	No further relevant information available. No further relevant information available. No further relevant information available.	

10 Stability and reactivity

- Reactivity No further relevant information available.
 Chemical stability

Stable under normal ambient conditions.

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions Reacts with alkali (lyes)

Conditions to avoid No further relevant information available.

- · Incompatible materials: Lyes

(Contd. on page 6)



Printing date 03/01/2017 Reviewed on 03/01/2017

Trade name: Ferrol N

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values that are relevant for classification:		
CAS: 77	CAS: 77-92-9 citric acid		
Oral	LD50	3000 mg/kg (rat)	
CAS: 14	CAS: 144-62-7 oxalic acid		
Oral	LD50	375 mg/kg (rat)	
		1100 mg/kg (ATE)	
	CAS: 7664-38-2 phosphoric acid		
Oral	LD50	2600 mg/kg (rat)	
Dermal	LD50	2740 mg/kg (rabbit)	

- · on the skin: Causes severe skin burns and eye damage.
- · on the eye: Causes serious eye damage.
- · Sensitization: Based on available data, the classification criteria are not met.
- Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 7664-38-2 phosphoric acid

EC50 > 100 mg/l (Aquatic invertebrates) (48 h; Daphnia magna; OECD 202)

LC50 138 mg/l (Fish) (96 h; Gambusia affinis)

NOEC 100 mg/l (Aquatic plants, algae) (72 h; Desmodesmus subspicatus; OECD 201)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)



Safety Data Sheet

Printing date 03/01/2017 Reviewed on 03/01/2017

Trade name: Ferrol N

(Contd. of page 6)

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

	4 -						
11 2	4 1	ran	sn	777	Int	orma	non

· DOT, ADR, IMDG, IATA	UN1760
· UN proper shipping name	

DOT Corrosive liquids, n.o.s. (methyl dihydrogen phosphate, Phosphoric acid solution)
 ADR 1760 Corrosive liquids, n.o.s. (methyl dihydrogen phosphate, Phosphoric acid solution)

• IMDG, IATA CORROSIVE LIQUID, N.O.S. (methyl dihydrogen phosphate, PHOSPHORIC ACID, SOLUTION)

· Transport hazard class(es)

· DOT



· Class 8 Corrosive substances

· Label

· ADR



· Class 8 (C9) Corrosive substances

· Label

· IMDG



· Class Void

(Contd. on page 8)



Printing date 03/01/2017 Reviewed on 03/01/2017

Trade name: Ferrol N

	(Contd. of page
· Label	8
·IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
EMS Number:	F-A,S-B
· Segregation groups	Acids
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· ADR	
· Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 m
·IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E 1
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUIDS, N.O.S. (METHYL
-	DIHYDROGEN PHOSPHATE, PHOSPHORIC ACII
	SOLUTION), 8, III

15 Regulatory information

- · Canadian substance lists
- · Canadian domestic substance list (DSL):

All ingredients are listed.

· Canadian ingredient disclosure list (limit 0.1%):

CAS: 144-62-7 oxalic acid

· Canadian ingredient disclosure list (limit 1%):

CAS: 77-92-9 citric acid

CAS: 7664-38-2 phosphoric acid

(Contd. on page 9)



Printing date 03/01/2017 Reviewed on 03/01/2017

Trade name: Ferrol N

(Contd. of page 8)

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (specific toxic chemical listings):

CAS: 7664-38-2 phosphoric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · New Jersey Right-to-Know List:
- CAS: 144-62-7 oxalic acid

CAS: 7664-38-2 phosphoric acid

· New Jersey Special Hazardous Substance List:

CAS: 144-62-7 oxalic acid

CAS: 7664-38-2 phosphoric acid

CO

· Pennsylvania Right-to-Know List:

CAS: 144-62-7 oxalic acid

CAS: 7664-38-2 phosphoric acid

· Pennsylvania Special Hazardous Substance List:

CAS: 7664-38-2 phosphoric acid

Е

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · Please note:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

· Other information: The product has been designed for professional use only.



Printing date 03/01/2017 Reviewed on 03/01/2017

Trade name: Ferrol N

(Contd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 03/01/2017 / 3
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· * Data compared to the previous version altered.

US