

Printing date 11/15/2016 Reviewed on 11/15/2016

## 1 Identification

- · Product identifier
- · Trade name: Viva Oxy
- · Application of the substance / the mixture

Laundry

Bleaching agent

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEITZ GmbH

Gutenbergstrasse 1 - 3

65830 Kriftel / Germany

Tel. + 49(0) 6192-9948-0

Fax + 49(0) 6192-9948-99

order@seitz24.com

www.seitz24.com

· Information department:

CHEM-TEL Inc.

1305 North Florida Ave

Tampa Florida 33602

· Emergency telephone number: 1-800-255-3924

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidizer.



**GHS05** Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS03 GHS05 GHS07

· Signal word Danger

(Contd. on page 2)



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

(Contd. of page 1)

## · Hazard-determining components of labeling:

hydrogen peroxide peracetic acid acetic acid

#### · Hazard statements

H272 May intensify fire; oxidizer. H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

## · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· CAS-No. Con	nponents:	
CAS: 7722-84-1	hydrogen peroxide	25 - 50%
CAS: 64-19-7	acetic acid	< 10%
CAS: 79-21-0	peracetic acid	< 10%

· Additional information For the wording of the listed hazard phrases refer to section 16.

## **4 First-aid measures**

- · Description of first aid measures
- · General information

Remove casualties from exposure.

Keep unprotected persons away.

Immediately remove any clothing soiled by the product.

· After inhalation

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Immediately rinse with water.

Seek medical treatment.

· After eye contact

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

(Contd. on page 3)



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

(Contd. of page 2)

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Information for doctor

· Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Nausea

Dizziness

Vertigo

Headache

· Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

Water spray

Foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents Organic compounds
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Oxygen (O2)

Product is fire encouraging.

- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with eyes and skin.

Do not breathe gases/ vapours.

Keep away from ignition sources

· Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· Methods and material for containment and cleaning up:

Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite)

Send for recovery or disposal in suitable receptacles.

(Contd. on page 4)



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

(Contd. of page 3)

#### · Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· Handling

#### · Precautions for safe handling

Keep away from heat and direct sunlight.

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

#### · Information about protection against explosions and fires:

Protect from heat.

Keep ignition sources away - Do not smoke.

Substance/ product is oxidizing.

#### · Conditions for safe storage, including any incompatibilities

· Storage

#### · Requirements to be met by storerooms and receptacles:

Use only receptacles specifically permitted for this substance/product.

Suitable material: stainless steel 1.4571 (V4A), plastics, glass, ceramic

Provide acid-resistant floor.

Provide ventilation for receptacles.

#### · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances, reducing agents, alkalis and metal salts.

## · Further information about storage conditions:

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

Do not gas tight seal receptacle.

Store in a cool place.

Time of storage: max. 24 month

Specific end use(s) Laundry

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with li	mit values tha	t require moni	itoring at t	he workplace:
----------------------	----------------	----------------	--------------	---------------

# PEL (USA) REL (USA) Long-term value: 1.4 mg/m³, 1 ppm EL (Canada) Long-term value: 1 ppm Long-term value: 1.4 mg/m³, 1 ppm

(Contd. on page 5)



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

	(Contd. of page
CAS: 64-19-7	acetic acid
PEL (USA)	Long-term value: 25 mg/m³, 10 ppm
REL (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
TLV (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
EL (Canada)	Short-term value: 15 ppm Long-term value: 10 ppm
EV (Canada)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
CAS: 79-21-0 peracetic acid	
TLV (USA)	Short-term value: 1.24* mg/m³, 0.4* ppm *inhalable fraction + vapor

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

## · Breathing equipment:

Ensure good ventilation/exhaustion at the workplace.

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

#### · Protection of hands:

Acid resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

## · Material of gloves

Chloroprene rubber, CR

Natural rubber, NR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye protection:

Gauze goggles

Tightly sealed goggles.

· Body protection: Acid resistant protective clothing



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

(Contd. of page 5)

) Dhysical and showing large	ution	
Physical and chemical prope	rties	
Information on basic physical and chemical properties     General Information		
· Appearance:		
Form:	Fluid	
Color:	Colorless	
· Odor:	Pungent	
· Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	0.6	
· Change in condition		
Melting point/Melting range:	~ - 28 °C	
Boiling point/Boiling range:	not applicable	
· Flash point:	Not applicable	
· Flammability (solid, gaseous)	No further relevant information available.	
· Ignition temperature:	395 °C (743 °F) (DIN 51 794)	
Decomposition temperature:	≥ 60 °C (≥ 140 °F)	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	No further relevant information available.	
· Explosion limits: Lower:	No further relevant information available.	
Upper:	No further relevant information available.	
· Oxidizing properties	oxidising	
· Vapor pressure at 20 °C (68 °F):	~ 27 hPa (~ 20 mm Hg)	
· Density at 20 °C (68 °F):	~ 1.12 g/cm3	
· Relative density	No further relevant information available.	
· Vapor density	No further relevant information available.	
· Evaporation rate	No further relevant information available.	
· Solubility in / Miscibility with	E III as the Park	
Water:	Fully miscible	
· Partition coefficient (n-octanol/wat	er): -1.25 log POW (calculated)	
· Viscosity:		
dynamic:	No further relevant information available.	
kinematic at 20 °C (68 °F):  Other information	~ 1.19 mm²/s (DIN 51 562) No further relevant information available.	
· Other information	ino lutther relevant information available.	

## 10 Stability and reactivity

- · Reactivity No decomposition if used and stored according to specifications.
- · Chemical stability

Stable under normal ambient conditions.

Danger of decomposition in case of warmth and heat influence.

· Possibility of hazardous reactions

Reaction (decomposition) with metal ions, -salts and metals

Flammable

(Contd. on page 7)



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

(Contd. of page 6)

Danger of bursting

- · Conditions to avoid Protect from heat and direct sunlight.
- Incompatible materials:
   Metal ions, metal salts, metals alkalis, reducing agents

alkalis, reducing agents flammable substances

 $\cdot \ \textbf{Hazardous decomposition products:}$ 

Steam and oxygen Ethanoic acid

· Additional information: Product is stabilized.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 v	· LD/LC50 values that are relevant for classification:		
CAS: 772	CAS: 7722-84-1 hydrogen peroxide		
Oral	LD50	1190 - 1270 mg/kg (rat)	
Dermal	LD50	> 2000 mg/kg (rabbit)	
Inhalative	LC50 (4h)	11 mg/l (ATE)	
CAS: 79-2	CAS: 79-21-0 peracetic acid		
Oral	LD50	100 mg/kg (rat)	
Dermal	LD50	1100 mg/kg (rabbit)	
Inhalative	LC50 (4h)	11 mg/l (ATE)	

- · on the skin: Causes severe skin burns and eye damage.
- · on the eye: Causes serious eye damage.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 7722-84-1 hydrogen peroxide	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 79-21-0 peracetic acid

EC50 0.5 - 1.0 mg/l (Aquatic invertebrates) (48 h; Daphnia magna)

LC50 1.1 - 3.3 mg/l (Fish) (96 h; Lepomis macrohirus)

- · Persistence and degradability No further relevant information available.
- Other information: The product is easily biodegradable.

(Contd. on page 8)



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

(Contd. of page 7)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

According to the latest stage of our technical knowledge the product does not contain any heavy metals nor compounds acc. to EG-standard 76/464 EWG.

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Avoid transfer into the environment.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

## **14 Transport information**

· UN-Number · DOT, ADR, IMDG, IATA	UN3149
· UN proper shipping name	
· DOT	Hydrogen peroxide and peroxyacetic acid mixtures, stabilized
· ADR	3149 Hydrogen peroxide and peroxyacetic acid mixtures, stabilized, ENVIRONMENTALLY HAZARDOUS
·IMDG	HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED, MARINE POLLUTANT
·IATA	HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED

- · Transport hazard class(es)
- · DOT





Class 5.1 Oxidizing substances

(Contd. on page 9)



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

	(Contd. of page
· Label	5.1, 8
· ADR	
· Class · Label	<ul><li>5.1 (OC1) Oxidizing substances</li><li>5.1+8</li></ul>
·IMDG	
· Class	5.1 Oxidizing substances
· Label  · IATA	5.1/8
· Class · Label	<ul><li>5.1 Oxidizing substances</li><li>5.1 (8)</li></ul>
<ul><li>Packing group</li><li>DOT, ADR, IMDG, IATA</li></ul>	II
<ul><li> Environmental hazards:</li><li> Marine pollutant:</li><li> Special marking (ADR):</li></ul>	Symbol (fish and tree) Symbol (fish and tree)
· Special precautions for user	Warning: Oxidizing substances
Danger code (Kemler): EMS Number:	- F-H,S-Q
· Segregation groups	Peroxides
· Stowage Category · Stowage Code	D SW1 Protected from sources of heat.
Stowage Code Segregation Code	SW1 Protected from sources of heat. SG16 Stow "separated from" class 4.1
	SG59 Stow "separated from" permanganates SG72 See 7.2.6.3.2.
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
· ADR	Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

(Contd. of page 9)

	(Contai of page o
<ul><li>IMDG</li><li>Limited quantities (LQ)</li><li>Excepted quantities (EQ)</li></ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3149 HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURES, STABILIZED, 5.1 (8), II, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

- · Canadian substance lists
- · Canadian domestic substance list (DSL):

All ingredients are listed.

· Canadian ingredient disclosure list (limit 0.1%):

None of the ingredients is listed.

· Canadian ingredient disclosure list (limit 1%):

CAS: 7722-84-1	hydrogen peroxide
CAS: 64-19-7	acetic acid
CAS: 79-21-0	peracetic acid

- · Sara
- · Section 355 (extremely hazardous substances):

CAS: 7722-84-1 hydrogen peroxide CAS: 79-21-0 peracetic acid

· Section 313 (specific toxic chemical listings):

CAS: 79-21-0 peracetic acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

CAS: 7722-84-1 hydrogen peroxide

CAS: 64-19-7 acetic acid
CAS: 79-21-0 peracetic acid

(Contd. on page 11)



Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

		(Contd. of page 1
	ecial Hazardous Substance List:	
CAS: 7722-84-1	hydrogen peroxide	CO, MU, R3
CAS: 64-19-7	acetic acid	CO, F2
CAS: 79-21-0	peracetic acid	CO, F2, R4
· Pennsylvania F	Right-to-Know List:	
CAS: 7722-84-1	hydrogen peroxide	
CAS: 64-19-7	acetic acid	
CAS: 79-21-0	peracetic acid	
· Pennsylvania S	Special Hazardous Substance List:	
CAS: 7722-84-1	hydrogen peroxide	E
CAS: 64-19-7	acetic acid	E
CAS: 79-21-0	peracetic acid	E
· EPA (Environm	nental Protection Agency)	
None of the ing	redients is listed.	
· TLV (Threshold	Limit Value established by ACGIH)	
CAS: 7722-84-1	hydrogen peroxide	A:
· NIOSH-Ca (Nat	ional Institute for Occupational Safety and Health)	
None of the ing	redients is listed.	
Mational regula		

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · Please note:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

· Other information: The product has been designed for professional use only.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 11/15/2016 / 2
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

(Contd. on page 12)





Printing date 11/15/2016 Reviewed on 11/15/2016

Trade name: Viva Oxy

(Contd. of page 11)

Ox. Liq. 2: Oxidizing liquids – Category 2
Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.