

### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 1 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

# SAFETY DATA SHEET

#### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

### **Section 1. Identification**

GHS product identifier : STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Chemical name: MixtureCAS number: MixtureOther means of identification: FO20032004

**Product type** : solid

Relevant identified uses of the substance or mixture and uses advised against

Supplier's details : GSDI Specialty Dispersions, Inc.

1675 Navarre Road SW, Massillon,

Ohio USA 44646

1 330 837 8679

**Emergency telephone number** (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

### Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status :

Classification of the substance or

mixture

**GHS** label elements

Signal word : No signal word.

**Hazard statements**: No known significant effects or critical hazards.

**Precautionary statements** 



### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 2 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

General
Prevention
Response
Storage
Disposal
Supplemental label elements

**Hazards not otherwise classified** : Not available.

# Section 3. Composition/information on ingredients

Substance/mixture

**Chemical name** : Mixture **Other means of identification** : FO20032004

#### **CAS** number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	20.7182	13463-67-7
Carbon black	15.3307	1333-86-4
Iron oxide	7.6865	1309-37-1
Calcium carbonate	3.0004	1317-65-3
Silica, amorphous	1.4676	7631-86-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**



### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 3 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

Eye contact : Inhalation : Skin contact : Ingestion :

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact
Inhalation
Skin contact
Ingestion

#### Over-exposure signs/symptoms

Eye contact : Inhalation : Skin contact : Ingestion :

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Specific treatments :

Protection of first-aiders :

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media : Unsuitable extinguishing media :

Specific hazards arising from the

chemical

Hazardous thermal

decomposition products

Special protective actions for fire-

fighters

### **GSDI Specialty Dispersions, Inc.**



#### SAFETY DATA SHEET

### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 4 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

Special protective equipment for

fire-fighters

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders

**Environmental precautions** 

### Methods and materials for containment and cleaning up

Small spill Large spill

## Section 7. Handling and storage

#### Precautions for safe handling

Advice on general occupational

hygiene

Conditions for safe storage, including any incompatibilities

**Protective measures** 

# Section 8. Exposure controls/personal protection

#### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
Calcium carbonate	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	<b>PEL: Permissible Exposure Level</b> 5 mg/m3 Form: Respirable
	fraction
	<b>PEL: Permissible Exposure Level</b> 15 mg/m3 Form: Total dust
	<b>PEL: Permissible Exposure Level</b> 5 mg/m3 Form: Respirable
	fraction
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust

4/12



# STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Revision Date 03/04/2016 Page 5 of 12 Print Date 04/06/2016

	<b>PEL: Permissible Exposure Level</b> 5 mg/m3 Form: Respirable
	fraction
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	<b>PEL: Permissible Exposure Level</b> 5 mg/m3 Form: Respirable
	fraction
	<b>PEL: Permissible Exposure Level</b> 15 mg/m3 Form: Total dust
	<b>PEL: Permissible Exposure Level</b> 5 mg/m3 Form: Respirable
	fraction
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 10 mg/m3 Form: Total
	Time Weighted Average (TWA) 5 mg/m3 Form: Respirable fraction
Carbon black	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 3.5 mg/m3
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 3.5 mg/m3
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 3.5 mg/m3
	Time Weighted Average (TWA)
	ACGIH TLV (2010-12-06)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
	Termissione Exposure Eever 3 mg/m3 Torm. minarable fraction
Iron oxide	OSHA PEL 1989 (1989-03-01) expressed as Fe
non oxide	Short Term Exposure Limit value for a 15-minute reference period
	expressed in parts per million or in mg/m3. 10 ppmForm: total
	particulates
	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable
	fraction
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 10 mg/m3
	NIOSH REL (1994-06-01) expressed as Fe
	Time Weighted Average (TWA) 5 mg/m3 Form: Dust and fumes
	NIOSH REL (1994-06-01)
	ACGIH TLV (2005-12-09)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 5 mg/m3 Form: Respirable fraction
Silica, amorphous	NIOSH REL (1994-06-01)
Sinca, amorphous	Time Weighted Average (TWA) 6 mg/m3
	Time weighted Average (1 wA) 0 mg/m3



### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 6 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

Titanium dioxide **OSHA PEL 1989 (1989-03-01)** 

PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust

OSHA PEL (1993-06-30)

PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust

NIOSH REL (1994-06-01)

ACGIH TLV (1996-05-18)

TLV-TWA: Threshold Limit Value - Time weighted average PEL:

Permissible Exposure Level 10 mg/m3

Appropriate engineering controls
Environmental exposure controls

**Individual protection measures** 

Hygiene measures Eye/face protection

Skin protection

Hand protection
Body protection
Other skin protection
Respiratory protection

# Section 9. Physical and chemical properties

#### **Appearance**

**Physical state** solid [Powder.] Color **BROWN** Odor Not available. **Odor threshold** Not available. pН Not available. **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning** rate Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure : Not available.



### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 7 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

## Section 10. Stability and reactivity

Reactivity :
Chemical stability :
Possibility of hazardous reactions :
Conditions to avoid :
Incompatible materials :
Hazardous decomposition :

products

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Iron oxide				
Silica, amorphous				
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	=

**Conclusion/Summary** : Mixture. Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
7/12					

### **GSDI Specialty Dispersions, Inc.**



#### SAFETY DATA SHEET

### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 8 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

Titanium dioxide	Skin - Mild	Human	72 hrs	=
	irritant			

**Conclusion/Summary** 

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Sensitization** 

**Conclusion/Summary** 

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary**: Mixture. Not fully tested.

Carcinogenicity

**Conclusion/Summary** : Mixture. Not fully tested.

Classification

Classification				
Product/ingredient	OSHA	IARC	NTP	
name				
Carbon black		2B		
Iron oxide		3		
Silica, amorphous		3		
Titanium dioxide		2B		

#### **Reproductive toxicity**

Conclusion/Summary : Mixture.Not fully tested.

**Teratogenicity** 

Conclusion/Summary : Mixture.Not fully tested.

**Specific target organ toxicity (single exposure)** 

Specific target organ toxicity (repeated exposure)

**Aspiration hazard** 

Information on the likely routes of :

Not available.

exposure

#### Potential acute health effects



### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 9 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

Eye contact
Inhalation
Skin contact
Ingestion

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Inhalation : Skin contact : Ingestion :

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

#### Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

#### **Potential chronic health effects**

Conclusion/Summary : Mixture.Not fully tested.

General :
Carcinogenicity :
Mutagenicity :
Teratogenicity :
Developmental effects :
Fertility effects :

#### Numerical measures of toxicity

#### **Acute toxicity estimates**

Not available.

# Section 12. Ecological information



## STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Revision Date 03/04/2016 Page 10 of 12 Print Date 04/06/2016

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Carbon black	•		
	Acute EC50 37.563 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 61.547 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Titanium dioxide	1		<b>T</b>
	Acute LC50 > 1,000,000 μg/l Marine water	Fish - Fish	96 h
	Acute LC50 > 1,000 mg/l Fresh water	Fish - Fish	96 h
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h

Conclusion/Summary : Not available.

Persistence and degradability

**Conclusion/Summary** : Not available.

**Bioaccumulative potential** 

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low



### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 11 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

#### **Mobility in soil**

Soil/water partition coefficient

Not available.

(KOC)

Other adverse effects

# Section 13. Disposal considerations

# **Section 14. Transport information**

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA Consult mode specific transport rules

IMO/IMDG (maritime) : Consult mode specific transport rules

# Section 15. Regulatory information

**U.S. Federal regulations DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** 

**Chemicals**)

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

#### SARA 311/312

Classification Acute Health Hazard

Chronic Health Hazard

#### **Composition/information on ingredients**

Name	0/0	Classification
Carbon black	15.3307	СН
Titanium dioxide	20.7182	F

#### **SARA 313**



### STAN-TONE DB-34581 HL9 DARK FROST BEIGE

Version Number 1.1 Page 12 of 12 Revision Date 03/04/2016 Print Date 04/06/2016

Not applicable.

#### **State regulations**

#### **International regulations**

International lists : Chemical Weapons Convention : List Schedule I Chemicals Chemical Weapons Convention : List Schedule II Chemicals Chemical Weapons Convention : List Schedule III Chemicals

### Section 16. Other information

**History** 

Date of printing: 04/06/2016Date of issue/Date of revision: 03/04/2016Date of previous issue: 09/20/2013

Version : 1.1

**Key to abbreviations**: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.