

Revision date: 2025/08/08 Page: 1/11

Version: 4.0 (30035061/SDS_GEN_MX/EN)

1. Identification

Product identifier used on the label

Hydroxyciol

Recommended use of the chemical and restriction on use

Recommended use*: Chemical, Chemical for detergents, Chemical for soaps, detergents and cosmetic

Unsuitable for use: Not intended for sale to or use by the general public.

Details of the supplier of the safety data sheet

Company:

BASF Mexicana S.A. de C.V. Av. Insurgentes Sur 975 Col. CD. De Los Deportes, C.P. 03710 Ciudad de México MÉXICO

Telephone: +52 55 5325 2600

Emergency telephone number

24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

Other means of identification

Synonyms: 3,7-Dimethyloctane-1,7-diol

2. Hazards Identification

According to Regulation NOM-018-STPS-2015

Classification of the product

Eye Irrit. 2B Eye irritation

Label elements

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2025/08/08 Page: 2/11 Version: 4.0 (30035061/SDS GEN MX/EN)

Signal Word: Warning

Hazard Statement:

H320 Causes eye irritation.

Precautionary Statements (Prevention):

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

Hazards not otherwise classified

No data available.

3. Composition / Information on Ingredients

According to Regulation NOM-018-STPS-2015

3,7-dimethyloctane-1,7-diol

CAS Number: 107-74-4

Content (W/W): 80.0 - 100.0% Synonym: 3,7-Dimethyloctane-1,7-diol

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Revision date: 2025/08/08 Page: 3/11 Version: 4.0 (30035061/SDS GEN MX/EN)

Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: carbon dioxide, dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

Revision date: 2025/08/08 Page: 4/11 Version: 4.0 (30035061/SDS GEN MX/EN)

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:

Ensure adequate ventilation.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) respirator as necessary.

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with eyes. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Physical state: liquid

Form: liquid, viscous
Odour: sweetish, flowery
Odour threshold: < 100 ppm
Colour: colourless, clear

Revision date: 2025/08/08 Page: 5/11 Version: 4.0 (30035061/SDS GEN MX/EN)

(Directive 92/69/EEC, pH value: 5.5

(30.1 g/l, 25 °C)

Melting point: < -100 °C

(> 991 - < 997.6 hPa)

Freezing point: No data available. Boiling point: > 268 - < 270 °C (> 991 - < 997.6 hPa)

No applicable information available.

Sublimation point: Flash point: > 93 °C

Literature data.

Flammability: hardly combustible (derived from flash

point)

A.6)

Lower explosion limit: For liquids not relevant for

> classification and labelling. The lower explosion point may be 5 - 15 °C

below the flash point.

Upper explosion limit: For liquids not relevant for

classification and labelling.

Autoignition: 360 °C (Regulation

440/2008/EC, A.15)

(other, closed cup)

SADT: No data available.

Vapour pressure: 0.0001 hPa

(20°C) 0.00019 hPa (25°C) 0.0036 hPa (50°C)

Density: 0.929 g/cm3 (OECD Guideline

(20 °C) 109)

0.922 - 0.930 Relative density:

(25°C)

Relative vapour density: > 1 (calculated)

(20°C)

Heavier than air.

Partitioning coefficient n-1.59 (Directive octanol/water (log Pow): (25°C) 84/449/EEC, A.8)

Refractive index: 1.457 - 1.461

(20°C)

Self-ignition Based on its structural properties the temperature: product is not classified as self-

igniting.

> 200 °C Thermal decomposition:

No decomposition if stored and handled as

prescribed/indicated.

Viscosity, dynamic: not determined Viscosity, kinematic: > 22.6 mm2/sSolubility in water: 30.1 q/l (25 °C)

Solubility (quantitative): No applicable information available. Solubility (qualitative): No applicable information available.

Molecular weight: 174.28 g/mol

Evaporation rate: Value can be approximated from Henry's Law Constant or vapor

pressure.

Particle characteristics

Revision date: 2025/08/08 Page: 6/11 Version: 4.0 (30035061/SDS GEN MX/EN)

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form.

10. Stability and Reactivity

Reactivity

No applicable information available.

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid electro-static discharge. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

None known during use and storage if used according to instructions.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 200 °C

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion.

Safety Data Sheet

Hydroxyciol

Revision date: 2025/08/08 Page: 7/11 Version: 4.0 (30035061/SDS GEN MX/EN)

<u>Oral</u>

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg

No mortality was observed. Limit concentration test only (LIMIT test).

Inhalation

No applicable information available.

Dermal

Type of value: LD50 Species: rabbit (no data) Value: > 5,000 mg/kg

No mortality was observed. Limit concentration test only (LIMIT test).

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Eye contact causes irritation.

Skin

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

<u>Eye</u>

Species: rabbit Result: Irritant.

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Mouse ear swelling test (MEST)

Species: mouse

Result: Non-sensitizing.

Method: other

Aspiration Hazard

Lack of data.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects.

Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in studies with mammals.

Revision date: 2025/08/08 Page: 8/11 Version: 4.0 (30035061/SDS GEN MX/EN)

Carcinogenicity

Assessment of carcinogenicity: Not classified, due to lack of data.

Reproductive toxicity

Assessment of reproduction toxicity: Not classified, due to lack of data.

Teratogenicity

Assessment of teratogenicity: Not classified, due to lack of data.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) approx. 464 mg/l, Brachydanio rerio (OECD Guideline 203, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static) Limit concentration test only (LIMIT test).

Aquatic plants

No observed effect concentration (72 h) >= 100 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration.

EC50 (72 h) > 100 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static) The details of the toxic effect relate to the nominal concentration.

Assessment of terrestrial toxicity

No data available concerning terrestrial toxicity.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

DIN EN ISO 10712 aquatic

bacterium/EC10 (16 h): 3,310 mg/l

The details of the toxic effect relate to the nominal concentration.

OECD Guideline 209 aerobic

activated sludge, domestic/EC20 (30 min): > 1,000 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

Elimination information

Revision date: 2025/08/08 Page: 9/11 Version: 4.0 (30035061/SDS GEN MX/EN)

70 - 80 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D) (aerobic, activated sludge, domestic)

Assessment of stability in water

Substance is readily biodegradable, therefore hydrolysis is not expected to be relevant.

Information on Stability in Water (Hydrolysis)

Study does not need to be conducted.

Bioaccumulative potential

Assessment bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

The product has not been tested. The statement has been derived from the structure of the product.

Additional information

Other ecotoxicological advice:

No data available.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. Do not discharge into waterways or sewer systems without proper authorization.

Container disposal:

Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

Revision date: 2025/08/08 Page: 10/11 Version: 4.0 (30035061/SDS GEN MX/EN)

15. Regulatory Information

Federal Regulations

Not applicable

NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 2 Flammability: 1 Physical hazard: 0

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Eye Dam./Irrit. 2B Serious eye damage/eye irritation

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/08/08

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO

Revision date: 2025/08/08 Page: 11/11
Version: 4.0 (30035061/SDS_GEN_MX/EN)

OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Date / Revised: 2025/08/08 Version: 4.0
Date / Previous version: 2022/10/18 Previous version: 3.0

END OF DATA SHEET