

Revision date : 2023/08/25 Page: 1/10

Version: 9.0 (30034726/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

PLASTOMOLL® DNA

Recommended use of the chemical and restriction on use

Recommended use*: plasticizers

Recommended use*: for industrial use only

Unsuitable for use: Not intended for sale to or use by the general public.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc. 5025 Creekbank Road Building A, Floor 2 Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Molecular formula: C24H46O4 Chemical family: adipic acid ester

Synonyms: Not available. Use: chemical for the petroleum industry; plasticizers

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2023/08/25 Page: 2/10 Version: 9.0 (30034726/SDS_GEN_CA/EN)

No need for classification according to GHS criteria for this product.

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

No applicable information available.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media: dry powder, water spray, carbon dioxide, foam

Revision date: 2023/08/25 Page: 3/10 Version: 9.0 (30034726/SDS GEN CA/EN)

Unsuitable extinguishing media for safety reasons:

Additional information:

water jet

Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

The product is combustible. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

No special precautions necessary. Substance/product is non-flammable.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

Revision date: 2023/08/25 Page: 4/10 Version: 9.0 (30034726/SDS_GEN_CA/EN)

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed.

Hand protection:

Chemical resistant protective gloves

Eve protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Wash soiled clothing immediately.

9. Physical and Chemical Properties

Form: liquid

Odour: almost odourless

ester-like

Odour threshold: not determined Colour: almost colourless

pH value: not applicable, of very low solubility

pour point: -65 °C

Freezing point: No data available. Melting point: No data available.

Boiling point: 232 °C

(6.7 hPa) Cannot be distilled without decomposition at normal

pressure. Literature data.

Boiling range: No data available.

Sublimation point: No applicable information available.

Flash point: 210 °C

Literature data.

Flammability: not flammable (other)

Lower explosion limit: For liquids not relevant for

classification and labelling. The lower explosion point may be 5 - 15 °C

below the flash point.

Upper explosion limit: For liquids not relevant for

classification and labelling.

Revision date: 2023/08/25 Page: 5/10 Version: 9.0 (30034726/SDS_GEN_CA/EN)

Autoignition: 330 °C (DIN 51794) Vapour pressure: < 0.00001 Pa (measured)

(20 °C)

Density: 0.9225 g/cm3 (pyknometer)

(20°C)

Relative density: 0.918 - 0.922

(20°C)

Vapour density: 13.7 (calculated)

(20°C)

Heavier than air.

Partitioning coefficient n- 9.56 - 10.4 (OECD Guideline

octanol/water (log Pow): (25 °C) 117)

Refractive index: 1.448 - 1.451 (DIN 51423-1)

(20 °C)

Self-ignition 20 °C

temperature: not self-igniting
Thermal decomposition: No data available.

Viscosity, dynamic: 17 - 21 mPa.s (calculated (from (20 °C) kinematic viscosity))

The value was determined by calculation from the detected

kinematic viscosity.

Viscosity, kinematic: No applicable information available.

Solubility in water: < 0.1 mg/l

(25 °C)

Solubility (quantitative): No applicable information available.

Solubility (qualitative): soluble

solvent(s): organic solvents,

Molar mass: 398.63 g/mol Evaporation rate: No data available.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating (other)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Conditions to avoid

No special precautions other than good housekeeping of chemicals.

Incompatible materials

strong oxidizing agents

Hazardous decomposition products

Revision date: 2023/08/25 Page: 6/10 Version: 9.0 (30034726/SDS_GEN_CA/EN)

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No data available.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Oral

Type of value: LD50 Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 401)

No mortality was observed.

Inhalation

Type of value: LC50 Species: rat (male/female)

Value: > 5.7 mg/l (OECD Guideline 403)

Exposure time: 4 h An aerosol was tested.

No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

Skin

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

<u>Eye</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

Revision date: 2023/08/25 Page: 7/10 Version: 9.0 (30034726/SDS GEN CA/EN)

<u>Sensitization</u>
Assessment of sensitization: The chemical structure does not suggest a sensitizing effect.

Result: Non-sensitizing. Method: (Q)SAR Model

Draize test

Species: guinea pig Result: Non-sensitizing.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Literature data.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The information available on the product provides no indication of toxicity on target organs after repeated exposure. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms.

Revision date: 2023/08/25 Page: 8/10 Version: 9.0 (30034726/SDS GEN CA/EN)

Toxicity to fish

 $\overline{\text{LC50 (96 h)}} > 500 \text{ mg/l}$, Leuciscus idus (DIN 38412 Part 15, static)

Nominal concentration.

Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna (Directive 79/831/EEC, static)

Nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Aquatic plants

EC50 (72 h) > 100 mg/l (growth rate), Scenedesmus subspicatus (other, static)

Nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Chronic toxicity to fish

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) > 0.77 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No toxic effects occur within the range of solubility.

Analogous: Assessment derived from products with similar chemical character.

Assessment of terrestrial toxicity

Toxic effects have been observed in studies with soil living organisms.

Soil living organisms

Toxicity to soil dwelling organisms:

LC50 (14 d) 865 mg/kg, Eisenia foetida (Directive 88/302/EEC, part C, p. 95, artificial soil)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Analogous: Assessment derived from products with similar chemical character.

Other terrestrial non-mammals

Study scientifically not justified.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

DIN EN ISO 8192-OECD 209-88/302/EEC,P. C aerobic activated sludge, domestic/EC20 (0.5 h): > 1,000 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

Elimination information

> 90 % BOD of COD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic) Readily biodegradable.

Assessment of stability in water

Revision date: 2023/08/25 Page: 9/10 Version: 9.0 (30034726/SDS_GEN_CA/EN)

According to structural properties, hydrolysis is not expected/probable.

Bioaccumulative potential

Assessment bioaccumulation potential

Does not accumulate in organisms.

Bioaccumulation potential

Bioconcentration factor: 27 (28 d), Lepomis macrochirus (measured)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Analogous: Assessment derived from products with similar chemical character.

Mobility in soil

Assessment transport between environmental compartments

The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

Additional information

Other ecotoxicological advice:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

Container disposal:

Disposal must be made according to official regulations.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Revision date: 2023/08/25 Page: 10/10 Version: 9.0 (30034726/SDS_GEN_CA/EN)

Registration status:

Chemical DSL, CA released / listed

Assessment of the hazard classes according to UN GHS criteria (most recent version):

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2023/08/25

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

PLASTOMOLL® DNA is a registered trademark of BASF Canada or BASF SE END OF DATA SHEET