

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 27.01.2025
Product: **Kaurit® Powder 390**

Version: 8.1

(30034927/SDS_GEN_SG/EN)

Date of print: 15.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:
Kaurit® Powder 390

Use: Chemical

Recommended use: Chemical, for industrial and professional users

Manufacturer/supplier:
BASF South East Asia Pte Ltd.
128 Beach Road #18-01
Guoco Midtown, 189773, Singapore
Telephone: +65 8322 4420
Telefax number: +65 6 334-0330
E-mail address: benny.zou@basf.com

Emergency information:
Singapore Emergency Toll-Free Number:
Telephone: 1800-723-1361
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:
No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

BASF Safety data sheet
Date / Revised: 27.01.2025
Product: **Kaurit® Powder 390**

Version: 8.1

(30034927/SDS_GEN_SG/EN)

Date of print: 15.10.2025

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Product contains the following components and may cause an allergic skin reaction:
formaldehyde

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Condensate based on:
urea, formaldehyde

No particular hazards known.

4. First-Aid Measures

General advice:
Remove contaminated clothing.

If inhaled:
If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Rinse mouth and then drink 200-300 ml of water.

Note to physician:
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
Hazards: No hazard is expected under intended use and appropriate handling.
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, foam, carbon dioxide, dry powder

Specific hazards:
formaldehyde, harmful vapours

Further information:

Fire debris must be disposed of in accordance with official regulations. In case of combustion evolution of toxic gases/vapours possible. Do not allow to enter drains or waterways. Forms slippery surfaces with water.

6. Accidental Release Measures

Personal precautions:

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Information regarding personal protective measures, see section 8.

Environmental precautions:

Do not allow to enter soil, waterways or waste water channels. Prevent entry into drains and surface waters. Ensure compliance with local regulations before discharging into effluent treatment plants.

Methods for cleaning up or taking up:

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice. Inform workers about possible hazards caused by the release of formaldehyde during processing.

Protection against fire and explosion:

Avoid dust formation. The product is capable of dust explosion. Sources of ignition should be kept well clear. Take precautionary measures against static discharges.

Storage

Suitable materials for containers: Low density polyethylene (LDPE), glass, Paper/Fibreboard, High density polyethylene (HDPE)

Further information on storage conditions: Store in unopened original containers in a cool and dry place.

8. Exposure controls and personal protection

Components with occupational exposure limits

formaldehyde, 50-00-0;

STEL value 0.3 ppm (ACGIHTLV)

TWA value 0.1 ppm (ACGIHTLV)

STEL value 0.37 mg/m³ ; 0.3 ppm (OEL (SG))

BASF Safety data sheet
Date / Revised: 27.01.2025
Product: **Kaurit® Powder 390**

Version: 8.1

(30034927/SDS_GEN_SG/EN)

Date of print: 15.10.2025

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. (Particle filter EN 143 P2 or FFP2)

Eye protection:

In order to satisfy general industrial hygiene rules safety glasses with side-shields (e.g. EN 166) are recommended.

Body protection:

No body protection required if used for intended purpose and satisfying generally accepted industrial hygiene rules.

General safety and hygiene measures:

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

9. Physical and Chemical Properties

Form:	powder	
Colour:	white	
Odour:	almost odourless	
Odour threshold:	No data available.	
pH value:	approx. 7 (660 g/l, 20 °C)	(DIN ISO 976)
Melting point:	approx. 120 °C	
Boiling point:	The substance / product polymerizes therefore not determined.	
Flash point:	> 200 °C	(ISO 2592)
Evaporation rate:	No data available.	
Flammability (solid/gas):	not highly flammable	
Lower explosion limit:	No data available.	
Upper explosion limit:	No data available.	
Ignition temperature:	approx. 450 °C	(DIN 51794)
Thermal decomposition:	> 250 °C No decomposition if correctly stored and handled.	
Self ignition:	not self-igniting	
Self heating ability:	It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.	
SADT:	No data available.	

BASF Safety data sheet
 Date / Revised: 27.01.2025
 Product: **Kaurit® Powder 390**

Version: 8.1

(30034927/SDS_GEN_SG/EN)

Date of print: 15.10.2025

Explosion hazard: Product is not explosive, however a dust explosion could result from an air / dust mixture.

Fire promoting properties: not fire-propagating

Vapour pressure: The product has not been tested.
The statement has been derived from the properties of the individual components.

Information on: water

Vapour pressure: 23.4 hPa
(20 °C)
Literature data.

Information on: formaldehyde

Vapour pressure: 1.2 - 1.3 hPa
(20 °C)
The data given are those of the active ingredient.
14 hPa
(55 %(m), 20 °C)
dynamic (internal method)

Density: No information is available for the absolute density. Instead the bulk density was determined as a more relevant value.

Relative density: not determined

Bulk density: approx. 600 kg/m³ (ISO 697)

Relative vapour density (air): No data available.

Solubility in water: miscible

Partitioning coefficient n-octanol/water (log Pow): < 1.0
(20 °C)
The statements are based on the properties of the individual components.

Viscosity, kinematic: No data available.

Other Information:
none

Particle characteristics

Particle size distribution: 33.53 - 77.79 µm (D50, Volumetric Distribution, measured)

fine particles -

Specific Surface Area: No data available.

BASF Safety data sheet
Date / Revised: 27.01.2025
Product: **Kaurit® Powder 390**

Version: 8.1

(30034927/SDS_GEN_SG/EN)

Date of print: 15.10.2025

Particle Shape: No data available.
Dustiness: No data available.

10. Stability and Reactivity

Conditions to avoid:
> 30 °C
Avoid heat. Avoid humidity. Avoid dust formation.

Thermal decomposition: > 250 °C
No decomposition if correctly stored and handled.

Substances to avoid:
Organic Peroxides, strong bases, strong acids, acid anhydrides

Hazardous reactions:
Risk of spontaneous polymerization in the presence of strong acids, bases and peroxides. During processing with acids, water and / or heat formaldehyde will be released, which may act as a sensitizer.

formaldehyde

Chemical stability:
The product is chemically stable.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): > 10,000 mg/kg

Acute inhalation toxicity

rat (by inhalation): 8 h (IRT)
No mortality within the stated exposition time as shown in animal studies.

Acute dermal toxicity

(dermal): No data available.

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization:

After continuous contact with the skin, sensitization cannot be excluded.

Experimental/calculated data:

No data available.

Germ cell mutagenicity

Assessment of mutagenicity:

Not classified, due to lack of data.

Carcinogenicity

Assessment of carcinogenicity:

No data available.

Experimental/calculated data:

No data available.

Information on: formaldehyde

Assessment of carcinogenicity:

After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.

Reproductive toxicity

Assessment of reproduction toxicity:

No reproductive toxic effects reported.

Experimental/calculated data:

No data available.

Developmental toxicity

Assessment of teratogenicity:
Not a teratogen.

Specific target organ toxicity (single exposure)

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
No data available.

Experimental/calculated data:
No data available.

Information on: formaldehyde
Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation.

Information on: methanol
Assessment of repeated dose toxicity:
The substance may cause blindness after repeated ingestion. The substance may cause blindness after repeated inhalation.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:
LC50 (96 h) > 500 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)
Nominal concentration.

Aquatic invertebrates:
No data available.

Aquatic plants:

No data available.

Microorganisms/Effect on activated sludge:

activated sludge, industrial (DIN EN ISO 8192-OECD 209-88/302/EEC,P. C, aerobic)

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Mobility

Assessment transport between environmental compartments:

No data available.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

No data available.

Elimination information:

No data available.

Bioaccumulation potential

Assessment bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

13. Disposal Considerations

Incinerate in suitable incineration plant, observing local authority regulations.

14. Transport Information

Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable

BASF Safety data sheet
Date / Revised: 27.01.2025
Product: **Kaurit® Powder 390**

Version: 8.1

(30034927/SDS_GEN_SG/EN)

Date of print: 15.10.2025

Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport**IMDG**

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport**IATA/ICAO**

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet
Date / Revised: 27.01.2025
Product: **Kaurit® Powder 390**

Version: 8.1

(30034927/SDS_GEN_SG/EN)

Date of print: 15.10.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.