

Revision date: 2025/09/03 Page: 1/14
Version: 8.0 (30041047/SDS GEN MX/EN)

1. Identification

Product identifier used on the label

Dry Vitamin A-Palmitate 500

Recommended use of the chemical and restriction on use

Recommended use*: Vitamin

Unsuitable for use: Not intended for sale to or use by the general public.

Details of the supplier of the safety data sheet

Company:

BASF Mexicana S.A. de C.V. Av. Insurgentes Sur 975 Col. CD. De Los Deportes, C.P. 03710 Ciudad de México MÉXICO

Telephone: +52 55 5325 2600

Emergency telephone number

24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

Other means of identification

Synonyms: Preparation based on: Retinyl palmitate 500 000 I.U./g, embedded in:

carbohydrates, Gelatins, stabilized with: 2,6-di-tert-Butyl-p-cresol

2. Hazards Identification

According to Regulation NOM-018-STPS-2015

Classification of the product

Combustible Dust (1) Combustible Dust

Aquatic Chronic 2 Hazardous to the aquatic environment - chronic

Repr. 1B (unborn child) Reproductive toxicity

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Safety Data Sheet

Dry Vitamin A-Palmitate 500

Revision date: 2025/09/03 Page: 2/14 Version: 8.0 (30041047/SDS GEN MX/EN)

Aquatic Acute 2 Hazardous to the aquatic environment - acute

Label elements

Pictogram:





Signal Word: Danger

Hazard Statement:

May form combustible dust concentration in air.

H360 May damage the unborn child.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.

P391 Collect spillage.

Precautionary Statements (Storage):
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

3. Composition / Information on Ingredients

According to Regulation NOM-018-STPS-2015

Vitamin A palmitate

CAS Number: 79-81-2 Content (W/W): 15.0 - 40.0% Synonym: No data available.

Sucrose

CAS Number: 57-50-1

Content (W/W): 10.0 - 30.0%

Synonym: .alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl-

Revision date: 2025/09/03 Page: 3/14 Version: 8.0 (30041047/SDS GEN MX/EN)

Starch

CAS Number: 9087-61-0 Content (W/W): 10.0 - 30.0%

Synonym: Starch, hydrogen octenyl butanedioate, aluminum salt

BHT

CAS Number: 128-37-0 Content (W/W): 1.0 - 5.0%

Synonym: 2,6-Bis(1,1-dimethylethyl)-4-methylphenol; BHT, Butylated

hydroxytoluene, 2,6-Di-tert-butyl-p-cresol

Isomers of Retinyl palmitate

Content (W/W): 1.0 - 5.0% Synonym: No data available.

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Information on: Vitamin A palmitate

Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, nausea, headache,

vomiting, dizziness, diarrhea, abdominal cramps

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Revision date: 2025/09/03 Page: 4/14 Version: 8.0 (30041047/SDS GEN MX/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

dry powder, carbon dioxide, water spray, foam

Unsuitable extinguishing media for safety reasons:

water spray

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire. Generation of fumes/fog. Dust explosion hazard.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Cool endangered containers with water-spray. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Avoid dust formation. Do not breathe dust.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up. Collect waste in suitable containers, which can be labeled and sealed.

Revision date: 2025/09/03 Page: 5/14 Version: 8.0 (30041047/SDS GEN MX/EN)

Dispose of absorbed material in accordance with regulations. Avoid raising dust. Cleaning operations should be carried out only while wearing breathing apparatus.

Nonsparking tools should be used.

7. Handling and Storage

Precautions for safe handling

Avoid dust formation. Provide exhaust ventilation. This product may cause irritations; wash your hands after every contact.

Protection against fire and explosion:

Avoid whirling up the material/product because of the danger of dust explosion. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 660 (2025) Standard for Combustible Dust and Particulate Solids. NFPA 660 is a combination of Standards NFPA 61 (Agriculture and Food), NFPA 484 (Metals), NFPA 652 (Fundamentals of Combustible Dusts), NFPA 654 (Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids), NFPA 65 (Sulfur), and NFPA 664 (Woodworking/Processing). Consult NFPA 660 standard for relevant commodity-specific and general safety information.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Aluminium

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air. Protect from the effects of light.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Sucrose OEL, MX: TWA value 10 mg/m3;

BHT OEL, MX: TWA value 2 mg/m3 Inhalable fraction and

vapor;

Starch OEL, MX: TWA value 1 mg/m3 Respirable fraction;

Advice on system design:

Provide local exhaust ventilation to control dust. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work

Revision date: 2025/09/03 Page: 6/14 Version: 8.0 (30041047/SDS GEN MX/EN)

area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) particulate respirator.

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Wear safety goggles (chemical goggles) if there is potential for airborne dust exposures.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Wash soiled clothing immediately. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Physical state: solid

Form: free flowing fine granules

Odour: not applicable

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: light yellow

pH value: 5.5

(10 %(m), 20 °C)

melting range: The substance / product

decomposes therefore not

determined.

freezing range: No data available. Boiling point: not applicable

Flash point: not applicable, the product is a solid

Flammability: not highly flammable (UN Test N.1 (ready

combustible solids))

Lower explosion limit: For solids not relevant for

classification and labelling. For solids not relevant for

Upper explosion limit: For solids not relevant for

classification and labelling.

SADT: Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Vapour pressure: not applicable

Density: No information is available for the

absolute density. Instead the bulk density was determined as a more

relevant value.

Bulk density: approx. 600 kg/m3

Revision date: 2025/09/03 Page: 7/14 Version: 8.0 (30041047/SDS GEN MX/EN)

Relative vapour density: not applicable, The product is a non-

volatile solid.

Partitioning coefficient n- not applicable for mixtures

octanol/water (log Pow):

Thermal decomposition: > 160 °C (DSC (DIN 51007))

self-accelerating reaction

Viscosity, dynamic: No data available.

Viscosity, kinematic: not applicable, the product is a solid

Solubility in water: (35 - 40 °C)

dispersible

Molecular weight: No data available.

Evaporation rate: The product is a non-volatile solid.

Particle characteristics

Particle size distribution: typically > 200 µm (D50, Volumetric Distribution,

ISO 13320-1)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Minimum ignition energy:

(VDI 2263, sheet 1, 2.5 (May 1990))

The product is capable of dust explosion.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Dust explosion hazard.

Conditions to avoid

Avoid heat. Avoid all sources of ignition: heat, sparks, open flame. Avoid light. Avoid dust formation.

Incompatible materials

atmospheric moisture, atmospheric oxygen

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: > 160 °C (DSC (DIN 51007)) self-accelerating reaction

Revision date: 2025/09/03 Page: 8/14 Version: 8.0 (30041047/SDS GEN MX/EN)

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

<u>Oral</u>

Type of value: ATE Value: > 5,000 mg/kg

Information on: Vitamin A palmitate

Type of value: LD50 Species: rat (male/female)

Value: > 2,000 mg/kg (BASF-Test)

No mortality was observed. The product has not been tested. The statement has been derived from

substances/products of a similar structure or composition.

<u>Inhalation</u>

No data available.

Dermal

No data available.

Assessment other acute effects

Assessment of STOT single:

Based on available data, the classification criteria are not met.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Skin contact causes slight irritation.

Skin

Information on: Vitamin A palmitate

Species: rabbit Result: Irritant. Method: BASF-Test

Species: rabbit

Result: Slightly irritating. Method: OECD Guideline 404

<u>Eye</u>

Revision date: 2025/09/03 Page: 9/14 Version: 8.0 (30041047/SDS GEN MX/EN)

Information on: Vitamin A palmitate

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Based on available data, the classification criteria are not met.

Information on: Vitamin A palmitate Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

Information on: Vitamin A palmitate

Assessment of repeated dose toxicity: Repeated exposure to large quantities may affect certain organs.

Information on: Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-

Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Information on: Vitamin A palmitate

Assessment of mutagenicity: In the majority of tests performed (bacteria/microorganisms/cell cultures) a mutagenic effect was not found. A mutagenic effect was also not observed in in-vivo assays. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Information on: Vitamin A palmitate

Assessment of carcinogenicity: Results from a number of long-term carcinogenity studies and short-term tests are available. Taking into account all of the information, there is no indication that the substance itself is carcinogenic. Literature data.

Information on: BHT

Assessment of carcinogenicity: The substance caused cancer in animal studies. The International Agency for Research on Cancer (IARC) has classified this substance as group 3, not classifiable as to its carcinogenicity to humans.

Revision date: 2025/09/03 Page: 10/14 Version: 8.0 (30041047/SDS GEN MX/EN)

Reproductive toxicity

Assessment of reproduction toxicity: Based on available data, the classification criteria are not met.

Teratogenicity

Assessment of teratogenicity: The substance caused malformations/developmental toxicity in laboratory animals.

Information on: Vitamin A palmitate

Assessment of teratogenicity: May cause harm to the unborn child.

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish

Information on: BHT

LC0 (96 h) >= 0.57 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EWG, C.1, semistatic) The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

Aquatic invertebrates

Information on: BHT

EC0 (48 h) 0.48 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants

Information on: BHT

EC50 (72 h) > 0.40 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3, static)

The statement of the toxic effect relates to the analytically determined concentration.

Assessment of terrestrial toxicity

No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

Revision date: 2025/09/03 Page: 11/14 Version: 8.0 (30041047/SDS GEN MX/EN)

Information on: BHT

DIN EN ISO 8192-OECD 209-88/302/EEC,P. C aerobic

activated sludge/EC0 (3 h): 1,000 mg/l

.....

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Product is not expected to be readily biodegradable.

Assessment biodegradation and elimination (H2O)

Information on: Vitamin A palmitate

Not readily biodegradable (by OECD criteria). Moderately/partially biodegradable.

Information on: BHT

Not readily biodegradable (by OECD criteria). Poorly biodegradable.

Elimination information

Information on: Vitamin A palmitate

40 - 50 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D) (aerobic, activated

sludge, domestic)

Information on: BHT

4.5 % BOD of the ThOD (28 d) (OECD 301C; ISO 9408; 92/69/EWG, C.4-F) (aerobic, activated

sludge)

Bioaccumulative potential

Assessment bioaccumulation potential

No data available.

Assessment bioaccumulation potential

Information on: Vitamin A palmitate

The product will not be readily bioavailable due to its consistency and insolubility in water. No significant accumulation in organisms is expected as a result of the distribution coefficient of nectoral (water (log Pau))

octanol/water (log Pow).

Bioaccumulation potential

Information on: BHT

Bioconcentration factor: 330 - 1,800 (28 d), Cyprinus carpio (OECD Guideline 305 C)

Bioconcentration factor: 230 - 2,500 (56 d), Cyprinus carpio (OECD Guideline 305 C)

Revision date: 2025/09/03 Page: 12/14 Version: 8.0 (30041047/SDS GEN MX/EN)

Mobility in soil

Assessment transport between environmental compartments

No data available.

Information on: Vitamin A palmitate

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

Additional information

Other ecotoxicological advice:

The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:

Do not discharge into waterways or sewer systems without proper authorization. Dispose of in accordance with national, state and local regulations.

Container disposal:

Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport

TDG

Hazard class: 9 Packing group: III

ID number: UN 3077 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains 2,6-DI-TERT-BUTYL-P-CRESOL)

Sea transport

IMDG

Hazard class: 9
Packing group: III

ID number: UN 3077 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains 2,6-DI-TERT-BUTYL-P-CRESOL)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III

ID number: UN 3077 Hazard label: 9, EHSM

Revision date: 2025/09/03 Page: 13/14 Version: 8.0 (30041047/SDS GEN MX/EN)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains 2,6-DI-TERT-BUTYL-P-CRESOL)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Not applicable

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 1^m Flammability: 1 Physical hazard:0

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Skin Corr./Irrit. 3 Skin corrosion/irritation Repr. 1B (unborn child) Reproductive toxicity

Aquatic Acute 2 Hazardous to the aquatic environment - acute
Aquatic Chronic 2 Hazardous to the aquatic environment - chronic

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/09/03

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

Revision date: 2025/09/03 Page: 14/14 Version: 8.0 (30041047/SDS_GEN_MX/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE. WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/09/03 Version: 8.0
Date / Previous version: 2023/08/16 Previous version: 7.0

END OF DATA SHEET