

Revision date: 2024/06/14 Page: 1/9

Version: 1.1 (30843620/SDS\_GEN\_CA/EN)

#### 1. Identification

#### Product identifier used on the label

# R+D HyCon R 7400 F

#### Recommended use of the chemical and restriction on use

Recommended use\*: Product for construction chemicals, for industrial use only

# Details of the supplier of the safety data sheet

Company:

BASF Canada Inc. 5025 Creekbank Road Building A, Floor 2 Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

#### **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

# Other means of identification

#### 2. Hazards Identification

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

#### Classification of the product

Skin Sens. 1 Skin sensitization
Combustible Dust Combustible Dust (1) Combustible Dust

#### **Label elements**

Pictogram:

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2024/06/14 Page: 2/9
Version: 1.1 (30843620/SDS GEN CA/EN)



Signal Word: Warning

Hazard Statement:

May form combustible dust concentration in air.

H317 May cause an allergic skin reaction.

Precautionary Statements (Prevention):

P280 Wear protective gloves. P261 Avoid breathing dust or fume.

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

#### Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

#### Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: 2-Butenedioic acid (Z)-, disodium salt

The substance may cause sensitization of the skin in particularly sensitive individuals. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

# 3. Composition / Information on Ingredients

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Ammonium sulphate

CAS Number: 7783-20-2 Content (W/W): >= 3.0 - < 5.0% Synonym: Ammonium sulfate

2-Butenedioic acid (Z)-, disodium salt

CAS Number: 371-47-1

Content (W/W): >= 0.3 - < 1.0%

Synonym: (Z)-2-Butenedioic acid disodium salt

#### 4. First-Aid Measures

### **Description of first aid measures**

Revision date: 2024/06/14 Page: 3/9

Version: 1.1 (30843620/SDS\_GEN\_CA/EN)

#### General advice:

Remove contaminated clothing.

#### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

#### If on skin:

Wash thoroughly with soap and water If irritation develops, seek medical attention.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

#### If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

### 5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, foam

Unsuitable extinguishing media for safety reasons:

carbon dioxide

#### Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### **Further information:**

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

Revision date: 2024/06/14 Page: 4/9
Version: 1.1 (30843620/SDS GEN CA/EN)

#### 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing.

#### **Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Contain with dust binding material and dispose of.

Avoid raising dust.

# 7. Handling and Storage

#### Precautions for safe handling

Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:

Dust can form an explosive mixture with air.

#### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Avoid all sources of ignition: heat, sparks, open flame.

# 8. Exposure Controls/Personal Protection

#### Components with occupational exposure limits

Silica OSHA Z3: TWA value 0.8 mg/m3; The exposure limit is

calculated from the equation, 80mg/m3)/(%SiO2), using a value of 100% SiO2. Lower percentages

of SiO2 will yield higher exposure limits.

OSHA Z3: TWA value 20 millions of particles per cubic foot

of air;

ACGIH, US: TWA value 10 mg/m3 Inhalable particles; ACGIH, US: TWA value 3 mg/m3 Respirable particles;

#### Personal protective equipment

### Respiratory protection:

Wear a NIOSH-certified (or equivalent) particulate respirator.

#### Hand protection:

Chemical resistant protective gloves

Revision date: 2024/06/14 Page: 5/9 Version: 1.1 (30843620/SDS GEN CA/EN)

#### Eye protection:

Safety glasses with side-shields. Wear face shield if splashing hazard exists.

#### General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and Chemical Properties

Form: solid Odour: earthy

Odour threshold: not determined Colour: light brown pH value: 6 - 6.5

(20°C)

Melting point: not determined Boiling point: not determined

Flash point: Study does not need to be conducted.

Flammability: not determined

Lower explosion limit: For solids not relevant for

classification and labelling. For solids not relevant for

Upper explosion limit: classification and labelling.

> 600 °C

(VDI 2263, sheet 1, Autoignition: 2.6 (May 1990))

Vapour pressure: not applicable No data available. Density: Bulk density: 400 - 600 kg/m3

(20°C)

Vapour density: The product is a non-volatile solid. Partitioning coefficient n-Study does not need to be conducted.

octanol/water (log Pow):

Self-ignition not self-igniting

temperature:

Thermal decomposition: not determined

Viscosity, dynamic: Study does not need to be conducted.

Particle size: No data available.

Solubility in water: soluble

Evaporation rate: The product is a non-volatile solid.

# 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Minimum ignition energy: (DIN EN ISO/IEC 80079-20-2)

The product is capable of dust explosion.

#### Chemical stability

Revision date: 2024/06/14 Page: 6/9
Version: 1.1 (30843620/SDS\_GEN\_CA/EN)

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

Dust explosion hazard.

#### **Conditions to avoid**

Avoid all sources of ignition: heat, sparks, open flame.

#### Incompatible materials

strong acids, strong bases, strong oxidizing agents, strong reducing agents

# **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

not determined

# 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

<u>Oral</u>

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

Inhalation

Type of value: LC50

Species: rat Exposure time: 4 h not determined

Dermal

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the

individual components.

#### Assessment other acute effects

Revision date: 2024/06/14 Page: 7/9
Version: 1.1 (30843620/SDS\_GEN\_CA/EN)

No data available.

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes. May cause slight irritation to the respiratory tract.

Skin

Species: rabbit Result: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

<u>Eye</u>

Species: rabbit Result: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Aspiration Hazard not applicable

# **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: No data available.

Genetic toxicity

Assessment of mutagenicity: No data available concerning mutagenic effects.

Carcinogenicity

Assessment of carcinogenicity: No data available.

Reproductive toxicity

Assessment of reproduction toxicity: No data available.

**Teratogenicity** 

Assessment of teratogenicity: No data available.

# 12. Ecological Information

# **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

### Toxicity to fish

LC50 (96 h) > 100 mg/l, Fish

The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date: 2024/06/14 Page: 8/9
Version: 1.1 (30843620/SDS GEN CA/EN)

Aquatic invertebrates LC50 (48 h), daphnia not determined

Aquatic plants EC50 (72 h), algae not determined

Chronic toxicity to fish No data available.

<u>Chronic toxicity to aquatic invertebrates</u> No data available.

# Microorganisms/Effect on activated sludge

Toxicity to microorganisms bacteria/EC50 (0.5 h): not determined

# Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

The organic component of the product is biodegradable. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### **Bioaccumulative potential**

Assessment bioaccumulation potential No data available.

### Mobility in soil

Assessment transport between environmental compartments No data available.

# 13. Disposal considerations

#### Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

#### Container disposal:

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

The packaging must not be re-used. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

# 14. Transport Information

#### Land transport

**TDG** 

Revision date: 2024/06/14 Page: 9/9
Version: 1.1 (30843620/SDS GEN CA/EN)

Not classified as a dangerous good under transport regulations

Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

Air transport

Not classified as a dangerous good under transport regulations

# 15. Regulatory Information

#### **Federal Regulations**

Registration status:

Chemical DSL, CA released / listed

Assessment of the hazard classes according to UN GHS criteria (most recent version):

#### 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2024/06/14

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

**END OF DATA SHEET**