

# Safety data sheet

Page: 1/81

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## Tetrahydrolinalool

Chemical name: 3,7-Dimethyloctan-3-ol

CAS Number: 78-69-3

REACH registration number: 01-2119454788-21-0000

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

For the detailed identified uses of the product see appendix of the safety data sheet.

### 1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Nutrition and Health

Telephone: +49 621 60-48434

E-mail address: EN-global-safety-data@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Eye Dam./Irrit. 2

H319 Causes serious eye irritation.

Skin Corr./Irrit. 2

H315 Causes skin irritation.

Skin Sens. 1B

H317 May cause an allergic skin reaction.

For the classifications not written out in full in this section the full text can be found in section 16.

### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Warning

Hazard Statement:

H319

Causes serious eye irritation.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

Precautionary Statements (Prevention):

P280

Wear protective gloves and eye protection or face protection.

P261

Avoid breathing mist or vapour or spray.

Precautionary Statements (Response):

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P333 + P313

If skin irritation or rash occurs: Get medical attention.

Precautionary Statements (Disposal):

P501

Dispose of contents and container to hazardous or special waste collection point.

### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

---

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

#### Chemical nature

3,7-Dimethyloctan-3-ol

CAS Number: 78-69-3  
EC-Number: 201-133-9

Skin Corr./Irrit. 2  
Eye Dam./Irrit. 2  
Skin Sens. 1B  
H319, H315, H317

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

### 3.2. Mixtures

Not applicable

---

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **SECTION 5: Fire-Fighting Measures**

### **5.1. Extinguishing media**

Suitable extinguishing media:  
carbon dioxide, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
water jet

### **5.2. Special hazards arising from the substance or mixture**

Endangering substances: carbon oxides, harmful vapours  
Advice: The substances/groups of substances mentioned can be released in case of fire.  
Combustible Liquid

### **5.3. Advice for fire-fighters**

Special protective equipment:  
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:  
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

---

## **SECTION 6: Accidental Release Measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

### **6.2. Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

### **6.3. Methods and material for containment and cleaning up**

For large amounts: Dike spillage. Cover with blanket of foam (alcohol-resistant foam). Pump off product.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

For residues: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

Dispose of absorbed material in accordance with regulations.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. This product may cause irritations; wash your hands after every contact.

Protection against fire and explosion:

The product is combustible. Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges. If exposed to fire, keep containers cool by spraying with water. Vapours may form explosive mixture with air.

### 7.2. Conditions for safe storage, including any incompatibilities

Odour-sensitive: Segregate from products releasing odours.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect containers from physical damage. Protect from direct sunlight.

Storage class according to TRGS 510 (originally VCI, Germany): (10) Combustible liquids

### 7.3. Specific end use(s)

See exposure scenario(s) in the attachment to this safety data sheet.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

#### PNEC

freshwater: 0,0089 mg/l

marine water: 0,00089 mg/l

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

intermittent release: 0,089 mg/l

STP: 450 mg/l

sediment (freshwater): 0,0821 mg/kg

sediment (marine water): 0,00821 mg/kg

soil: 0,0112 mg/kg

oral (secondary poisoning): 0,0023 mg/kg

#### DNEL

worker:

Long-term exposure- systemic effects, Inhalation: 2,75 mg/m<sup>3</sup>

worker:

Long-term exposure- systemic effects, dermal: 2,5 mg/kg bw/day

worker:

Short-term exposure - local effects, dermal: 2,76 mg/cm<sup>2</sup>

consumer:

Long-term exposure- systemic effects, Inhalation: 0,68 mg/m<sup>3</sup>

consumer:

Long-term exposure- systemic effects, oral: 0,2 mg/kg bw/day

consumer:

Long-term exposure- systemic effects, dermal: 1,25 mg/kg bw/day

consumer:

Short-term exposure - local effects, dermal: 2,76 mg/cm<sup>2</sup>

## **8.2. Exposure controls**

### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Consider the risk management measures as outlined in the exposure scenario.

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Consider the risk management measures as outlined in the exposure scenario.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Consider the risk management measures as outlined in the exposure scenario.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

Consider the risk management measures as outlined in the exposure scenario.

#### General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin, eyes and clothing. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	liquid	
Colour:	colourless	
Odour:	flowery, sweetish	
Odour threshold:	< 100 ppm	
Freezing point:	-56 °C (1.013 hPa) Literature data.	
Boiling point:	197 °C (1.013,25 hPa)	(measured)
Flammability:	Combustible liquid.	(derived from flash point)
Lower explosion limit:	1,3 %(V) (74 °C)	(air)
Upper explosion limit:		
	For liquids not relevant for classification and labelling.	
Flash point:	77 °C	(DIN 51758, closed cup)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Auto-ignition temperature:	360 °C	(DIN 51794)
Thermal decomposition:	approx. 470 °C (DSC (DIN 51007))	
pH value:	7	
Viscosity, kinematic:	17,4 mm <sup>2</sup> /s (23 °C)	
Viscosity, dynamic:	11,063 mPa.s (25 °C)	
	Literature data.	
Solubility in water:	0,320 g/l (25 °C, 1.013 hPa)	
Solubility (qualitative) solvent(s):	organic solvents soluble	
Partitioning coefficient n-octanol/water (log K <sub>ow</sub> ):	3,3 (20 - 23 °C)	(OECD Guideline 107)
Vapour pressure:	1 mbar (20 °C) 3 mbar (50 °C)	
Relative density:	0,826 (25 °C)	
Density:	0,826 g/cm <sup>3</sup> (25 °C)	
	Literature data.	
Relative vapour density (air):	> 1 (20 °C) Heavier than air.	(calculated)

## 9.2. Other information

### Information with regard to physical hazard classes

#### Explosives

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Impact sensitivity: Based on the chemical structure there is no shock-sensitivity.

#### Oxidizing properties

Fire promoting properties: not fire-propagating

#### Pyrophoric properties

Self-ignition temperature: Test type: Spontaneous self-ignition at room-temperature.

Based on its structural properties the product is not classified as self-igniting.

#### Self-heating substances and mixtures



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Self heating ability: It is not a substance capable of spontaneous heating.

#### Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:

Forms no flammable gases in the presence of water.

#### Corrosion to metals

No corrosive effect on metal.

#### **Other safety characteristics**

pKA:

The substance does not dissociate.

Adsorption/water - soil:

KOC: 56,3; log KOC: 1,75

(calculated)

Surface tension:

26,78 mN/m

(25 °C; 100 %(V))

Molar mass:

158,28 g/mol

SAPT-Temperature:

Study scientifically not justified.

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor pressure.

## **SECTION 10: Stability and Reactivity**

### **10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Formation of

Remarks:

flammable gases:

Forms no flammable gases in the presence of water.

### **10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### **10.3. Possibility of hazardous reactions**

Reacts with acids.

### **10.4. Conditions to avoid**

Avoid all sources of ignition: heat, sparks, open flame. See SDS section 7 - Handling and storage.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

## 10.5. Incompatible materials

Substances to avoid:

None known during use and storage if used according to instructions.

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## SECTION 11: Toxicological Information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Inhalation-risk test (IRT): No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard.

Experimental/calculated data:

LD50 rat (oral): 8.270 mg/kg (BASF-Test)

rat (by inhalation): 8 h (IRT)

Inhalation-risk test (IRT): No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard.

LD50 rabbit (dermal): > 5.000 mg/kg

#### Irritation

Assessment of irritating effects:

Skin contact causes irritation. Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant. (BASF-Test)

Skin corrosion/irritation

human: Irritant. (OECD Guideline 439)

Serious eye damage/irritation

rabbit: Irritant. (BASF-Test)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

#### Respiratory/Skin sensitization

Assessment of sensitization:

Caused skin sensitization in animal studies.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (OECD Guideline 429)

#### Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture.

#### Carcinogenicity

Assessment of carcinogenicity:

Study does not need to be conducted.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available data, the classification criteria are not met.

Remarks: Based on available data, the classification criteria are not met.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Aspiration hazard

No data available.

#### Interactive effects

No data available.

### **11.2. Information on other hazards**

#### Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

---

## **SECTION 12: Ecological Information**

### **12.1. Toxicity**

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 8,9 mg/l, *Brachydanio rerio* (OECD Guideline 203, semistatic)

Nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 14,2 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants:

EC50 (72 h) 22 mg/l (growth rate), *Scenedesmus subspicatus* (DIN 38412 Part 9, static)

Microorganisms/Effect on activated sludge:

EC10 (0,5 h) 450 mg/l, *Pseudomonas putida* (DIN 38412 Part 27 (draft), aquatic)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Chronic toxicity to fish:  
Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:  
Study scientifically not justified.

Assessment of terrestrial toxicity:  
No data available concerning terrestrial toxicity.  
Study scientifically not justified.

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):  
Readily biodegradable (according to OECD criteria).

Elimination information:  
approx. 60 - 70 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic) Readily biodegradable (according to OECD criteria).

Assessment of stability in water:  
Substance is readily biodegradable, therefore hydrolysis is not expected to be relevant.

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:  
Significant accumulation in organisms is not to be expected.  
The product has not been tested. The statement has been derived from the structure of the product.

Bioaccumulation potential:

Bioconcentration factor(BCF): 99,87 (calculated)  
The product has not been tested. The statement has been derived from the structure of the product.

## 12.4. Mobility in soil

Assessment transport between environmental compartments:  
Volatility: The substance will slowly evaporate into the atmosphere from the water surface.  
Adsorption in soil: Adsorption to solid soil phase is not expected.

## 12.5. Results of PBT and vPvB assessment

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

## 12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

## 12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

# SECTION 13: Disposal Considerations

## 13.1. Waste treatment methods

Observe national and local legal requirements.

# SECTION 14: Transport Information

## Land transport

### ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

### RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Special precautions for user      None known

### **Inland waterway transport**

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

### **Transport in inland waterway vessel**

Not evaluated

### **Sea transport**

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

### **Air transport**

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

#### **14.1. UN number or ID number**

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

#### **14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### **14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### **14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### **14.7. Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk is not intended.

---

### **SECTION 15: Regulatory Information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Hazardous Incident Ordinance (Germany):

Listed in above regulation: no

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: no

Classification according to 'TA-Luft' (Germany):

5.2.5: Organic gases, general guidance

Water hazard class (§6 AwSV para.4 (Legal binding announcement of the substance in the Federal Gazette)): (1) Weakly water polluting. ID-No.: 1516



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

The specifications of the Technical Rule for Hazardous Substances (TRGS) 401 must be observed (TRGS 401: Risks resulting from skin contact - identification, assessment, measures).

Law on the Protection of Working Youth

## 15.2. Chemical Safety Assessment

Chemical Safety Assessment performed

## SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Skin Corr./Irrit. 2  
Eye Dam./Irrit. 2A  
Flam. Liq. 4  
Aquatic Acute 2  
Skin Sens. 1B

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.  
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

## Annex: Exposure Scenarios

### Index

**1. Compounding, (use in industrial settings)**

ERC2; PROC1, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC15

**2. Formulation, (use in industrial settings)**

ERC2; PROC1, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC14, PROC15

**3. Use in washing and cleaning products, (use in industrial settings)**

ERC4; PROC1, PROC2, PROC4, PROC7, PROC8b, PROC10, PROC13

**4. Use as an intermediate, (use in industrial settings)**

ERC6a; PROC1, PROC2, PROC3, PROC8b, PROC9, PROC15

**5. Use in polishes, wax blends, washing and cleaning products, (use in professional settings)**

ERC8a, ERC8d; PROC1, PROC2, PROC4, PROC8a, PROC8b, PROC10, PROC11, PROC13

**6. Use in polishes, wax blends, washing and cleaning products, (consumer use)**

ERC8a, ERC8d; PC31, PC35

**7. Use in/as Air care products, (consumer use)**

ERC8a; PC3

**8. Use in cosmetics, (consumer use)**

ERC8a; PC28, PC39

**9. Use as fragrance in biocidal products, (consumer use)**

ERC8a, ERC8d; PC8

\*\*\*\*\*

### 1. Short title of exposure scenario

Compounding, (use in industrial settings)

ERC2; PROC1, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC15

### Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	ERC2: Formulation into mixture
Operational conditions	
Annual amount per site	170.000 kg
Minimum emission days per year	250

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Emission factor air	2,5 %
Emission factor water	0,2 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,861823
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	789 kg/d
Risk from environmental exposure is driven by soil.	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 100 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - systemic
Exposure estimate	0,0034 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,001085
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - local
Exposure estimate	0,001 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,005263
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - inhalation, long-term - systemic
Exposure estimate	0,0132 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,001184
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 100 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	240 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Local exhaust ventilation	Effectiveness: 90 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - systemic
Exposure estimate	0,0686 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,0217
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - local
Exposure estimate	0,02 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,105263
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - inhalation, long-term - systemic
Exposure estimate	1,1871 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,106563
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC5: Mixing or blending in batch processes Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 100 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	240 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Local exhaust ventilation	Effectiveness: 90 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, Workplace measurements
	Worker - dermal, long-term - systemic
Exposure estimate	0,0691 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,02188
Assessment method	EASY TRA v4.2, Workplace measurements

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	Worker - dermal, long-term - local
Exposure estimate	0,0101 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,053053
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - inhalation, long-term - systemic
Exposure estimate	1,9785 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,177604
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC5: Mixing or blending in batch processes Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 100 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	240 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Local exhaust ventilation	Effectiveness: 90 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, Workplace measurements
	Worker - dermal, long-term - systemic
Exposure estimate	0,0124 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,003927
Assessment method	EASY TRA v4.2, Workplace measurements
	Worker - dermal, long-term - local
Exposure estimate	0,0018 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,009526
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - inhalation, long-term - systemic
Exposure estimate	1,9785 mg/m <sup>3</sup>

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Risk Characterization Ratio (RCR)	0,177604
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 25 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	240 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Local exhaust ventilation	Effectiveness: 90 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,3429 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,108499
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,025 mg/cm²/day
Risk Characterization Ratio (RCR)	0,131579
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Exposure estimate	0,9893 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,088802
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 100 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Local exhaust ventilation	Effectiveness: 95 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - systemic
Exposure estimate	1,3714 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,433996
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - local
Exposure estimate	0,1 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,526316
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - inhalation, long-term - systemic
Exposure estimate	0,3298 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,029601
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a>	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 25 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Provide a good standard of general ventilation (not less than 3 - 5 air changes per hour)	Effectiveness: 30 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,1714 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,05425
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,025 mg/cm²/day
Risk Characterization Ratio (RCR)	0,131579
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	1,1541 mg/m³

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Risk Characterization Ratio (RCR)	0,103603
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC15: Use a laboratory reagent. Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 100 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	15 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Provide a good standard of general ventilation (not less than 3 - 5 air changes per hour)	Effectiveness: 30 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - systemic
Exposure estimate	0,0343 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,01085
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - local
Exposure estimate	0,01 mg/cm²/day
Risk Characterization Ratio (RCR)	0,052632
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Worker
	Worker - inhalation, long-term - systemic
Exposure estimate	2,3083 mg/m³
Risk Characterization Ratio (RCR)	0,207205
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a>	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

\*\*\*\*\*

## 2. Short title of exposure scenario

Formulation, (use in industrial settings)

ERC2; PROC1, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC14, PROC15

## Control of exposure and risk management measures

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	AISE SPERC 2.1.a.v2: AISE SPERC 2.1.a.v2
<b>Operational conditions</b>	
Annual amount used in the EU	450.000 kg
Minimum emission days per year	250
Emission factor air	0 %
Emission factor water	0,01 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Wastewater treatment measures considered suitable are, e.g.	Precipitation, Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,125051
	Risk from environmental exposure is driven by freshwater.
Maximum amount of safe use	14.394,2 kg/d
Risk from environmental exposure is driven by freshwater.	
<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	AISE SPERC 2.1.b.v2: AISE SPERC 2.1.b.v2

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Operational conditions</b>	
Annual amount used in the EU	180.000 kg
Minimum emission days per year	250
Emission factor air	0 %
Emission factor water	0,1 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Wastewater treatment measures considered suitable are, e.g.	Precipitation, Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,432548
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1.664,6 kg/d
Risk from environmental exposure is driven by soil.	

<b>Contributing exposure scenario</b>	
Use descriptors covered	AISE SPERC 2.1.c.v2: AISE SPERC 2.1.c.v2
<b>Operational conditions</b>	
Annual amount used in the EU	140.000 kg
Minimum emission days per year	250
Emission factor air	0 %
Emission factor water	0,2 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Wastewater treatment measures considered suitable are, e.g.	Precipitation, Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,540268
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	832,9 kg/d
Risk from environmental exposure is driven by soil.	

<b>Contributing exposure scenario</b>	
Use descriptors covered	AISE SPERC 2.1.j.v2: AISE SPERC 2.1.j.v2
<b>Operational conditions</b>	
Annual amount used in the EU	130.000 kg
Minimum emission days per year	250
Emission factor air	0 %
Emission factor water	0,1 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Wastewater treatment measures considered suitable are, e.g.	Nanofiltration (NR), Ultrafiltration (UF) or Reverse Osmosis (OR), Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,312858
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1.662,1 kg/d
	Risk from environmental exposure is driven by soil.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	AISE SPERC 2.1.k.v2: AISE SPERC 2.1.k.v2
<b>Operational conditions</b>	
Annual amount used in the EU	70.000 kg
Minimum emission days per year	250
Emission factor air	0 %
Emission factor water	0,2 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100

<b>Risk Management Measures</b>	
Wastewater treatment measures considered suitable are, e.g.	Nanofiltration (NR), Ultrafiltration (UF) or Reverse Osmosis (OR), Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,336796
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	831,4 kg/d
	Risk from environmental exposure is driven by soil.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	AISE SPERC 2.1.l.v2: AISE SPERC 2.1.l.v2

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Operational conditions</b>	
Annual amount used in the EU	70.000 kg
Minimum emission days per year	250
Emission factor air	0 %
Emission factor water	0,4 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Wastewater treatment measures considered suitable are, e.g.	Nanofiltration (NR), Ultrafiltration (UF) or Reverse Osmosis (OR), Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,671927
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	416,7 kg/d
Risk from environmental exposure is driven by soil.	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	ERC2: Formulation into mixture
<b>Operational conditions</b>	
Annual amount used in the EU	200.000 kg
Minimum emission days per year	250
Emission factor air	0 %
Emission factor water	0 %
Emission factor soil	0,01 %



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,046763
	Risk from environmental exposure is driven by freshwater.
Maximum amount of safe use	17.107,4 kg/d
Risk from environmental exposure is driven by freshwater.	

<b>Contributing exposure scenario</b>	
Use descriptors covered	ERC2: Formulation into mixture
<b>Operational conditions</b>	
Annual amount used in the EU	20.000 kg
Minimum emission days per year	250
Emission factor air	0 %
Emission factor water	2 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,959182
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	83,4 kg/d

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Risk from environmental exposure is driven by soil.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 25 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Provide a good standard of general ventilation (not less than 3 - 5 air changes per hour)	Effectiveness: 30 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,0009 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,000271
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0003 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,001316
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	Worker - inhalation, long-term - systemic
Exposure estimate	0,0023 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,000207
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 25 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	240 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Provide a good standard of general ventilation (not less than 3 - 5 air changes per hour)	Effectiveness: 30 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,0171 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,005425
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	Worker - dermal, long-term - local
Exposure estimate	0,005 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,026316
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	2,0774 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,186485
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC5: Mixing or blending in batch processes Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 25 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	240 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Provide a good standard of general or controlled ventilation (5 to 10 air changes per hour)	Effectiveness: 70 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,3429 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,108499

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,05 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,263158
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	1,4839 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,133203
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 18 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	240 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Provide a good standard of general or controlled ventilation (5 to 10 air changes per hour)	Effectiveness: 70 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,2469 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,078119
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,018 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,094737
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	2,1368 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,191813
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 25 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Provide a good standard of general ventilation (not less than 3 - 5 air changes per hour)	Effectiveness: 30 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,3429 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,108499
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,025 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,131579
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	1,1541 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,103603
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
Use descriptors covered	PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 18 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Provide a good standard of general ventilation (not less than 3 - 5 air changes per hour)	Effectiveness: 30 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,1234 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,03906
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,018 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,094737
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,831 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,074594
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
Use descriptors covered	PROC14: Tableting, compression, extrusion, pelletisation, granulation Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 18 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Provide a good standard of general or controlled ventilation (5 to 10 air	Effectiveness: 70 %



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

changes per hour)	
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,0617 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,01953
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,009 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,047368
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	1,7807 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,159844
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC15: Use a laboratory reagent. Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 25 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	15 min 5 days per week
Indoor/Outdoor	Indoor

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Risk Management Measures</b>	
Provide a good standard of general ventilation (not less than 3 - 5 air changes per hour)	Effectiveness: 30 %
Wear chemically resistant gloves in combination with 'basic' employee training.	Effectiveness: 90 %
Avoid splashing. Avoid contact with eyes.	
Wear chemically resistant gloves in combination with 'basic' employee training., Use suitable eye protection.	
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,0086 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,002712
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0025 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,013158
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,5771 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,051801
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

\*\*\*\*\*

### 3. Short title of exposure scenario

Use in washing and cleaning products, (use in industrial settings)

ERC4; PROC1, PROC2, PROC4, PROC7, PROC8b, PROC10, PROC13

### Control of exposure and risk management measures

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	ERC4: Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

### **Operational conditions**

#### **Contributing exposure scenario**

<b>Use descriptors covered</b>	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.
--------------------------------	--

#### **Contributing exposure scenario**

<b>Use descriptors covered</b>	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.
--------------------------------	---

#### **Contributing exposure scenario**

<b>Use descriptors covered</b>	PROC4: Chemical production where opportunity for exposure arises Use domain: industrial
--------------------------------	--

### **Operational conditions**

Concentration of the substance	3,7-Dimethyloctan-3-ol Content: $\geq 0\%$ - $\leq 1,05\%$
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor

### **Exposure estimate and reference to its source**

Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,072 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,022785
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0105 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,055263
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,3462 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,031081
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC4: Chemical production where opportunity for exposure arises Other products used in this category do not exceed a concentration of 1% for this substance.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC7: Industrial spraying Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Use suitable chemically resistant gloves.	Effectiveness: 80 %
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,09 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,028481
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0042 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,022105
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	1,385 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,124323
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC7: Industrial spraying Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Outdoor
<b>Risk Management Measures</b>	
Use suitable chemically resistant gloves.	Effectiveness: 80 %
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,09 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,028481
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0042 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,022105
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,9695 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,087026
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC7: Industrial spraying Other products used in this category do not exceed a concentration of 1% for this substance.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Use suitable chemically resistant gloves.	Effectiveness: 80 %
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,0288 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,009114
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0021 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,011053

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,0692 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,006216
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Outdoor
<b>Risk Management Measures</b>	
Use suitable chemically resistant gloves.	Effectiveness: 80 %
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,0288 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,009114
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0021 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,011053
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,0485 mg/m <sup>3</sup>

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Risk Characterization Ratio (RCR)	0,004351
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities Other products used in this category do not exceed a concentration of 1% for this substance.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC10: Roller application or brushing Use domain: industrial
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Outdoor
<b>Risk Management Measures</b>	
Use suitable chemically resistant gloves.	Effectiveness: 80 %
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,0576 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,018228
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0042 mg/cm²/day
Risk Characterization Ratio (RCR)	0,022105
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Exposure estimate	0,4847 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,043513
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC10: Roller application or brushing Other products used in this category do not exceed a concentration of 1% for this substance.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC13: Treatment of articles by dipping and pouring. In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.

\*\*\*\*\*

#### 4. Short title of exposure scenario

Use as an intermediate, (use in industrial settings)

ERC6a; PROC1, PROC2, PROC3, PROC8b, PROC9, PROC15

#### Control of exposure and risk management measures

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	ERC6a: Use of intermediate No assessment required - Industrial use as intermediate under strictly controlled conditions
<b>Operational conditions</b>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. No assessment required - Industrial use as intermediate under strictly controlled conditions

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	No assessment required - Industrial use as intermediate under strictly controlled conditions
--	--

Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition No assessment required - Industrial use as intermediate under strictly controlled conditions

Contributing exposure scenario	
Use descriptors covered	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities No assessment required - Industrial use as intermediate under strictly controlled conditions

Contributing exposure scenario	
Use descriptors covered	PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). No assessment required - Industrial use as intermediate under strictly controlled conditions

Contributing exposure scenario	
Use descriptors covered	PROC15: Use a laboratory reagent. No assessment required - Industrial use as intermediate under strictly controlled conditions

\*\*\*\*\*

## 5. Short title of exposure scenario

Use in polishes, wax blends, washing and cleaning products, (use in professional settings)  
ERC8a, ERC8d; PROC1, PROC2, PROC4, PROC8a, PROC8b, PROC10, PROC11, PROC13

## Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
Operational conditions	
Annual amount used in the EU	1.000.000 kg

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Minimum emission days per year	365
Emission factor air	100 %
Emission factor water	100 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,329588
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1,7 kg/d
Risk from environmental exposure is driven by soil.	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	ERC8d: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
<b>Operational conditions</b>	
Annual amount used in the EU	1.000.000 kg
Minimum emission days per year	365
Emission factor air	100 %
Emission factor water	100 %
Emission factor soil	20 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Risk Management Measures</b>	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,329588
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1,7 kg/d
Risk from environmental exposure is driven by soil.	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC4: Chemical production where opportunity for exposure arises Use domain: professional
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	480 min 5 days per week

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Indoor/Outdoor	Indoor
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,072 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,022785
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0105 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,055263
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,6925 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,062162
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC4: Chemical production where opportunity for exposure arises Other products used in this category do not exceed a concentration of 1% for this substance.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities Use domain: professional
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,3 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,1783 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,05642
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,013 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,068421
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,4287 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,038481
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
Use descriptors covered	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities Use domain: professional
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Risk Management Measures</b>	
Use suitable chemically resistant gloves.	Effectiveness: 80 %
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Exposure estimate	0,0288 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,009114
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0021 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,011053
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,3462 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,031081
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities Use domain: professional
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Outdoor
<b>Risk Management Measures</b>	
Use suitable chemically resistant gloves.	Effectiveness: 80 %
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,0288 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,009114
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	Worker - dermal, long-term - local
Exposure estimate	0,0021 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,011053
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,2424 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,021757
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

Contributing exposure scenario	
<b>Use descriptors covered</b>	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities Other products used in this category do not exceed a concentration of 1% for this substance.

Contributing exposure scenario	
<b>Use descriptors covered</b>	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.

Contributing exposure scenario	
<b>Use descriptors covered</b>	PROC10: Roller application or brushing Use domain: professional
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,3 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,3566 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,112839
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,026 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,136842
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	2,1434 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,192405
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC10: Roller application or brushing Use domain: professional
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Outdoor
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	0,288 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,091139
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,021 mg/cm <sup>2</sup> /day

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Risk Characterization Ratio (RCR)	0,110526
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	1,2118 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,108783
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC10: Roller application or brushing Other products used in this category do not exceed a concentration of 1% for this substance.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC11: Non industrial spraying Use domain: professional
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Indoor
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	1,125 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,356013
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0525 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,276316
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	1,385 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,124323
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC11: Non industrial spraying Use domain: professional
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Physical state	liquid
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	60 min 5 days per week
Indoor/Outdoor	Outdoor
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - systemic
Exposure estimate	1,125 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,356013
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - dermal, long-term - local
Exposure estimate	0,0525 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,276316
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, worker, modified version, The concentration of the substance has been considered using a linear approach.
	Worker - inhalation, long-term - systemic
Exposure estimate	0,9695 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,087026
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.ecetoc.org/tra">http://www.ecetoc.org/tra</a> Please note that a modified version has been used (see exposure estimates)	

<b>Contributing exposure scenario</b>
---------------------------------------

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Use descriptors covered</b>	PROC11: Non industrial spraying Other products used in this category do not exceed a concentration of 1% for this substance.
--------------------------------	---

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PROC13: Treatment of articles by dipping and pouring. In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.

\*\*\*\*\*

## 6. Short title of exposure scenario

Use in polishes, wax blends, washing and cleaning products, (consumer use)  
ERC8a, ERC8d; PC31, PC35

## Control of exposure and risk management measures

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
<b>Operational conditions</b>	
Annual amount used in the EU	1.000.000 kg
Minimum emission days per year	365
Emission factor air	100 %
Emission factor water	100 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Risk Characterization Ratio (RCR)	0,329588
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1,7 kg/d
	Risk from environmental exposure is driven by soil.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	ERC8d: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
<b>Operational conditions</b>	
Annual amount used in the EU	1.000.000 kg
Minimum emission days per year	365
Emission factor air	100 %
Emission factor water	100 %
Emission factor soil	20 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,329588
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1,7 kg/d
	Risk from environmental exposure is driven by soil.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC31: Polishes and Wax Blends. In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.
<b>Operational conditions</b>	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,3 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	Exposure duration: 3 min Relevant for inhalative exposure estimates
Duration and Frequency of activity	Application duration: 2 min Relevant for inhalative exposure estimates
Duration and Frequency of activity	260 uses per year
Room size	2,5 m <sup>3</sup>
Ventilation rate per hour	2
Temperature (Application)	21 °C
body weight	65 kg
Uptake fraction dermal	100 %
	Amount per use 2,2 g Relevant for dermal exposure estimates
Release area	750 cm <sup>2</sup>
	Release area is constant
Release duration	2 min
	Relevant for inhalative exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application, Uptake model: Uptake fraction
	Consumer - dermal, long-term - systemic
Exposure estimate	0,3134 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,19837
	The calculation is based on the internal chronic dose.
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Inhalation model: exposure to vapour - evaporation
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,0038 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,001393

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	The exposure calculation is based on the mean concentration on the day of exposure.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: $\geq 0\%$ - $\leq 1,3\%$
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
body weight	65 kg
	Amount per use 2,2 g Relevant for dermal exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application
	Consumer - dermal, short-term - local
Exposure estimate	0,133 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,700122
	The calculation is based on the external dose.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: $\geq 0\%$ - $\leq 1,3\%$
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	Exposure duration: 3 min Relevant for inhalative exposure estimates
Duration and Frequency of activity	Application duration: 2 min Relevant for inhalative exposure estimates
Duration and Frequency of activity	120 uses per year

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Room size	2,5 m <sup>3</sup>
Ventilation rate per hour	2
Temperature (Application)	21 °C
body weight	65 kg
Uptake fraction dermal	100 %
	Amount per use 2,2 g Relevant for dermal exposure estimates
Release area	750 cm <sup>2</sup>
	Release area is constant
Release duration	2 min
	Relevant for inhalative exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application, Uptake model: Uptake fraction
	Consumer - dermal, long-term - systemic
Exposure estimate	0,1447 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,091555
	The calculation is based on the internal chronic dose.
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Inhalation model: exposure to vapour - evaporation
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,0038 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,001393
	The exposure calculation is based on the mean concentration on the day of exposure.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,3 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
body weight	65 kg
	Amount per use 2,2 g Relevant for dermal exposure estimates
<b>Exposure estimate and reference to its source</b>	



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application
	Consumer - dermal, short-term - local
Exposure estimate	0,133 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,700122
	The calculation is based on the external dose.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,3 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	Exposure duration: 24 h Relevant for inhalative exposure estimates
Duration and Frequency of activity	365 uses per year
body weight	65 kg
Release duration	86400 min
	Relevant for inhalative exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Inhalation model: exposure to vapour - constant rate
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,1238 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,045002
	The exposure calculation is based on the mean concentration on the day of exposure.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,3 %

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	Exposure duration: 24 h Relevant for inhalative exposure estimates
Duration and Frequency of activity	365 uses per year
body weight	65 kg
Release duration	43200 min
	Relevant for inhalative exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Inhalation model: exposure to vapour - constant rate
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,1061 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,038573
	The exposure calculation is based on the mean concentration on the day of exposure.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	Exposure duration: 60 min Relevant for inhalative exposure estimates
Duration and Frequency of activity	365 uses per year
Room size	15 m <sup>3</sup>
Ventilation rate per hour	2,5
body weight	65 kg
Uptake fraction dermal	100 %
Spray duration	24,6 sec
Contact rate	46 mg/min
Release duration	0,41 min

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	Relevant for dermal exposure estimates
<b>Risk Management Measures</b>	
Consumer Measures	Ensure spraying away from persons.
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: constant application rate, Uptake model: Uptake fraction
	Consumer - dermal, long-term - systemic
Exposure estimate	0,003 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,001928
	The calculation is based on the internal chronic dose.
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Inhalation model: Exposure to spray/dust
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,0011 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,000394
	The exposure calculation is based on the mean concentration on the day of exposure.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
Use descriptors covered	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 1,05 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
body weight	65 kg
Contact rate	46 mg/min
Release duration	0,41 min
	Relevant for dermal exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: constant application rate
	Consumer - dermal, short-term - local
Exposure estimate	0,0001 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,0005
	The calculation is based on the external dose.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthandddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>
---------------------------------------

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: $\geq 0\%$ - $\leq 1,05\%$
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	Exposure duration: 60 min Relevant for inhalative exposure estimates
Duration and Frequency of activity	Application duration: 10 min Relevant for inhalative exposure estimates
Duration and Frequency of activity	365 uses per year
Room size	15 m <sup>3</sup>
Ventilation rate per hour	2,5
Temperature (Application)	21 °C
body weight	65 kg
Uptake fraction dermal	100 %
	Amount per use 0,16 g Relevant for dermal exposure estimates
Release area	17100 cm <sup>2</sup>
	Release area is constant
Release duration	10 min
	Relevant for inhalative exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application, Uptake model: Uptake fraction
	Consumer - dermal, long-term - systemic
Exposure estimate	0,0258 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,016358
	The calculation is based on the internal chronic dose.
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Inhalation model: exposure to vapour - evaporation
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,0915 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,033272
	The exposure calculation is based on the mean concentration on the day of exposure.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	
<b>Contributing exposure scenario</b>	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products).
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: $\geq 0\%$ - $\leq 1,05\%$
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
body weight	65 kg
	Amount per use 0,16 g Relevant for dermal exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application
	Consumer - dermal, short-term - local
Exposure estimate	0,0078 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,041126
	The calculation is based on the external dose.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC35: Washing and Cleaning Products (including solvent based products). Other products of this category do either not exceed a concentration of 1% for this substance or exposure estimations are covered by the calculations made for this product category. In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.
<b>Operational conditions</b>	
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C

\*\*\*\*\*

## 7. Short title of exposure scenario

Use in/as Air care products, (consumer use)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

ERC8a; PC3

## Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
Operational conditions	
Annual amount used in the EU	1.000.000 kg
Minimum emission days per year	365
Emission factor air	100 %
Emission factor water	100 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
Risk Management Measures	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
Exposure estimate and reference to its source	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,329588
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1,7 kg/d
Risk from environmental exposure is driven by soil.	

Contributing exposure scenario	
Use descriptors covered	PC3: Air care products.
Operational conditions	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 18 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Duration and Frequency of activity	Exposure duration: 480 min Relevant for inhalative exposure estimates
Duration and Frequency of activity	150 uses per year
Room size	16 m <sup>3</sup>
Ventilation rate per hour	1
body weight	65 kg
Spray duration	28800 sec
<b>Risk Management Measures</b>	
Consumer Measures	Ensure spraying away from persons.
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Inhalation model: Exposure to spray/dust
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,0769 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,027977
	The exposure calculation is based on the mean concentration on the day of exposure.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC3: Air care products. Other products of this category do either not exceed a concentration of 1% for this substance or exposure estimations are covered by the calculations made for this product category. In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.
<b>Operational conditions</b>	
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C

\*\*\*\*\*

## 8. Short title of exposure scenario

Use in cosmetics, (consumer use)

ERC8a; PC28, PC39

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

## Control of exposure and risk management measures

Contributing exposure scenario	
<b>Use descriptors covered</b>	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
Operational conditions	
Annual amount used in the EU	1.000.000 kg
Minimum emission days per year	365
Emission factor air	100 %
Emission factor water	100 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
Risk Management Measures	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
Exposure estimate and reference to its source	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,329588
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1,7 kg/d
Risk from environmental exposure is driven by soil.	

Contributing exposure scenario	
<b>Use descriptors covered</b>	PC28: Perfumes, Fragrances. In accordance to the Article 14 (5b) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed for end uses in cosmetic products within the scope of Directive EC 1223/2009.
Operational conditions	
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC39: Cosmetics, personal care products. In accordance to the Article 14 (5b) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed for end uses in cosmetic products within the scope of Directive EC 1223/2009.
<b>Operational conditions</b>	
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C

\*\*\*\*\*

## 9. Short title of exposure scenario

Use as fragrance in biocidal products, (consumer use)

ERC8a, ERC8d; PC8

## Control of exposure and risk management measures

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
<b>Operational conditions</b>	
Annual amount used in the EU	1.000.000 kg
Minimum emission days per year	365
Emission factor air	100 %
Emission factor water	100 %
Emission factor soil	0 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,329588
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1,7 kg/d
	Risk from environmental exposure is driven by soil.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	ERC8d: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
<b>Operational conditions</b>	
Annual amount used in the EU	1.000.000 kg
Minimum emission days per year	365
Emission factor air	100 %
Emission factor water	100 %
Emission factor soil	20 %
Receive Surf. Water (Flow Rate).	18.000 m3/d
Dilution factor river	10
Dilution factor coast	100
<b>Risk Management Measures</b>	
Type of STP	Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,329588
	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1,7 kg/d
	Risk from environmental exposure is driven by soil.

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC8: Biocidal Products.
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 2,1 %

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	54 uses per year
Duration and Frequency of activity	Exposure duration: 180 min Relevant for oral exposure estimates
Duration and Frequency of activity	54 uses per year
body weight	65 kg
Uptake fraction dermal	100 %
Uptake fraction oral	100 %
	Amount per use 6 g Relevant for dermal exposure estimates
Ingestion rate	0,00133 mg/min
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application, Uptake model: Uptake fraction
	Consumer - dermal, long-term - systemic
Exposure estimate	0,2868 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,18151
	The calculation is based on the internal chronic dose.
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Oral model: constant rate, Uptake model: Uptake fraction
	Consumer - oral, long-term - systemic
Exposure estimate	0,0001 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,000007
	The calculation is based on the internal chronic dose.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC8: Biocidal Products.
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 2,1 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
body weight	65 kg

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

	Amount per use 6 g Relevant for dermal exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application
	Consumer - dermal, short-term - local
Exposure estimate	0,0072 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,037895
	The calculation is based on the external dose.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC8: Biocidal Products.
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 2,1 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	54 uses per year
Duration and Frequency of activity	Exposure duration: 180 min Relevant for oral exposure estimates
Duration and Frequency of activity	54 uses per year
body weight	8,69 kg
Uptake fraction dermal	100 %
Uptake fraction oral	100 %
	Amount per use 1,5 g Relevant for dermal exposure estimates
Ingestion rate	0,00083 mg/min
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application, Uptake model: Uptake fraction
	Consumer - dermal, long-term - systemic
Exposure estimate	0,5363 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,339418
	The calculation is based on the internal chronic dose.
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Oral model: constant rate, Uptake model: Uptake fraction
	Consumer - oral, long-term - systemic

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Exposure estimate	0,0001 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,000034
	The calculation is based on the internal chronic dose.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC8: Biocidal Products.
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 2,1 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
body weight	8,69 kg
	Amount per use 1,5 g Relevant for dermal exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: instant application
	Consumer - dermal, short-term - local
Exposure estimate	0,0066 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,034539
	The calculation is based on the external dose.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC8: Biocidal Products.
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 2,1 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	Exposure duration: 240 min Relevant for inhalative exposure estimates
Duration and Frequency of activity	90 uses per year
Room size	58 m <sup>3</sup>
Ventilation rate per hour	0,5

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

body weight	65 kg
Uptake fraction dermal	100 %
Spray duration	19,8 sec
Contact rate	269 mg/min
Release duration	0,33 min
	Relevant for dermal exposure estimates
<b>Risk Management Measures</b>	
Consumer Measures	Ensure spraying away from persons.
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: constant application rate, Uptake model: Uptake fraction
	Consumer - dermal, long-term - systemic
Exposure estimate	0,0071 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,004476
	The calculation is based on the internal chronic dose.
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Inhalation model: Exposure to spray/dust
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,0085 mg/m <sup>3</sup>
Risk Characterization Ratio (RCR)	0,0031
	The exposure calculation is based on the mean concentration on the day of exposure.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
Use descriptors covered	PC8: Biocidal Products.
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 2,1 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
body weight	65 kg
Contact rate	269 mg/min
Release duration	0,33 min
	Relevant for dermal exposure estimates
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: constant application rate
	Consumer - dermal, short-term - local
Exposure estimate	0,0001 mg/cm <sup>2</sup> /day

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

Risk Characterization Ratio (RCR)	0,000561
The calculation is based on the external dose.	
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC8: Biocidal Products.
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 2,1 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
Duration and Frequency of activity	90 uses per year
Duration and Frequency of activity	Exposure duration: 60 min Relevant for oral exposure estimates
Duration and Frequency of activity	90 uses per year
body weight	8,69 kg
Uptake fraction dermal	100 %
Uptake fraction oral	100 %
Transfer coefficient	1,666667 cm <sup>2</sup> /s
Dislodgeable amount	0,000082 g/cm <sup>2</sup>
Contact time	3600 sec
Rubbed surface	22 m <sup>2</sup>
Ingestion rate	0,017224 mg/min
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: rubbing off, Uptake model: Uptake fraction
	Consumer - dermal, long-term - systemic
Exposure estimate	0,2932 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,185548
The calculation is based on the internal chronic dose.	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Oral model: constant rate, Uptake model: Uptake fraction
	Consumer - oral, long-term - systemic
Exposure estimate	0,0006 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,00039
The calculation is based on the internal chronic dose.	
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC8: Biocidal Products.
<b>Operational conditions</b>	
Concentration of the substance	3,7-Dimethyloctan-3-ol Content: >= 0 % - <= 2,1 %
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C
body weight	8,69 kg
Transfer coefficient	1,666667 cm <sup>2</sup> /s
Dislodgeable amount	0,000082 g/cm <sup>2</sup>
Contact time	3600 sec
Rubbed surface	22 m <sup>2</sup>
<b>Exposure estimate and reference to its source</b>	
Assessment method	EASY TRA v4.2, ConsExpo v4.1, Dermal model: rubbing off
	Consumer - dermal, short-term - local
Exposure estimate	0,0022 mg/cm <sup>2</sup> /day
Risk Characterization Ratio (RCR)	0,011329
	The calculation is based on the external dose.
<b>Guidance to Downstream Users</b>	
For scaling see: <a href="http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp">http://www.rivm.nl/en/healthanddisease/productsafety/ConsExpo.jsp</a>	

<b>Contributing exposure scenario</b>	
<b>Use descriptors covered</b>	PC8: Biocidal Products. Other products of this category do either not exceed a concentration of 1% for this substance or exposure estimations are covered by the calculations made for this product category. In accordance to the Article 14 (2a-f) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed if the substance in a preparation is less than 1%.
<b>Operational conditions</b>	
Vapour pressure of the substance during use	11,1 Pa
Process temperature	20 °C

\*\*\*\*\*



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.08.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 30.08.2022

Product: **Tetrahydrolinalool**

(ID no. 30034995/SDS\_GEN\_DE/EN)

Date of print 19.10.2025