

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 02.01.2024
Product: **Luprosil® Salt**

Version: 3.0

(30041137/SDS_GEN_VN/EN)

Date of print: 22.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:
Luprosil® Salt

Use: feed additive(s)

Manufacturer/supplier:
BASF Vietnam Co. Ltd.
Level 23, Deutsches Haus, 33 Le Duan,
Sai Gon Ward, Ho Chi Minh City, Vietnam
Telephone: +84 28 3824 3833
Telefax number: +84 28 3824 3832
E-mail address: minh-triet.thieu@basf.com

Emergency information:
18001703 (Vietnam)
Telefax number: +84 28 3824 3832
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:
| Serious eye damage/eye irritation: Cat.1

Label elements and precautionary statement:

Pictogram:



Signal Word:

BASF Safety data sheet
Date / Revised: 02.01.2024
Product: **Luprosil® Salt**

Version: 3.0

(30041137/SDS_GEN_VN/EN)

Date of print: 22.10.2025

| Danger

Hazard Statement:
| H318 Causes serious eye damage.

Precautionary Statements (Prevention):
| P280 Wear eye and face protection.

Precautionary Statements (Response):
| P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
| P310 Immediately call a POISON CENTER or physician.

Other hazards which do not result in classification:
| The product is under certain conditions capable of dust explosion.

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

| calcium dipropionate
| CAS Number: 4075-81-4

Hazardous ingredients

| calcium dipropionate
| Content (W/W): $\geq 75\%$ - $\leq 100\%$ Eye Dam./Irrit.: Cat. 1
| CAS Number: 4075-81-4

| Paraffin oils
| Content (W/W): $\geq 1\%$ - $< 3\%$ Aquatic Chronic: Cat. 4
| CAS Number: 8012-95-1

4. First-Aid Measures

General advice:
| Remove contaminated clothing.

If inhaled:
| Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:
| Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

BASF Safety data sheet
Date / Revised: 02.01.2024
Product: **Luprosil® Salt**

Version: 3.0

(30041137/SDS_GEN_VN/EN)

Date of print: 22.10.2025

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Specific hazards:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation. Ensure adequate ventilation. Do not breathe dust. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up. Collect waste in suitable containers, which can be labeled and sealed.

Dispose of absorbed material in accordance with regulations. Avoid raising dust. Cleaning operations should be carried out only while wearing breathing apparatus.

7. Handling and Storage

Handling

Avoid dust formation. Provide exhaust ventilation if dust is formed. Keep container tightly closed. Avoid contact with the skin, eyes and clothing. Wear suitable protective clothing and eye/face protection.

Protection against fire and explosion:

The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

Storage

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), glass, Paper/Fibreboard

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

8. Exposure controls and personal protection

Components with occupational exposure limits

Paraffin oils, 8012-95-1;

TWA value 5 mg/m³ (ACGIHTLV), Inhalable fraction

STEL value 10 mg/m³ (OEL (VN)), Mist

TWA value 5 mg/m³ (OEL (VN)), Mist

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2) When workers are facing concentrations above the occupational exposure limits they must use appropriate certified respirators.

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g.

temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.
 Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with eyes. Do not breathe dust. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form: powder
 Colour: almost white
 Odour: almost odourless
 Odour threshold: not determined

pH value: 8 - 10
 (water, 10 %(m), 20 °C)

melting point (decomposition): 245 °C

Boiling point:
 dropped

Flash point:
 not applicable, the product is a solid

Evaporation rate:
 The product is a non-volatile solid.

Flammability (solid/gas): hardly combustible (other)

Lower explosion limit:
 For solids not relevant for classification and labelling.

Upper explosion limit:
 For solids not relevant for classification and labelling.

Thermal decomposition: approx. 245 °C

Self heating ability: It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2. (VDI 2263, sheet 1, 1.4.1 (May 1990))

SADT: No data available.

BASF Safety data sheet
 Date / Revised: 02.01.2024
 Product: **Luprosil® Salt**

Version: 3.0

(30041137/SDS_GEN_VN/EN)

Date of print: 22.10.2025

Minimum ignition energy:	> 80 - < 160 mJ (20 °C)	(VDI 2263, sheet 1, 2.5 (May 1990))
	Inductivity: 1 mH	
	Grain size distribution: < 60 µm	
Explosion hazard:	Product is not explosive, however a dust explosion could result from an air / dust mixture.	
Fire promoting properties:	not fire-propagating	
Vapour pressure:	3.99 hPa (23 °C) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	
Density:	1.41 g/cm ³ (20 °C, 1,013.25 hPa)	(other)
Relative density:	1.41 (20 °C, 1,013.25 hPa)	(other)
Bulk density:	approx. 500 kg/m ³	
Relative vapour density (air):	The product is a non-volatile solid.	
Solubility in water:	250 g/l (20 °C)	
Partitioning coefficient n-octanol/water (log Pow):	-4.36 (25 °C)	(measured)
Viscosity, dynamic:	not applicable, the product is a solid	

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static charge. Avoid dust formation.

Thermal decomposition: approx. 245 °C

Substances to avoid:

None known during use and storage if used according to instructions.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:

Dust explosion hazard.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

| The product is stable if stored and handled as prescribed/indicated.

Reactivity:

| No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

| LD50rat (oral): approx. 6,400 mg/kg (BASF-Test)

Acute inhalation toxicity

| LC50 rat (by inhalation): > 19.7 mg/l 1 h (OECD Guideline 403)

| The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The vapour was tested.

Assessment of acute toxicity

| Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

| Not irritating to the skin. May cause severe damage to the eyes.

Experimental/calculated data:

| Skin corrosion/irritation rabbit: non-irritant (Draize test)

| Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

| No sensitizing effect.

Experimental/calculated data:

| Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

| The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

| Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

No reliable data was available concerning carcinogenic activity.

Reproductive toxicity

Assessment of reproduction toxicity:

No data available.

Developmental toxicity

Assessment of teratogenicity:

Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No data available.

Aspiration hazard

No data available.

12. Ecological Information

Ecotoxicity

Toxicity to fish:

LC50 (96 h) > 10,000 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) > 500 mg/l, *Daphnia magna* (Directive 79/831/EEC, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) > 500 mg/l, *Scenedesmus subspicatus* (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration.

Microorganisms/Effect on activated sludge:

EC10 (17 h) 350 mg/l, *Pseudomonas putida* (DIN 38412 Part 8, aquatic)

The details of the toxic effect relate to the nominal concentration.

EC20 (30 min) > 1,000 mg/l, activated sludge (DIN EN ISO 8192, aerobic)

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:
| No data available.

Assessment of terrestrial toxicity:
| No data available.

Mobility

Assessment transport between environmental compartments:
Adsorption to solid soil phase is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
| Readily biodegradable (according to OECD criteria).

Elimination information:
| 74 % BOD of the ThOD (30 d) (other) (aerobic, domestic sewage, non-adapted)
| The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of stability in water:
| According to structural properties, hydrolysis is not expected/probable.

Bioaccumulation potential

Bioaccumulation potential:
| Accumulation in organisms is not to be expected. Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

13. Disposal Considerations

Information on disposal regulations: Must comply with regulations on hazardous waste such as:

- Decree No. 08/2022/ND-CP of the Government: detailing a number of articles of the Law on Environmental Protection.

- Circular No. 02/2022/TT-BTNMT of the Ministry of Natural Resources and Environment: detailing a number of articles of the Law on Environmental Protection.

| Observe national and local legal requirements.

14. Transport Information

Domestic transport:

UN number or ID number	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known

BASF Safety data sheet
Date / Revised: 02.01.2024
Product: **Luprosil® Salt**

Version: 3.0

(30041137/SDS_GEN_VN/EN)

Date of print: 22.10.2025

user

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information

Other regulations

The SDS is composed based on the Global Harmonization Globally Harmonized System of Classification and Labeling of Chemicals and applicable local chemical regulations as following:

- The Chemical Law 06/2007/QH12 issued on 21/11/2007.
- The decree No. 113/2017/ND-CP specifying and providing guidelines for implementation of certain articles of the law on chemicals.
- The decree No. 82/2022/ND-CP Amendments to some articles of government's decree no.113/2017/ND-CP dated October 09, 2017 specifying and providing guidelines for implementation of certain articles of the law on chemicals.
- Circular 17/2022/TT-BCT Amendments to some articles of circular no. 32/2017/TT-BCT dated December 28, 2017 of the Minister Of Industry And Trade on elaboration and provision of guidelines for implementation of certain articles of the law on chemicals and the government's decree no. 113/2017/ ND-CP dated October 09, 2017 on elaboration and provision of guidelines for implementation of certain articles of the law on chemicals.
- The decree No. 17/2020/ND-CP Amendments to some articles of decrees related to necessary business conditions in fields under the management of the Ministry Of Industry and Trade.
- The decree No. 42/2020/ND-CP on list of dangerous goods, transport of dangerous goods by land motor vehicles and transport of dangerous goods by inland waterways.

BASF Safety data sheet
Date / Revised: 02.01.2024
Product: **Luprosil® Salt**

Version: 3.0

(30041137/SDS_GEN_VN/EN)

Date of print: 22.10.2025

- The Circular 32/2017/TT-BCT specifying and providing guidelines for implementation of certain articles of the law on chemicals and the government's decree no. 113/2017/ND-CP dated October 09, 2017 specifying and providing guidelines for implementation of certain articles of the law on chemicals.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.