

Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 03.02.2025

Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Dry Vitamin E-Acetate 50% DC

Use: Vitamin

Manufacturer/supplier:

BASF South East Asia Pte Ltd.

128 Beach Road #18-01

Guoco Midtown, 189773, Singapore

Telephone: +65 8322 4420

Telefax number: +65 6 334-0330

E-mail address: benny.zou@basf.com

Emergency information:

Singapore Emergency Toll-Free Number:

Telephone: 1800-723-1361

International emergency number:

Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

The product is under certain conditions capable of dust explosion.

May form explosible dust-air mixture if dispersed

BASF Safety data sheet
Date / Revised: 03.02.2025
Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Preparation based on:
Vitamin E Acetate

in a matrix of:
Gelatins, starch

No particular hazards known.

4. First-Aid Measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Rinse mouth and then drink 200-300 ml of water.

Note to physician:
Symptoms: (Further) symptoms and / or effects are not known so far
Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, dry powder, foam

Unsuitable extinguishing media for safety reasons:
water jet

Additional information:
Avoid whirling up the material/product because of the danger of dust explosion.

Specific hazards:
carbon oxides, harmful vapours
The substances/groups of substances mentioned can be released in case of fire. Generation of fumes/fog. Dust explosion hazard.

BASF Safety data sheet
Date / Revised: 03.02.2025
Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation.

Environmental precautions:
Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Contain with dust binding material and dispose of.
For large amounts: Sweep/shovel up.
Dispose of absorbed material in accordance with regulations. Avoid raising dust.

Additional information: Dust can form an explosive mixture with air.

7. Handling and Storage

Handling

Avoid dust formation. Provide exhaust ventilation if dust is formed. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:
The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

Storage

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

8. Exposure controls and personal protection

Components with occupational exposure limits

sucrose, 57-50-1;
TWA value 10 mg/m³ (ACGIHTLV)
TWA value 10 mg/m³ (OEL (SG))

Silicic acid, aluminum sodium salt, 1344-00-9;

BASF Safety data sheet
Date / Revised: 03.02.2025
Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

TWA value 1 mg/m3 (ACGIHTLV), Respirable fraction

starch, 9005-25-8;

TWA value 10 mg/m3 (ACGIHTLV)

TWA value 10 mg/m3 (OEL (SG))

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1 or FFP1)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

chemical protection overall (f.e. according to EN 13982) if dust is formed.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Form: powder
Colour: almost white
Odour: odourless
Odour threshold: not applicable, odour not perceivable

pH value:
not applicable, substance/mixture is non-soluble (in water)

melting range:
The substance / product decomposes therefore not determined.

Boiling point:
not applicable

Flash point:
not applicable, the product is a solid

Evaporation rate:
not applicable

Flammability (solid/gas): not highly flammable (Directive 92/69/EEC, A.10)

BASF Safety data sheet
 Date / Revised: 03.02.2025
 Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Ignition temperature:	No data available.	
Thermal decomposition:	$\geq 145\text{ °C}$ self-accelerating reaction	(DSC (DIN 51007))
Self heating ability:	It is not a substance capable of spontaneous heating.	(UN Test N.4 (self heating substances))
SADT:	$> 75\text{ °C}$ Heat accumulation / Dewar 500 ml	(SADT, UN-Test H.4, 28.4.4)
Minimum ignition energy:	The product is capable of dust explosion.	(VDI 2263, sheet 1, 2.5 (May 1990))
Explosion hazard:	Product is not explosive, however a dust explosion could result from an air / dust mixture.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	not applicable	
Density:	No information is available for the absolute density. Instead the bulk density was determined as a more relevant value.	
Relative density:	No data available.	
Bulk density:	approx. 500 kg/m ³	
Relative vapour density (air):	not applicable, The product is a non-volatile solid.	
Solubility in water:	dispersible (approx. 35 - 40 °C)	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	
Viscosity, dynamic:	not applicable, the product is a solid	
Viscosity, kinematic:	not applicable, the product is a solid	

Particle characteristics

Particle size distribution: No data available. -

BASF Safety data sheet
Date / Revised: 03.02.2025
Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

Specific Surface Area: No data available.
Particle Shape: No data available.
Dustiness: No data available.

10. Stability and Reactivity

Conditions to avoid:
Avoid dust formation. Avoid electro-static charge. See SDS section 7 - Handling and storage.

Thermal decomposition: $\geq 145\text{ °C}$ (DSC (DIN 51007))
self-accelerating reaction

Substances to avoid:
None known during use and storage if used according to instructions.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:
Dust explosion hazard.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
(oral): No data available.

Acute inhalation toxicity

(by inhalation): No data available.

Acute dermal toxicity

(dermal): No data available.

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Information on: Vitamin E Acetate

BASF Safety data sheet
Date / Revised: 03.02.2025
Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

Acute oral toxicity

Experimental/calculated data:
LD50 rat (oral): > 10,000 mg/kg (BASF-Test)

Information on: Vitamin E Acetate

Acute dermal toxicity

Experimental/calculated data:
LD50 rat (dermal): > 3,000 mg/kg (similar to OECD guideline 402)

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation: No data available.

Serious eye damage/irritation: No data available.

Information on: Vitamin E Acetate
Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Information on: Vitamin E Acetate
Experimental/calculated data:
Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
Based on the ingredients, there is no suspicion of a skin-sensitizing potential.

Experimental/calculated data:
No data available.

Information on: Vitamin E Acetate
Experimental/calculated data:
photo-allergy test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:
Based on the ingredients, there is no suspicion of a mutagenic effect.

Information on: Vitamin E Acetate

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammals.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Experimental/calculated data:

No data available.

Information on: Vitamin E Acetate

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Experimental/calculated data:

No data available.

Information on: Vitamin E Acetate

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Information on: Vitamin E Acetate

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met.

Experimental/calculated data:

No data available.

BASF Safety data sheet
Date / Revised: 03.02.2025
Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

Information on: Vitamin E Acetate
Assessment of repeated dose toxicity:
Repeated oral uptake of the substance did not cause substance-related effects.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish:
No data available.

Aquatic invertebrates:
No data available.

Aquatic plants:
No data available.

Microorganisms/Effect on activated sludge:
No data available.

Chronic toxicity to fish:
No data available.

Chronic toxicity to aquatic invertebrates:
No data available.

Information on: Vitamin E Acetate
Toxicity to fish:
LC50 (96 h) > 11 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)
The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Information on: Vitamin E Acetate
Aquatic invertebrates:
EC50 (48 h) > 20.6 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)
The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

BASF Safety data sheet
Date / Revised: 03.02.2025
Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

Information on: Vitamin E Acetate

Aquatic plants:

EC50 (72 h) > 27.8 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Information on: Vitamin E Acetate

Microorganisms/Effect on activated sludge:

EC20 (30 min) > 927 mg/l, activated sludge, domestic (DIN EN ISO 8192, aquatic)

The details of the toxic effect relate to the nominal concentration.

Information on: Vitamin E Acetate

Chronic toxicity to fish:

No observed effect concentration (28 d) > 100 mg/l, *Oncorhynchus mykiss* (OECD Guideline 215, semistatic)

No data available regarding toxicity to fish.

Mobility

Assessment transport between environmental compartments:

The substance will slowly evaporate into the atmosphere from the water surface.

The ecological data given are those of the active ingredient.

Adsorption to solid soil phase is expected.

The ecological data given are those of the active ingredient.

Information on: Vitamin E Acetate

Assessment transport between environmental compartments:

The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Vitamin E Acetate

Bioaccumulation potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Vitamin E Acetate

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

13. Disposal Considerations

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

BASF Safety data sheet
Date / Revised: 03.02.2025
Product: **Dry Vitamin E-Acetate 50% DC**

Version: 5.1

(30041051/SDS_GEN_SG/EN)

Date of print: 22.10.2025

Maritime transport in bulk is not intended.

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.