

Safety data sheet

Page: 1/11

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

1. Identification

Product identifier

Kaurit® Powder 390

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Recommended use: Chemical, for industrial and professional users

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Division Monomers

Telephone: +49 621 60 42737

E-mail address: pss.monomers@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: Formaldehyde

Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. The product is under certain conditions capable of dust explosion.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Condensate based on: Urea, Formaldehyde

<u>Hazardous ingredients (GHS)</u> According to UN GHS criteria

No particular hazards known.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, foam, carbon dioxide, dry powder

Special hazards arising from the substance or mixture

Formaldehyde, harmful vapours Dust explosion hazard.

Advice for fire-fighters

Further information:

Fire debris must be disposed of in accordance with offical regulations. In case of combustion evolution of toxic gases/vapours possible. Do not allow to enter drains or waterways. Forms slippery surfaces with water.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Information regarding personal protective measures, see section 8.

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

Environmental precautions

Do not allow to enter soil, waterways or waste water channels. Prevent entry into drains and surface waters. Ensure compliance with local regulations before discharging into effluent treatment plants.

Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. For large amounts: Sweep/shovel up.

7. Handling and Storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Inform workers about possible hazards caused by the release of formaldehyde during processing.

Protection against fire and explosion:

Avoid dust formation. The product is capable of dust explosion. Sources of ignition should be kept well clear. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Low density polyethylene (LDPE), glass, Paper/Fibreboard, High density polyethylene (HDPE)

Further information on storage conditions: Store in unopened original containers in a cool and dry place.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

50-00-0: Formaldehyde

57-13-6: Urea

Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. (Particle filter EN 143 P2 or FFP2)

Eye protection:

In order to satisfy general industrial hygiene rules safety glasses with side-shields (e.g. EN 166) are recommended.

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

Body protection:

No body protection required if used for intended purpose and satisfying generally accepted industrial hygiene rules.

General safety and hygiene measures

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: solid powder Form: Colour: white

Odour: almost odourless Melting point: approx. 120 °C

Boiling point:

The substance / product polymerizes

therefore not determined.

Flammability: not highly flammable (other)

Lower explosion limit: 125 a/m3 (DIN EN 14034-3)

(20 - 24 °C, 1013 hPa)

Flash point:

not applicable, the product is a solid

440 °C Auto-ignition temperature: (VDI 2263, sheet 1, 2.6 (May

Thermal decomposition: > 250 °C

No decomposition if correctly stored and handled.

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

pH value: approx. 7 (DIN ISO 976)

(660 g/l, 20 °C)

The product has not been tested. Solubility in water:

> The statement has been derived from substances/products of a similar

structure or composition.

> 2 g/l

Partitioning coefficient n-octanol/water (log Kow): < 1,0

(20 °C)

The statements are based on the properties of the individual

components.

Vapour pressure:

The product has not been tested. The statement has been derived from the properties of the individual

components.

Information on: Water

23,4 hPa Vapour pressure:

(20 °C)

Literature data.

Information on: Formaldehyde

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

Vapour pressure: 1,2 - 1,3 hPa

(20 °C)

The data given are those of the

active ingredient.

14 hPa

(internal method) (55 %(m), 20 °C)

dynamic

Relative density:

not determined

Density:

No information is available for the absolute density. Instead the bulk density was determined as a more

relevant value.

Particle characteristics

Particle size distribution: 33,53 - 77,79 µm

(D50, Volumetric Distribution,

measured)

fine particles -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Product is not explosive, however a

dust explosion could result from an

air / dust mixture.

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

> spontaneous heating according to UN transport regulations class 4.2.

Other safety characteristics

Bulk density: approx. 600 kg/m3 (ISO 697)

Other Information: none

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is chemically stable.

Possibility of hazardous reactions

Risk of spontaneous polymerization in the presence of strong acids, bases and peroxides. During processing with acids, water and / or heat formaldehyde will be released, which may act as a sensitizer.

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

Conditions to avoid

> 30 °C

Avoid heat. Avoid humidity. Avoid dust formation.

Incompatible materials

Substances to avoid:

Organic Peroxides, strong bases, strong acids, acid anhydrides

Hazardous decomposition products

:

Formaldehyde

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 10.000 mg/kg

rat (by inhalation): 8 h (IRT)

No mortality within the stated exposition time as shown in animal studies.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization:

After continuous contact with the skin, sensitization cannot be excluded.

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

Germ cell mutagenicity

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity

Information on: Formaldehyde Assessment of carcinogenicity:

After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.

Reproductive toxicity

Assessment of reproduction toxicity: No reproductive toxic effects reported.

Developmental toxicity

Assessment of teratogenicity:

Not a teratogen.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Information on: Formaldehyde

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

Information on: Methanol

Assessment of repeated dose toxicity:

The substance may cause blindness after repeated ingestion. The substance may cause blindness

after repeated inhalation.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:

LC50 (96 h) > 500 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

Nominal concentration.

Microorganisms/Effect on activated sludge:

activated sludge, industrial (DIN EN ISO 8192-OECD 209-88/302/EEC,P. C, aerobic) Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested.

Elimination information:

No data available.

Bioaccumulative potential

Assessment bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

13. Disposal Considerations

Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Not applicable
Not applicable
Not applicable
Not applicable

Special precautions for

user

None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

Special precautions for

None known

Date / Revised: 03.07.2025 Version: 3.3

Product: Kaurit® Powder 390

(ID no. 30034927/SDS_GEN_00/EN)

Date of print 21.10.2025

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.