

Revision date : 2025/07/03 Page: 1/12

Version: 2.0 (30034746/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

BUTYL TRIGLYCOL

Recommended use of the chemical and restriction on use

Recommended use*: Chemical Recommended use*: Chemical

Unsuitable for use: Not intended for sale to or use by the general public.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc. 5025 Creekbank Road Building A, Floor 2 Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673) **Other means of identification**Chemical family: glycols

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Classification of the product

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Label elements

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2025/07/03 Page: 2/12 Version: 2.0 (30034746/SDS GEN CA/EN)

Pictogram:



Signal Word: Danger

Hazard Statement:

H318 Causes serious eye damage.

Precautionary Statements (Prevention):

P280 Wear eye and face protection.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. See section 12 - Results of PBT and vPvB assessment.

Labeling of special preparations (GHS):

Repeated exposure may cause skin dryness or cracking.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

2-(2-(2-butoxyethoxy)ethoxy)ethanol

CAS Number: 143-22-6

Content (W/W): >= 61.0 - <= 80.0%

Synonym: 2-[2-(2-Butoxyethoxy)ethoxy]ethanol; Triethylene glycol monobutyl

ether

3,6,9,12-Tetraoxahexadecan-1-ol

CAS Number: 1559-34-8

Content (W/W): >= 15.0 - <= 33.0% Synonym: No data available.

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

Revision date: 2025/07/03 Page: 3/12 Version: 2.0 (30034746/SDS GEN CA/EN)

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Information on: 2-(2-(2-butoxyethoxy)ethoxy)ethanol

Symptoms: Overexposure may cause:, corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons: water jet

Additional information:

Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

The product is combustible. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

Revision date: 2025/07/03 Page: 4/12 Version: 2.0 (30034746/SDS GEN CA/EN)

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Prevent contact with air/oxygen (formation of peroxide). Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

No special precautions necessary. Substance/product is non-flammable.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:

Ensure adequate ventilation.

Revision date: 2025/07/03 Page: 5/12 Version: 2.0 (30034746/SDS GEN CA/EN)

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Remove contaminated clothing. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Physical state: liquid Form: liquid

Odour: almost odourless
Odour threshold: not determined
Colour: colourless
pH value: (20 °C)
neutral

Melting temperature: approx. -45 °C Freezing point: No data available.

Boiling range: 265 - 350 °C (DIN 53171)

(1,013 mbar)

Flash point: 131 °C (ISO 2719, closed

The product has not been tested. The statement has been derived from the

properties of the individual

components.

Flammability: hardly combustible (derived from flash

point)

cup)

Lower explosion limit: For liquids not relevant for

classification and labelling. The lower explosion point may be 5 - 15 °C

below the flash point.

Upper explosion limit: For liquids not relevant for

classification and labelling.

Autoignition: 202 °C (DIN 51794)

The product has not been tested. The statement has been derived from the

properties of the individual

components.

Vapour pressure: 0.002 mbar (measured)

(20 °C) 0.02 mbar

02 mbar (measured)

(50 °C)

Revision date: 2025/07/03 Page: 6/12 Version: 2.0 (30034746/SDS GEN CA/EN)

Density: 0.9917 g/cm3 (ISO 2811-3)

(20°C)

Relative density: 0.9917

(20°C)

Relative vapour density: (estimated) > 1

(20°C)

Heavier than air.

Partitioning coefficient n-0.51 (OECD Guideline

octanol/water (log Pow): (25°C) 107)

The statements are based on the

properties of the individual

components.

1.440 - 1.442 (20 °C) Refractive index:

Self-ignition Based on its structural properties the product is not classified as selftemperature:

igniting.

No decomposition if stored and handled as Thermal decomposition:

prescribed/indicated.

10.6 mPa.s Viscosity, dynamic:

(20°C) 9.1 mPa.s (25 °C)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition., Literature

data. 5.58 mPa.s (40°C) 989 g/l

Solubility in water: (20°C)

> The product has not been tested. The statement has been derived from the properties of the individual components.,

Literature data.

Miscibility with water: (20°C)

miscible

Solubility (qualitative): soluble

solvent(s): organic solvents,

Molecular weight: not applicable

Evaporation rate: Value can be approximated from

Henry's Law Constant or vapor

pressure.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Revision date: 2025/07/03 Page: 7/12 Version: 2.0 (30034746/SDS GEN CA/EN)

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with light metals, with evolution of hydrogen. Reacts with strong oxidizing agents.

Conditions to avoid

No special precautions other than good housekeeping of chemicals.

Incompatible materials

strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: In animal studies the substance is virtually nontoxic after a single ingestion. Of low toxicity after short-term skin contact. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard.

Oral

Type of value: LD50

Species: rat

Value: > 5,170 mg/kg (BASF-Test)

The product has not been tested. The statement has been derived from the properties of the individual components.

<u>Inhalation</u>

Type of value: LC0 Species: rat

Value: 3.46 mg/l (IRT) Exposure time: 8 h

Revision date: 2025/07/03 Page: 8/12 Version: 2.0 (30034746/SDS GEN CA/EN)

The vapour was tested.

No mortality was observed. The product has not been tested. The statement has been derived from the properties of the individual components.

Dermal

Type of value: LD50 Species: rabbit Value: 3,540 mg/kg

The product has not been tested. The statement has been derived from the properties of the

individual components.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. May cause severe damage to the eyes.

Skin

Species: rabbit Result: non-irritant Method: BASF-Test

The product has not been tested. The statement has been derived from the properties of the

individual components.

Eye

Species: rabbit

Result: irreversible damage Method: OECD Guideline 405

The product has not been tested. The statement has been derived from the properties of the

individual components.

Sensitization

Assessment of sensitization: No sensitizing effect.

Guinea pig maximization test

Species: guinea pig
Result: Non-sensitizing.

Method: OECD Guideline 406

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated oral exposure to large quantities may affect certain organs. Repeated dermal uptake of the substance did not cause substance-related effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Genetic toxicity

Revision date: 2025/07/03 Page: 9/12 Version: 2.0 (30034746/SDS GEN CA/EN)

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: No data available.

Reproductive toxicity

Assessment of reproduction toxicity: Animal studies gave no indication of a fertility impairing effect at doses which were not toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) 2,200 - 4,600 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates

EC50 (48 h) > 500 mg/l, Daphnia magna (Directive 92/69/EEC, C.2, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested.

The statement has been derived from the properties of the individual components.

Aquatic plants

EC10 (72 h) 612.6 mg/l (growth rate), Desmodesmus subspicatus (DIN 38412 Part 8, static) The details of the toxic effect relate to the nominal concentration. The product has not been tested.

The statement has been derived from the properties of the individual components.

Chronic toxicity to fish

Study does not need to be conducted.

Chronic toxicity to aquatic invertebrates

Study does not need to be conducted.

Assessment of terrestrial toxicity

No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

Revision date: 2025/07/03 Page: 10/12 Version: 2.0 (30034746/SDS GEN CA/EN)

OECD Guideline 209 aquatic

activated sludge, industrial/EC10 (30 min): > 1,995 mg/l

The details of the toxic effect relate to the nominal concentration. The product has not been tested.

The statement has been derived from the properties of the individual components.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

Elimination information

85 % BOD of the ThOD (28 d) (OECD 301D; 92/69/EWG, C.4-E) (aerobic, other bacteria) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

76 % BOD of the ThOD (28 d) (OECD 301D; 92/69/EWG, C.4-E) (aerobic, predominantly domestic sewage, non-adapted)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of stability in water

According to structural properties, hydrolysis is not expected/probable.

Bioaccumulative potential

Assessment bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential

No data available.

Mobility in soil

Assessment transport between environmental compartments

No data available.

Adsorption to solid soil phase is not expected.

Additional information

Adsorbable organically-bound halogen(AOX):

This product contains no organically-bound halogen.

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

Container disposal:

Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Dispose of in accordance with national, state and local regulations.

Revision date: 2025/07/03 Page: 11/12 Version: 2.0 (30034746/SDS GEN CA/EN)

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA

DSL listed and/or otherwise compliant.

NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 0 Special:

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Acute Tox. 5 (dermal) Acute toxicity

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/07/03

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Revision date: 2025/07/03 Page: 12/12 Version: 2.0 (30034746/SDS_GEN_CA/EN)

Date / Revised: 2025/07/03 Version: 2.0
Date / Previous version: 2009/07/28 Previous version: 1.0

END OF DATA SHEET