

Safety data sheet

Page: 1/14

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 29.02.2024

Version: 7.0

Product: **ISOTRIDECANOL N**

(ID no. 30034826/SDS_GEN_00/EN)

Date of print 06.10.2025

1. Identification

Product identifier

ISOTRIDECANOL N

Chemical name: Tridecanol N

CAS Number: 27458-92-0

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: process chemical, solvent(s)

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Petrochemicals

Telephone: +49 621 60-42151

E-mail address: sds-petrochemicals@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 29.02.2024

Version: 7.0

Product: **ISOTRIDECANOL N**

(ID no. 30034826/SDS_GEN_00/EN)

Date of print 06.10.2025

According to UN GHS criteria

Skin Corr./Irrit. 2
Aquatic Acute 1
Aquatic Chronic 1

M-factor acute: 1
M-factor chronic: 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elementsGlobally Harmonized System (GHS)

Pictogram:



Signal Word:
Warning

Hazard Statement:

H315	Causes skin irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P280	Wear protective gloves.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazardsAccording to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

3. Composition/Information on Ingredients

Substances

Chemical nature

Isotridecan-1-ol

CAS Number: 27458-92-0

EC-Number: 248-469-2

Hazardous ingredients (GHS)

According to UN GHS criteria

Isotridecan-1-ol

Content (W/W): $\geq 99,8\%$ - $\leq 100\%$

CAS Number: 27458-92-0

EC-Number: 248-469-2

Skin Corr./Irrit. 2

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 1

M-factor chronic: 1

H315, H400, H410

For the classifications not written out in full in this section the full text can be found in section 16.

Mixtures

Not applicable

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures**Extinguishing media**

Suitable extinguishing media:
dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons:
water jet

Additional information:
Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

The product is combustible. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

Advice for fire-fighters

Special protective equipment:
Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:
Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage**Precautions for safe handling**

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

No special precautions necessary. Substance/product is non-flammable.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection**Control parameters**Components with occupational exposure limits

27458-92-0: Isotridecan-1-ol

Exposure controlsPersonal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	slightly viscous, oily	
Colour:	colourless, clear	
Odour:	almost odourless	
Odour threshold:	not determined	
Melting point:	-78 °C	(DTA)
Boiling point:	260,8 °C (1.013 hPa)	(other)
Flammability:	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Flash point:	128 °C	(ISO 2719)
Auto-ignition temperature:	230 °C	(DIN 51794)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
SADT:	Study scientifically not justified. Not a substance/mixture liable to self-decomposition according to GHS.	
pH value:	not applicable	
Viscosity, kinematic:	42,9 mm ² /s (20 °C)	(DIN 51562)
	41,4 mm ² /s (20 °C)	(OECD Guideline 114)
Viscosity, dynamic:	34,9 mPa.s (20 °C)	(calculated (from kinematic viscosity))
Thixotropy:	not thixotropic	

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 29.02.2024

Version: 7.0

Product: **ISOTRIDECANOL N**

(ID no. 30034826/SDS_GEN_00/EN)

Date of print 06.10.2025

Solubility in water: 2 mg/l
(20 °C, pH 6,6 - 7,6)

Solubility (qualitative) solvent(s): organic solvents
soluble

Partitioning coefficient n-octanol/water (log Kow): 6,1
(23 °C) (OECD Guideline 117)

Vapour pressure: < 0,01 hPa
(20 °C)
0,022 hPa
(50 °C)

Relative density: 0,8426
(20 °C)

Density: 0,8426 g/cm³
(20 °C) (OECD Guideline 109)

Relative vapour density (air): 6,9
(20 °C) (calculated)
Heavier than air.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information**Information with regard to physical hazard classes**Explosives

Explosion hazard: Based on the chemical structure
there is no indication of explosive
properties.

Oxidizing properties

Fire promoting properties: Based on its structural properties
the product is not classified as
oxidizing.

Pyrophoric properties

Self-ignition temperature: Test type: Spontaneous self-
ignition at room-temperature.

Based on its structural properties the product is not classified as self-
igniting.

Self-heating substances and mixtures

Self heating ability: not applicable, the product is a liquid

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:

Forms no flammable gases in the presence of water.

Corrosion to metals

5,52 mm/a (ISO 2604)
No corrosive effect on metal.

Other safety characteristics

pKA:

not applicable

Adsorption/water - soil: KOC: 1122; log KOC: 3,05

(OECD Guideline 121)

Surface tension: 64,24 mN/m
(20 °C; 0,0029 g/l)

(OECD Guideline 115, Ring
method)

Molar mass: 200,36 g/mol

SAPT-Temperature:

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 29.02.2024

Version: 7.0

Product: **ISOTRIDECANOL N**

(ID no. 30034826/SDS_GEN_00/EN)

Date of print 06.10.2025

Evaporation rate: Study scientifically not justified.
Value can be approximated from Henry's Law Constant or vapor pressure.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Formation of flammable gases:

Remarks:

Forms no flammable gases in the presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

No special precautions other than good housekeeping of chemicals.

Incompatible materials

Substances to avoid:
strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard.

Experimental/calculated data:

LD50 rat (oral): > 2.000 mg/kg (OECD Guideline 423)

LC0 rat (by inhalation): 0,006 mg/l 8 h (IRT)

No mortality within the stated exposition time as shown in animal studies. The vapour was tested.

LD50 rabbit (dermal): approx. 6.000 mg/kg (similar to OECD guideline 402)

Irritation

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Intracutaneous test guinea pig: Non-sensitizing.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

No data available concerning carcinogenic effects. The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The results were determined in a Screening test.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. Mortality observed in rabbits following high oral exposure.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Aspiration hazard

not applicable

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Very toxic to aquatic organisms based on long-term (chronic) toxicity study data.

Toxicity to fish:

LC50 (96 h) 0,55 mg/l, Brachydanio rerio (OECD Guideline 203, semistatic)

The statement of the toxic effect relates to the analytically determined concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Aquatic invertebrates:

EC50 (48 h) 0,391 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration. The product has low solubility in the test medium. An eluate has been tested.

Aquatic plants:

EC50 (72 h) 0,297 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. The product has low solubility in the test medium. An eluate has been tested.

EC10 (72 h) 0,215 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. The product has low solubility in the test medium. An eluate has been tested.

Microorganisms/Effect on activated sludge:

EC20 (0,5 h) > 1.000 mg/l, activated sludge, domestic (DIN EN ISO 8192, aerobic)

The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish:

No observed effect concentration 0,00523 mg/l, Fish (calculated)

Chronic toxicity to aquatic invertebrates:

No observed effect concentration 0,00793 mg/l, Daphnia sp. (calculated)

EC10 (28 d) 495 mg/kg dw, Chironomus riparius (OECD Guideline 218, static)

Assessment of terrestrial toxicity:

Toxic effects have been observed in studies with soil living organisms. Toxic effects have been observed in studies with terrestrial plants.

Soil living organisms:

EC10 (28 d) 1.000 mg/kg, soil dwelling microorganisms (OECD Guideline 216, natural soil)

LC50 (14 d) 64,5 mg/kg, Eisenia foetida (OECD Guideline 207, artificial soil)

Terrestrial plants:

No observed effect concentration (22 d) 15,7 mg/kg, Brassica napus (OECD Guideline 208)

Other terrestrial non-mammals:

No data available.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Readily biodegradable (according to OECD criteria).

Elimination information:

90 - 100 % BOD of the ThOD (28 d) (OECD Guideline 301 F) (aerobic, activated sludge, domestic, non-adapted)

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Information on Stability in Water (Hydrolysis):

No data available.

Bioaccumulative potential

Assessment bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

Bioaccumulation potential:

Bioconcentration factor: < 285, Fish (calculated)

The product has not been tested. The statement has been derived from the structure of the product.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is expected.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 29.02.2024

Version: 7.0

Product: **ISOTRIDECANOL N**

(ID no. 30034826/SDS_GEN_00/EN)

Date of print 06.10.2025

(Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
Do not release untreated into natural waters.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number: UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISOTRIDECAN-1-OL)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

RID

UN number or ID number: UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISOTRIDECAN-1-OL)

Transport hazard class(es): 9, EHSM
Packing group: III

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 29.02.2024

Version: 7.0

Product: **ISOTRIDECANOL N**

(ID no. 30034826/SDS_GEN_00/EN)

Date of print 06.10.2025

Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISOTRIDECAN-1-OL)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Transport in inland waterway vessel

UN number or ID number: UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISOTRIDECAN-1-OL)

Transport hazard class(es): 9, N1, F
Packing group: III
Environmental hazards: yes
Type of inland waterway vessel: N
Cargo tank design: 2
Cargo tank type: 3

Sea transport

IMDG

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISOTRIDECAN-1-OL)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 29.02.2024

Version: 7.0

Product: **ISOTRIDECANOL N**

(ID no. 30034826/SDS_GEN_00/EN)

Date of print 06.10.2025

N.O.S. (ISOTRIDECAN-1-OL)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Maritime transport in bulk according to IMO instruments

Regulation: IBC-Code

Product name: Alcohols (C13+)
Pollution category: Y
Ship Type: 2

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

M-factor acute: 1
M-factor chronic: 1

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Skin Corr./Irrit.	Skin corrosion/irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
H315	Causes skin irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.