

# Safety Data Sheet FoamStar® SI 2293

Revision date : 2018/08/15 Page: 1/9
Version: 3.1 (30537951/SDS\_GEN\_US/EN)

### Product identifier used on the label

### FoamStar® SI 2293

### Recommended use of the chemical and restriction on use

Recommended use\*: defoamer

### Details of the supplier of the safety data sheet

Company:

1. Identification

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

### **Emergency telephone number**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Chemical family: Preparation based on: alcohol ethoxylate, polyether-modified

polysiloxane

### 2. Hazards Identification

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

### Classification of the product

Aquatic Acute 2 Hazardous to the aquatic environment - acute Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

### Label elements

Hazard Statement:

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

### FoamStar® SI 2293

Revision date: 2018/08/15 Page: 2/9
Version: 3.1 (30537951/SDS GEN US/EN)

H412 Harmful to aquatic life with long lasting effects.

H401 Toxic to aquatic life.

Precautionary Statements (Prevention):

P273 Avoid release to the environment.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

### 3. Composition / Information on Ingredients

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number Weight % Chemical name

68439-51-0 >= 75.0% Laurylmyristyl polyglycol ether with EO and PO

### 4. First-Aid Measures

### **Description of first aid measures**

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm. Seek medical attention.

### If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

### If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

### Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

## Safety Data Sheet FoamStar® SI 2293

Revision date : 2018/08/15 Page: 3/9

Version: 3.1 (30537951/SDS\_GEN\_US/EN)

### 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### **Further information:**

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Spills should be contained, solidified, and placed in suitable containers for disposal.

### 7. Handling and Storage

### Precautions for safe handling

Keep away from sources of ignition - No smoking.

Protection against fire and explosion:

Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

### FoamStar® SI 2293

Revision date: 2018/08/15 Page: 4/9
Version: 3.1 (30537951/SDS\_GEN\_US/EN)

### 8. Exposure Controls/Personal Protection

No occupational exposure limits known.

### Advice on system design:

Ensure adequate ventilation.

### Personal protective equipment

### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Respiratory protection in case of vapour/aerosol release. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Observe OSHA regulations for respirator use (29 CFR 1910.134).

### Hand protection:

Chemical resistant protective gloves

#### Eye protection:

Safety glasses with side-shields. Wear face shield if splashing hazard exists.

### General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and Chemical Properties

Form: liquid

Odour: product specific

Odour threshold: No applicable information available.

Colour: colourless

clear to slightly cloudy

pH value: not determined Freezing point: not determined

Flash point:  $> 100.00 \,^{\circ}\text{C}$  (DIN 51755)

Flammability: not flammable

Lower explosion limit: For liquids not relevant for

classification and labelling. The lower explosion point may be 5 - 15 °C

below the flash point.

Upper explosion limit: For liquids not relevant for

classification and labelling.

Autoignition: not determined Vapour pressure: not determined

Density: 0.9500 - 1.0500 g/cm3 (ISO 2811-3)

(25.0 °C)

Relative density: 0.9500 - 1.0500 Vapour density: not determined

Partitioning coefficient n- not applicable for mixtures

octanol/water (log Pow):

Self-ignition not self-igniting

temperature:

Thermal decomposition: not determined

Viscosity, dynamic: 20.00 - 300.00 mPa\*s (DIN EN ISO 2555)

(25.0 °C)

Viscosity, kinematic: 21.5 - 315 mm2/s

(25 °C)

### FoamStar® SI 2293

Revision date: 2018/08/15 Page: 5/9
Version: 3.1 (30537951/SDS GEN US/EN)

Solubility in water: emulsifiable Evaporation rate: not determined

### 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

### Conditions to avoid

See MSDS section 7 - Handling and storage.

### Incompatible materials

None known during use and storage if used according to instructions.

### **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

not determined

### 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### **Acute Toxicity/Effects**

### Acute toxicity

Assessment of acute toxicity: Not expected to be acutely toxic by inhalation, skin contact, or ingestion.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

Inhalation

Type of value: ATE

### FoamStar® SI 2293

Revision date: 2018/08/15 Page: 6/9
Version: 3.1 (30537951/SDS GEN US/EN)

Value: > 20 mg/l

Determined for vapor The product has not been tested. The statement has been derived from the properties of the individual components.

Type of value: ATE Value: > 5 mg/l

Determined for mist The product has not been tested. The statement has been derived from the properties of the individual components.

#### Dermal

Type of value: ATE Value: > 5,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment other acute effects

No data available.

### Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

### Skin

Species: rabbit Result: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

### Eye

Species: rabbit Result: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

### Sensitization

Assessment of sensitization: Not expected to cause skin sensitization. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Aspiration Hazard**

No aspiration hazard expected.

### **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The information available on the product provides no indication of toxicity on target organs after repeated exposure.

#### Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

### Carcinogenicity

Assessment of carcinogenicity: None of the components in this product at concentrations greater than 0.1% are listed by IARC; NTP, OSHA or ACGIH as a carcinogen.

### Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

### **Teratogenicity**

### FoamStar® SI 2293

Revision date: 2018/08/15 Page: 7/9
Version: 3.1 (30537951/SDS GEN US/EN)

Assessment of teratogenicity: Based on the ingredients, there is no suspicion of a teratogenic effect.

### Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

### 12. Ecological Information

### **Toxicity**

### Toxicity to fish

LC50 (96 h) > 1 - 10 mg/l, Fish

The product has not been tested. The statement has been derived from the properties of the individual components.

### Aquatic invertebrates

EC50 (24 h) > 10 - 100 mg/l, Daphnia magna

The product has not been tested. The statement has been derived from the properties of the individual components.

### Aquatic plants

EC10 (72 h) > 0.1 - 1 mg/l (growth rate), algae (ISO 8692)

long-term effect The product has not been tested. The statement has been derived from the properties of the individual components.

### Chronic toxicity to fish

No data available.

### Chronic toxicity to aquatic invertebrates

No data available.

### Microorganisms/Effect on activated sludge

### Toxicity to microorganisms

bacteria/EC50 (0.5 h):

not determined

### Persistence and degradability

### Assessment biodegradation and elimination (H2O)

The organic component of the product is biodegradable.

### Bioaccumulative potential

### Assessment bioaccumulation potential

The product has not been tested.

### Mobility in soil

### Assessment transport between environmental compartments

No data available.

### **Additional information**

Add. remarks environm. fate & pathway:

### FoamStar® SI 2293

Revision date: 2018/08/15 Page: 8/9
Version: 3.1 (30537951/SDS GEN US/EN)

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

### 13. Disposal considerations

### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater.

### Container disposal:

Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Dispose of in accordance with national, state and local regulations.

### 14. Transport Information

### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

### 15. Regulatory Information

### **Federal Regulations**

### Registration status:

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

### **NFPA Hazard codes:**

Health: 1 Fire: 1 Reactivity: 0 Special:

### 16. Other Information

### SDS Prepared by:

## Safety Data Sheet FoamStar® SI 2293

Revision date: 2018/08/15 Page: 9/9
Version: 3.1 (30537951/SDS\_GEN\_US/EN)

BASF NA Product Regulations SDS Prepared on: 2018/08/15

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

FoamStar® SI 2293 is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**