

Revision date: 2025/08/08 Page: 1/11
Version: 7.0 (30035186/SDS\_GEN\_MX/EN)

#### 1. Identification

#### Product identifier used on the label

# Anisaldehyde

#### Recommended use of the chemical and restriction on use

Recommended use\*: Chemical, Chemical for detergents, Chemical for soaps, detergents and cosmetic

Unsuitable for use: Not intended for sale to or use by the general public.

# Details of the supplier of the safety data sheet

#### Company:

BASF Mexicana S.A. de C.V. Av. Insurgentes Sur 975 Col. CD. De Los Deportes, C.P. 03710 Ciudad de México MÉXICO

Telephone: +52 55 5325 2600

#### **Emergency telephone number**

24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

Other means of identification

Synonyms: 4-methoxybenzaldehyde

### 2. Hazards Identification

### **According to Regulation NOM-018-STPS-2015**

# Classification of the product

Repr. 2 (fertility) Reproductive toxicity
Repr. 2 (unborn child) Reproductive toxicity

Aquatic Acute 3 Hazardous to the aquatic environment - acute

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2025/08/08 Page: 2/11 Version: 7.0 (30035186/SDS GEN MX/EN)

Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

#### Label elements

Pictogram:



Signal Word: Warning

Hazard Statement:

H361 Suspected of damaging fertility. Suspected of damaging the unborn

child.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P273 Avoid release to the environment.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

Dispose of contents/container in accordance with local regulations.

#### Hazards not otherwise classified

No data available.

# 3. Composition / Information on Ingredients

# According to Regulation NOM-018-STPS-2015

anisaldehyde

CAS Number: 123-11-5 Content (W/W): 80.0 - 100.0%

Synonym: 4-Methoxybenzaldehyde; p-Anisic aldehyde, p-Anisaldehyde

The actual concentration is withheld as a trade secret.

Revision date: 2025/08/08 Page: 3/11

Version: 7.0 (30035186/SDS\_GEN\_MX/EN)

#### 4. First-Aid Measures

# **Description of first aid measures**

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

# Most important symptoms and effects, both acute and delayed

Symptoms: No data available.

# Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

# 5. Fire-Fighting Measures

## Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire.

# Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

### **Further information:**

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

Revision date: 2025/08/08 Page: 4/11 Version: 7.0 (30035186/SDS GEN MX/EN)

**Impact Sensitivity:** 

Remarks: Based on the chemical structure there is no shock-sensitivity.

#### 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

#### Methods and material for containment and cleaning up

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Cleaning operations should be carried out only while wearing breathing apparatus.

# 7. Handling and Storage

#### Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

### Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances.

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Keep under nitrogen.

#### 8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

### Advice on system design:

Ensure adequate ventilation.

#### Personal protective equipment

# Respiratory protection:

Wear a NIOSH-certified (or equivalent) respirator as necessary.

## Hand protection:

Wear impermeable chemical resistant protective gloves.

Revision date: 2025/08/08 Page: 5/11 Version: 7.0 (30035186/SDS GEN MX/EN)

#### Eye protection:

Tightly fitting safety goggles (chemical goggles).

#### **Body protection:**

Body protection must be chosen based on level of activity and exposure.

#### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Females of childbearing age should not come into contact with the product. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

# 9. Physical and Chemical Properties

Physical state: liquid Form: liquid Odour: aniseed-like Colour: yellowish

clear 7.0

pH value: 0°C Melting point:

Freezing point:

Literature data. No data available.

250 °C

Boiling point: (other)

(1,000.1 hPa)

Flash point: 124 °C (DIN 51758) Flammability: hardly combustible (derived from flash

point)

Lower explosion limit: For liquids not relevant for

> classification and labelling. The lower explosion point may be 5 - 15 °C

below the flash point.

For liquids not relevant for Upper explosion limit:

classification and labelling.

Autoignition: 220 °C (DIN 51794) Vapour pressure: 0.0285 hPa (measured)

(20°C)

Density: 1.123 g/cm3

(20 °C, 1,013 hPa)

Literature data.

Relative density: 1.123

(20 °C, 1,013 hPa)

Literature data.

Relative vapour density: 4.69 (calculated)

(20°C)

Heavier than air.

(OECD Guideline Partitioning coefficient n-1.56

octanol/water (log Pow): (25°C) 107)

Self-ignition 20 °C

Based on its structural properties the temperature:

product is not classified as self-

igniting.

Revision date: 2025/08/08 Page: 6/11 Version: 7.0 (30035186/SDS GEN MX/EN)

Thermal decomposition: approx. 280 °C (DTA)

Viscosity, dynamic: 4.22 mPa.s

(25 °C)

Literature data.

Viscosity, kinematic: No data available.

Solubility in water: 2 g/l

(20°C)

Literature data.

Miscibility with water: immiscible Solubility (qualitative): soluble

solvent(s): organic solvents,

Molecular weight: 136.15 g/mol

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form.

# 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Avoid direct sunlight. Avoid electro-static discharge. Avoid all sources of ignition: heat, sparks, open flame.

# Incompatible materials

acids

### **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products known.

Thermal decomposition: approx. 280 °C (DTA)

Revision date: 2025/08/08 Page: 7/11 Version: 7.0 (30035186/SDS GEN MX/EN)

# 11. Toxicological information

# Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact.

#### Oral

Type of value: LD50

Species: rat

Value: 3,210 mg/kg (BASF-Test)

#### Inhalation

No data available.

#### Dermal

Type of value: LD50 Species: rabbit

Value: > 5,000 mg/kg (other)

#### Assessment other acute effects

Assessment of STOT single:

Based on available data, the classification criteria are not met.

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

#### Skin

Species: rabbit Result: non-irritant Method: BASF-Test

# <u>Eye</u>

Species: rabbit Result: non-irritant Method: BASF-Test

# Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse Result: Non-sensitizing. Method: OECD Guideline 429

#### **Aspiration Hazard**

No aspiration hazard expected.

# Safety Data Sheet

Anisaldehyde

Revision date: 2025/08/08 Page: 8/11

Version: 7.0 (30035186/SDS\_GEN\_MX/EN)

#### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. Based on available data, the classification criteria are not met.

#### Genetic toxicity

Assessment of mutagenicity: In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in vivo tests.

#### Carcinogenicity

Assessment of carcinogenicity: No data available.

#### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies suggest a fertility impairing effect.

#### **Teratogenicity**

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

# 12. Ecological Information

# **Toxicity**

# Aquatic toxicity

Assessment of aquatic toxicity:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Harmful to aquatic life with long lasting effects.

#### Toxicity to fish

LC50 (96 h) 148,32 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

The details of the toxic effect relate to the nominal concentration.

#### Aquatic invertebrates

EC50 (48 h) 82.8 mg/l, Daphnia magna (Directive 79/831/EEC, static)

The details of the toxic effect relate to the nominal concentration.

#### Aquatic plants

EC50 (72 h) 81.11 mg/l (growth rate), Scenedesmus subspicatus (DIN 38412 Part 9, static)

The details of the toxic effect relate to the nominal concentration.

#### Chronic toxicity to fish

Study scientifically not justified.

#### Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) 0.71 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

#### Assessment of terrestrial toxicity

No data available concerning terrestrial toxicity.

Study scientifically not justified.

Revision date: 2025/08/08 Page: 9/11 Version: 7.0 (30035186/SDS GEN MX/EN)

# Microorganisms/Effect on activated sludge

Toxicity to microorganisms

DIN EN ISO 8192 aerobic

activated sludge/EC20 (30 min): 450 mg/l

#### Persistence and degradability

### Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

#### **Elimination information**

90 - 100 % DOC reduction (28 d) (OECD 301E/92/69/EWG, C.4-B) (aerobic, activated sludge, domestic)

#### Assessment of stability in water

Substance is readily biodegradable, therefore hydrolysis is not expected to be relevant.

#### Bioaccumulative potential

#### Assessment bioaccumulation potential

No significant accumulation in organisms is expected as a result of the distribution coefficient of noctanol/water (log Pow).

# Mobility in soil

#### Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

#### **Additional information**

### Sum parameter

Chemical oxygen demand (COD): 2,020 mg/g

Biochemical oxygen demand (BOD): 1,510 mg/g

Adsorbable organically-bound halogen(AOX):

This product contains no organically-bound halogen.

# 13. Disposal considerations

#### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

#### Container disposal:

Dispose of in accordance with national, state and local regulations.

# 14. Transport Information

#### Land transport

**TDG** 

Revision date: 2025/08/08 Page: 10/11 Version: 7.0 (30035186/SDS GEN MX/EN)

Not classified as a dangerous good under transport regulations

Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

Air transport

Not classified as a dangerous good under transport regulations

# 15. Regulatory Information

#### **Federal Regulations**

Not applicable

**NFPA Hazard codes:** 

Health: 0 Fire: 1 Reactivity: 0 Special:

**HMIS III rating** 

Health: 0<sup>m</sup> Flammability: 1 Physical hazard: 0

# Assessment of the hazard classes according to UN GHS criteria (most recent version):

Acute Tox. 5 (oral) Acute toxicity

Aquatic Acute 3 Hazardous to the aquatic environment - acute Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

Repr. 2 (fertility) Reproductive toxicity Repr. 2 (unborn child) Reproductive toxicity

# 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/08/08

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

Revision date: 2025/08/08 Page: 11/11 Version: 7.0 (30035186/SDS\_GEN\_MX/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE. WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Date / Revised: 2025/08/08 Version: 7.0
Date / Previous version: 2024/08/07 Previous version: 6.0

**END OF DATA SHEET**