

Safety data sheet

Page: 1/9

BASF Safety data sheet Date / Revised: 24.08.2020 Product: **Basorol® PE 10500**

Version: 3.0

(30434551/SDS_GEN_TH/EN)

Date of print 30.10.2025

1. Substance/preparation and manufacturer/supplier identification

Basorol® PE 10500

Use: Performance Chemicals for Oilfield Applications

Manufacturer/supplier:

BASF (Thai) Limited

23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd., Klongton, Klongtoey, Bangkok 10110, THAILAND

Telephone: +66 2624-1999 Telefax number: +66 2664-9254

E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number: Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

No specific dangers known, if the regulations/notes for storage and handling are considered.

BASF Safety data sheet Date / Revised: 24.08.2020

Product: Basorol® PE 10500

(30434551/SDS_GEN_TH/EN)

Date of print 30.10.2025

3. Composition/information on ingredients

Chemical nature

Oxirane, methyl-, polymer with oxirane CAS Number: 9003-11-6

4. First-Aid Measures

General advice:

Remove contaminated clothing. If adverse health effects develop seek medical attention.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, dry powder, foam

Specific hazards:

harmful vapours, carbon oxides

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8.

BASF Safety data sheet Date / Revised: 24.08.2020 Product: **Basorol® PE 10500**

Draducty Reported DE 40500

(30434551/SDS_GEN_TH/EN)

Date of print 30.10.2025

Environmental precautions:

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

Additional information: Forms slippery surfaces with water.

7. Handling and Storage

Handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Take precautionary measures against static discharges.

Storage

Suitable materials for containers: Low density polyethylene (LDPE), High density polyethylene (HDPE), Stove-lacquer RDL 50, Stainless steel 1.4301 (V2), Stainless steel 1.4306 (V2A), Stainless steel 1.4361, Stainless steel 1.4401, Stainless steel 1.4541, Stainless steel 1.4571, Stainless steel 1.4439, Stainless steel 1.4539

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification.

Protect from temperatures above: 70 °C

Properties of the product change irreversibly on exceeding the limit temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

Hand protection:

Chemical resistant protective gloves

BASF Safety data sheet
Date / Revised: 24.08.2020
Version: 3.0

Product: Basorol® PE 10500

(30434551/SDS_GEN_TH/EN)

Date of print 30.10.2025

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form: waxy type

Colour: colourless to yellowish
Odour: product specific
Odour threshold: not determined

pH value: approx. 7

(50 g/l, 23 °C)

solidification temperature: approx. 44 °C (DIN ISO 2207)

Boiling point: > 250 °C

Flash point: 280 °C (DIN EN 2719; ISO 2719)

Evaporation rate:

The product is a non-volatile solid.

Flammability (solid/gas): Based on the structure or

composition there is no indication of

flammability

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Ignition temperature: > 300 °C

Thermal decomposition: > 300 °C Self ignition: not self-igniting BASF Safety data sheet
Date / Revised: 24.08.2020
Version: 3.0

Product: Basorol® PE 10500

(30434551/SDS_GEN_TH/EN)

Date of print 30.10.2025

Self heating ability: It is not a substance capable of

spontaneous heating.

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Vapour pressure: < 0.1 hPa

(20 °C)

Density: 1 g/cm3

(20 °C)

approx. 1.03 g/cm3 (DIN 51757)

(60 °C)

Relative density:

(20 °C)

Bulk density:

not applicable

Relative vapour density (air):

not determined

Solubility in water: soluble

Miscibility with water:

miscible in all proportions

Hygroscopy: The product has not been tested.

Solubility (qualitative) solvent(s): distilled water, ethanol, propan-2-ol

soluble

Solubility (qualitative) solvent(s): aromatic hydrocarbons

soluble

Partitioning coefficient n-octanol/water (log Pow):

not applicable

Surface tension: 37.4 mN/m (DIN EN 14370)

(23 °C; 0.5 g/l)

Viscosity, dynamic: 800 mPa.s

(50 °C)

Viscosity, kinematic:

not applicable, the product is a solid

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: > 300 °C

Substances to avoid:

caustics, halogens, Alkalines, acids, reactive chemicals, strong oxidizing agents

BASF Safety data sheet Date / Revised: 24.08.2020

Product: Basorol® PE 10500

(30434551/SDS_GEN_TH/EN)

Date of print 30.10.2025

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 1,37 mg/l 4 h (OECD Guideline 403) Highest concentration available for testing. No mortality was observed.

LD50 rat (dermal): not determined

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (Draize test)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Experimental/calculated data:

In vitro assay: Non-sensitizing. (OECD Guideline 442D)

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria.

Experimental/calculated data:

Bacteria: negative (OECD Guideline 471)

Carcinogenicity

BASF Safety data sheet
Date / Revised: 24.08.2020

Product: Basorol® PE 10500

(30434551/SDS_GEN_TH/EN)

Date of print 30.10.2025

Assessment of carcinogenicity:

No data available.

Reproductive toxicity

Assessment of reproduction toxicity: No data available.

Developmental toxicity

Assessment of teratogenicity:

No data available.

Specific target organ toxicity (single exposure):

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No data available.

Aspiration hazard

not applicable

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EEC, C.1)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants:

EC50 (72 h) > 100 mg/l, algae

acute Effect The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Microorganisms/Effect on activated sludge:

EC50 (0.5 h), bacteria

not determined

Chronic toxicity to fish:

No data available.

BASF Safety data sheet Date / Revised: 24.08.2020

Product: Basorol® PE 10500

(30434551/SDS_GEN_TH/EN)

Date of print 30.10.2025

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria). is partially eliminated in sewage treatment plants

Elimination information:

10 - 20 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic)

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

BASF Safety data sheet Date / Revised: 24.08.2020 Product: **Basorol® PE 10500**

Version: 3.0

(30434551/SDS_GEN_TH/EN)

Date of print 30.10.2025

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Not to be used as an aerosol.

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.