We create chemistry

Safety data sheet

1. Identification

Product identifier

Rheovis® AS 1180

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Global Business Unit Resins and Additives

Telephone: +49 621 60-0
E-mail address: ed-psr@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Flam. Liq. 4
Skin Corr./Irrit. 3
Eye Dam./Irrit. 2A
Aquatic Acute 2

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Warning

Hazard Statement:

H227	Combustible liquid.
H319	Causes serious eye irritation.
H316	Causes mild skin irritation.
H401	Toxic to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye/face protection.
P273	Avoid release to the environment.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P311	If eye irritation persists: Call a POISON CENTER or doctor/physician.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P370 + P378	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P403 + P235	Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.

According to UN GHS criteria

Hazard determining component(s) for labelling: Alcohols, C12-15 branched and linear, ethoxylated, propoxylated, Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

polyacrylate, mineral oil, in water

Hazardous ingredients (GHS)
According to UN GHS criteria

Ammonia, aqueous solution

Content (W/W): >= 0 % - < 0,2 %	Skin Corr./Irrit. 1B
CAS Number: 1336-21-6	Eye Dam./Irrit. 1
EC-Number: 215-647-6	STOT SE 3 (irr. to respiratory syst.)
INDEX-Number: 007-001-01-2	Aquatic Acute 1
	Aquatic Chronic 2
	H335, H314, H411, H400
	Specific concentration limit:
	STOT SE 3, irr. to respiratory syst.: >= 5 %

Alcohols, C12-15 branched and linear, ethoxylated, propoxylated

Content (W/W): >= 1 % - < 3 %	Skin Corr./Irrit. 2
CAS Number: 120313-48-6	Eye Dam./Irrit. 1
	Aquatic Acute 1
	Aquatic Chronic 3
	M-factor acute: 1
	H318, H315, H412, H400

Distillates (petroleum), hydrotreated light; Kerosine -- unspecified

Content (W/W): >= 20 % - < 25 %	Asp. Tox. 1
CAS Number: 64742-47-8	Flam. Liq. 4
EC-Number: 265-149-8	H227, H304
INDEX-Number: 649-422-00-2	

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:
If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:
Wash thoroughly with soap and water.

On contact with eyes:
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: When inhaled (e.g. during vomiting) risk of pulmonary oedema and/or pneumonia.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Special hazards arising from the substance or mixture

harmful vapours
Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters
Further information:
Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures
Use personal protective clothing.

Environmental precautions
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up
For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling
No special measures necessary provided product is used correctly.

Protection against fire and explosion:
No special precautions necessary.

Conditions for safe storage, including any incompatibilities
Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:
Storage temperature: -10 - 35 °C

Specific end use(s)
For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:
Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:
Chemical resistant protective gloves (EN 374)
Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN 374)
butyl rubber (butyl) - 0.7 mm coating thickness
nitrile rubber (NBR) - 0.4 mm coating thickness
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures
Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid	
Colour:	white	
Odour:	ammonia-like	
Odour threshold:	No data available.	
pH value:	7,5 - 9,0	(DIN ISO 976)
Freezing point:	not determined	
Flash point:	74 °C	(DIN 51758)
Evaporation rate:	not determined	
Flammability:	not flammable	(derived from flash point)
Lower explosion limit:	34,9 %(V)	
Upper explosion limit:	90,5 %(V)	
Ignition temperature:	455 °C	(DIN 51794)
Vapour pressure:	123 mbar (50 °C)	

Density:	approx. 1,0 g/cm3 (20 °C)	(ISO 2811-1)
Relative vapour density (air):	not determined	
Solubility in water:	dispersible (20 °C)	
Partitioning coefficient n-octanol/water (log Kow):	not applicable for mixtures	
Self ignition:	not self-igniting	
Thermal decomposition:	No decomposition if used as directed.	
Viscosity, dynamic:	100 - 300 mPa.s (23 °C, 250 1/s)	(DIN EN ISO 3219)
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	

Other information

Self heating ability:	Study scientifically not justified.	
Miscibility with water:	miscible	
Surface tension:	No data available.	
Flow time:	28 s (20 °C)	(DIN 53211)
Grain size distribution:	The substance / product is marketed or used in a non solid or granular form.	
Solids content:	26,0 - 32,0 %	(DIN EN ISO 3251)

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions when stored and handled according to instructions.

Conditions to avoid
Avoid extreme temperatures.

Incompatible materials

Substances to avoid:
strong oxidizing agents, strong acids, strong bases

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion.

Experimental/calculated data:
LD50 rat (oral): > 5.000 mg/kg (BASF-Test)

LC50 rat (by inhalation):
not determined

LD50 rat (dermal):
not determined

Irritation

Experimental/calculated data:
Skin corrosion/irritation rabbit: Slightly irritating. (OECD Guideline 404)
The product has not been tested. The statement has been derived from the properties of the individual components.

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)
The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory/Skin sensitization

Assessment of sensitization:
No data available.

Experimental/calculated data:
not determined

Germ cell mutagenicity

Assessment of mutagenicity:
The substance was not mutagenic in bacteria.

Carcinogenicity

Assessment of carcinogenicity:
No data available.

Reproductive toxicity

Assessment of reproduction toxicity:
No data available.

Developmental toxicity

Assessment of teratogenicity:
No data available.

Specific target organ toxicity (single exposure)

Remarks: No data available.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Acutely toxic for aquatic organisms.

Toxicity to fish:
LC50 (96 h) 71 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 92/69/EEC, C.1, semistatic)

Aquatic invertebrates:
EC50 (48 h) 3 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:
EC50 (72 h) 4,5 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)

Microorganisms/Effect on activated sludge:
> 1.000 mg/l, Bacillus subtilis (DEV-L2)
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Chronic toxicity to fish:
No data available.

Chronic toxicity to aquatic invertebrates:
No data available.

Assessment of terrestrial toxicity:
No data available concerning terrestrial toxicity.

Persistence and degradability

Elimination information:
> 70 % COD reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water.

Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested.

Bioaccumulation potential:
No data available.

Mobility in soil

Assessment transport between environmental compartments:
Volatility: No data available.

Additional information

Sum parameter

Chemical oxygen demand (COD): 635 mg/g

Biochemical oxygen demand (BOD) Incubation period 5 d: 235 mg/g

Biochemical oxygen demand (BOD) Incubation period 30 d: 605 mg/g

Add. remarks environm. fate & pathway:
Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:
Do not release untreated into natural waters.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:
Uncontaminated packaging can be re-used.
Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known

user

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Flam. Liq.	Flammable liquids
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
STOT SE	Specific target organ toxicity — single exposure
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Asp. Tox.	Aspiration hazard
H335	May cause respiratory irritation.
H314	Causes severe skin burns and eye damage.
H411	Toxic to aquatic life with long lasting effects.

H400	Very toxic to aquatic life.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.