1. Identification

Product identifier used on the label

NA-ETHYLATE SOL. 21 %

Recommended use of the chemical and restriction on use

Recommended use*: Chemical
Recommended use*: Raw material; process chemical; initial product for chemical syntheses
Unsuitable for use: Not intended for sale to or use by the general public.

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Mexicana S.A. de C.V.
Av. Insurgentes Sur 975
Col. CD. De Los Deportes,
C.P. 03710 Ciudad de México
MÉXICO

Telephone: +52 55 5325 2600

Emergency telephone number

24 Hour Emergency Response Information
SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)
Telephone: +1-800-849-5204 or +1-833-229-1000

Other means of identification

Chemical family:	alcohol, sodium salt
Synonyms:	Sodium Ethanolate

2. Hazards Identification

According to Regulation NOM-018-STPS-2015

Classification of the product

Flam. Liq.	3	Flammable liquids

Met. Corr.	1	Corrosive to metals
Skin Corr.	1A	Skin corrosion
Eye Dam.	1	Serious eye damage

Label elements

Pictogram:

Signal Word:
Danger

Hazard Statement:

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe mist or vapour.
P243	Take action to prevent static discharges.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P264	Wash contaminated body parts thoroughly after handling.
P234	Keep only in original packaging.
P233	Keep container tightly closed.
P242	Use non-sparking tools.
P240	Ground and bond container and receiving equipment.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P370 + P378	In case of fire: Use … to extinguish.

Precautionary Statements (Storage):

P405	Store locked up.
P406	Store in a corrosion-resistant container with a resistant inner liner.
P403 + P235	Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.
Possible risk by inhalation of aerosols.

3. Composition / Information on Ingredients

According to Regulation NOM-018-STPS-2015

Ethanol
CAS Number: 64-17-5
Content (W/W): >= 75.0 - <= 100.0%
Synonym: Ethanol; Ethyl alcohol

sodium ethanolate
CAS Number: 141-52-6
Content (W/W): >= 15.0 - < 25.0%
Synonym: Ethanol, sodium salt; Sodium ethoxide

sodium hydroxide
CAS Number: 1310-73-2
Content (W/W): >= 0.2 - < 1.0%
Synonym: Sodium hydroxide; Caustic soda

4. First-Aid Measures

Description of first aid measures

If on skin:
Rinse skin immediately with plenty of water for 15 - 20 minutes. Remove contaminated clothing. Immediate medical attention required.

If in eyes:
Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Seek medical attention.

If swallowed:
Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Information on: Ethanol
Symptoms: Overexposure may cause:, headache, dizziness, nausea, unconsciousness

Information on: sodium ethanolate
Symptoms: Overexposure may cause:, corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps
---

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Note to physician
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
dry powder, Dry sand, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:
water, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
Risk of exothermic reaction. May release highly flammable and/or corrosive gases/vapours.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:
Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up to the source of ignition.

6. Accidental release measures

Further accidental release measures:
Release of substance/product can cause fire or explosion.

Personal precautions, protective equipment and emergency procedures

Sources of ignition should be kept well clear. Use personal protective clothing. Avoid inhalation. Avoid contact with skin and eyes.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Spills should be contained and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges. Use antistatic tools. Render equipment and apparatus inert (nitrogen, inert gases) and ground before putting into operation. Fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances. Keep away from water.

Suitable materials for containers: Carbon steel (Iron), Stainless steel 1.4401, Stainless steel 1.4301 (V2), High density polyethylene (HDPE), Low density polyethylene (LDPE), enamelled, glass

Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place. Keep under dry nitrogen. Protect against moisture. Protect against heat. Keep away from sources of ignition - No smoking.
Protect from temperatures below: 0 °C
The product crystallizes below the limit temperature.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Ethanol	OEL, MX:	STEL value 1,000 ppm ;
sodium hydroxide	OEL, MX:	CLV 2 mg/m3 ;

Advice on system design:
Provide local exhaust ventilation to control dust.

Personal protective equipment

Respiratory protection:
Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Do not exceed the maximum use concentration for the respirator facepiece/cartridge combination. For emergency or non-routine, high exposure situations, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:
Chemical resistant protective gloves should be worn to prevent all skin contact., Consult with glove manufacturer for testing data., Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:
Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
Eye wash fountains and safety showers must be easily accessible. Wear protective clothing as necessary to prevent contact.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	perceptible, of ethanol	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	yellow to brown	
pH value:	approx. 11	(ISO 1148)
crystallization temperature:	-5 °C	
Melting point:	No data available.	
Freezing point:	No data available.	
Boiling point:	approx. 91 °C	
Boiling range:	No data available.	
Sublimation point:	No applicable information available.	
Flash point:	23 °C	(DIN 51755)
Flammability:	Flammable liquid and vapour.	(other)
Lower explosion limit:	2.6 %(V) Information applies to the solvent. For liquids not relevant for classification and labelling.	(DIN 51649-1)
Upper explosion limit:	19.0 %(V) Information applies to the solvent. For liquids not relevant for classification and labelling.	(DIN 51649-1)
Autoignition:	420 °C	(DIN 51794)
Vapour pressure:	approx. 31 mbar (20 °C)	(measured)
	approx. 165 mbar (50 °C)	(measured)
Density:	0.878 g/cm3 (20 °C)	(ISO 2811-3)
	0.855 g/cm3 (50 °C)	(ISO 2811-3)
Relative density:	No applicable information available.	
Vapour density:	combustible vapours	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Information on: Ethanol		
Partitioning coefficient n-octanol/water (log Pow):	-0.31 (25 °C) Literature data.	(measured)

Self-ignition temperature:	not self-igniting	
Thermal decomposition:	It is not a self-decompositionable substance.	
Viscosity, dynamic:	24 mPa.s (20 °C)	(DIN 51562)
Viscosity, kinematic:	approx. 27 mm2/s (20 °C)	
Particle size:	The substance / product is marketed or used in a non solid or granular form.	
Solubility in water:	(20 °C) hydrolyzes	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	No applicable information available.	

Evaporation rate:	not determined, Value can be approximated from Henry's Law Constant or vapor pressure.

10. Stability and Reactivity

Reactivity
No applicable information available.

Corrosion to metals:
Corrosive effect on: Aluminium

Oxidizing properties:
not fire-propagating

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
Reacts with water. Reacts with acids.

Conditions to avoid
Avoid all sources of ignition: heat, sparks, open flame. Avoid contact with air. Avoid moisture.

Incompatible materials
water, acids

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: sodium hydroxide, Ethanol

Thermal decomposition:
It is not a self-decompositionable substance.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: The toxicity of the product is based on its corrosivity.

Oral
No applicable information available.

Inhalation
Species: rat
Value: (IRT)

Exposure time: 8 h
No mortality within the stated exposition time as shown in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Dermal
No applicable information available.

Assessment other acute effects
No applicable information available.

Irritation / corrosion
Assessment of irritating effects: Corrosive! Damages skin and eyes. Causes serious eye damage.

Information on: Ethanol
Assessment of irritating effects: Not irritating to the skin. Moderately irritating to the eyes.

Information on: sodium hydroxide
Assessment of irritating effects: Highly corrosive! Damages skin and eyes.

Information on: sodium ethanolate
Assessment of irritating effects: Corrosive! Damages skin and eyes.

Skin
Result: Corrosive.
Method: OECD Guideline 435

Information on: sodium hydroxide
Species: rabbit
Result: Corrosive.

Data refer to a diluted aqueous solution of the substance.

Eye
Species: rabbit
Result: irreversible damage
Method: BASF-Test
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Sensitization
Assessment of sensitization: As the substance is corrosive, conducting sensitization studies is not feasible.

Information on: Ethanol
Assessment of sensitization:
Skin sensitizing effects were not observed in animal studies.

Result: Non-sensitizing.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: No applicable information available.

Information on: Ethanol
Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion. Repeated inhalative uptake of the substance did not cause substance-related effects. The substance may cause damage to the peripheral nervous system after repeated ingestion of high doses. The substance may cause damage to the central nervous system after repeated ingestion of high doses. Based on the chemical structure a neurotoxic effect by repeated administration cannot be excluded.

Genetic toxicity
Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity
Assessment of carcinogenicity: Based on the ingredients there is no suspicion of a carcinogenic effect in humans.

Reproductive toxicity
Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Teratogenicity
Assessment of teratogenicity: Based on the ingredients, there is no suspicion of a teratogenic effect.

12. Ecological Information

Toxicity

Aquatic toxicity

Information on: sodium hydroxide
Assessment of aquatic toxicity:
Depending on local conditions and existing concentrations, disturbances in the nitrification process of activated sludge are possible. There is a high probability that the product is not acutely harmful to aquatic organisms.
The effect strongly depends on the pH-value. The data refers to the dissociated form of the substance.

Information on: Ethanol
Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

Information on: sodium hydroxide
LC50 (96 h) 125 mg/l, Gambusia affinis (other, static)

The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample. Literature data.

Information on: Ethanol
LC50 (96 h) 13,000 mg/l, Salmo gairdneri, syn. O. mykiss (Fish test acute, static)
The details of the toxic effect relate to the nominal concentration. Literature data.

Aquatic invertebrates

Information on: sodium hydroxide
EC50 (48 h) 40.4 mg/l, Ceriodaphnia sp. (other, static)
Literature data.

Information on: Ethanol
LC50 (48 h) 12,340 mg/l, Daphnia magna (Daphnia test acute, static)
The details of the toxic effect relate to the nominal concentration. Literature data.
(48 h) 5,012 mg/l, Ceriodaphnia dubia (Daphnia test acute)
The details of the toxic effect relate to the nominal concentration. Literature data.

Aquatic plants

Information on: Ethanol
EC50 (4 d) 675 mg/l (growth rate), Chlorella vulgaris (Algal growth inhibition test)
The details of the toxic effect relate to the nominal concentration. Literature data.

Persistence and degradability

Assessment biodegradation and elimination (H2O)
The product is unstable in water. The elimination data also refer to products of hydrolysis. The organic component of the product is biodegradable.

Mobility in soil

Assessment transport between environmental compartments
Due to the product characteristics the test is impossible.

Additional information

Other ecotoxicological advice:
Due to the pH-value of the product, neutralization is generally required before discharging sewage into treatment plants. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:
Dispose of in accordance with local authority regulations.

Container disposal:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport
TDG

Hazard class:	8
Packing group:	II
ID number:	UN 2920
Hazard label:	8, 3
Proper shipping name:	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (contains SODIUM ETHYLATE/SODIUM ETHANOLATE, ETHANOL)

Sea transport
IMDG

Hazard class:	8
Packing group:	II
ID number:	UN 2920
Hazard label:	8, 3
Marine pollutant:	NO
Proper shipping name:	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (contains SODIUM ETHYLATE/SODIUM ETHANOLATE, ETHANOL)

Air transport
IATA/ICAO

Hazard class:	8
Packing group:	II
ID number:	UN 2920
Hazard label:	8, 3
Proper shipping name:	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (contains SODIUM ETHYLATE/SODIUM ETHANOLATE, ETHANOL)

15. Regulatory Information

Federal Regulations

Not applicable

NFPA Hazard codes:
Health: 3 Fire: 3 Reactivity: 2 Special:

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2025/01/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in

a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET