



20.08.2020

### Kit components

Product code	Description
<b>7007101</b> <b>7007152</b> <b>7007102</b> <b>7007158</b> <b>7007151</b>	<b>Experion™ Pro260 Reagents for 10/25 Chips</b>

#### Components:

9706150	Experion™ Pro260 Stain
7007270	Experion Pro260 Sample Buffer
9706153	Experion™ Pro260 Gel
7007256	Experion™ Pro260 Ladder

# Safety Data Sheet

according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Hazardous according to criteria of Safe Work Australia.

## 1 Identification

- **Product identifier**
- **Trade name:** Experion™ Pro260 Stain
- **Article number:** 9706150, 10000254
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories Pty. Ltd  
Level 5, 446 Victoria Road  
Gladesville NSW 2111  
Australia  
Tel 61-2-9914-2800 (1 800 224 354) Fax 61-2-9914-2888
- **Information department:** sales.australia@bio-rad.com
- **Emergency telephone number:** 61-2-9037-2994

## 2 Hazard(s) Identification

- **Classification of the substance or mixture**  
Skin Corr. 3 H316 Causes mild skin irritation.  
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
sodium dodecyl sulphate
- **Hazard statements**  
H316 Causes mild skin irritation.  
H318 Causes serious eye damage.
- **Precautionary statements**  
P280 Wear eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

151-21-3	sodium dodecyl sulphate	Acute Tox. 3, H311 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	5-<10%
----------	-------------------------	--	--------

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and Storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**  
Safety glasses

(Contd. on page 4)

## Safety Data Sheet

according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 3)

Tightly sealed goggles.

### 9 Physical and Chemical Properties

#### · Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form: Fluid

Colour: Blue

· Odour: Odourless

· Odour threshold: Not determined.

· pH-value: Not determined.

##### · Change in condition

Melting point/freezing point: undetermined

Initial boiling point and boiling range: 189 °C

· Flash point: &gt; 60 °C

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature: 270 °C

· Decomposition temperature: Not determined.

· Self igniting: Product is not selfigniting.

· Explosive properties: Not determined.

##### · Explosion limits:

Lower: 1.8 Vol %

Upper: 63 Vol %

· Vapour pressure at 20 °C: 2.5 hPa

· Density: Not determined

· Relative density Not determined.

· Vapour density Not determined.

· Evaporation rate Not determined.

##### · Solubility in / Miscibility with

Water: Fully miscible

· Partition coefficient: n-octanol/water: Not determined.

##### · Viscosity:

dynamic: Not determined.

kinematic: Not determined.

##### · Solvent content:

Organic solvents: 93.2 %

Solids content: 6.8 %

(Contd. on page 5)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 4)

· **Other information** No further relevant information available.

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

## 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

### 67-68-5 dimethyl sulfoxide

Oral	LD50	14,500 mg/kg (rat)
------	------	--------------------

### 151-21-3 sodium dodecyl sulphate

Oral	LD50	1,288 mg/kg (rat)
------	------	-------------------

Dermal	LD50	580 mg/kg (Rabbit)
--------	------	--------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

(Contd. on page 6)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 5)

Do not allow product to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Dispose of waste in accordance to applicable national, regional, or local regulations.

· **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **UN-Number**

· **ADG, ADN, IMDG, IATA**

Not Reguated

· **UN proper shipping name**

· **ADG**

Not Reguated

Not Reguated

· **ADN, IMDG, IATA**

Not Reguated

· **Transport hazard class(es)**

· **ADG, ADN, IMDG, IATA**

· **Class**

Not Reguated

· **Packing group**

· **ADG, IMDG, IATA**

Not Reguated

· **Environmental hazards:**

· **Marine pollutant:**

No

· **Special precautions for user**

Not applicable.

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

Not dangerous according to the above specifications.

· **UN "Model Regulation":**

Not Reguated

AU  
(Contd. on page 7)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 6)

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Chemical Substances**

67-68-5	dimethyl sulfoxide
---------	--------------------

151-21-3	sodium dodecyl sulphate
----------	-------------------------

· **Standard for the Uniform Scheduling of Medicines and Poisons**

67-68-5	dimethyl sulfoxide
---------	--------------------

S4, S6
--------

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
NK	50-100

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 8)



## **Safety Data Sheet**

**according to WHS Regulations**

Printing date 20.08.2020

Revision: 13.08.2020

**Trade name: Experion™ Pro260 Stain**

(Contd. of page 7)

*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*Acute Tox. 4: Acute toxicity - oral – Category 4*  
*Acute Tox. 3: Acute toxicity - dermal – Category 3*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Skin Corr. 3: Skin corrosion/irritation – Category 3*  
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*  
• **\* Data compared to the previous version altered.**

AU

## Safety Data Sheet according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Hazardous according to criteria of Safe Work Australia.

### 1 Identification

- **Product identifier**
- **Trade name:** Experion Pro260 Sample Buffer
- **Article number:** 7007270, 10000255, 10016796, 9706151
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories Pty. Ltd  
Level 5, 446 Victoria Road  
Gladesville NSW 2111  
Australia  
Tel 61-2-9914-2800 (1 800 224 354) Fax 61-2-9914-2888
- **Information department:** sales.australia@bio-rad.com
- **Emergency telephone number:** 61-2-9037-2994

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**  
Acute Tox. 5 H333 May be harmful if inhaled.  
Skin Corr. 3 H316 Causes mild skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H333 May be harmful if inhaled.  
H316 Causes mild skin irritation.  
H319 Causes serious eye irritation.
- **Precautionary statements**  
P264 Wash thoroughly after handling.  
P280 Wear eye protection / face protection.  
P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

56-81-5	glycerol	Acute Tox. 5, H303; Acute Tox. 5, H333	10-20%
2044-56-6	Lithium dodecyl sulphate	Flam. Sol. 2, H228 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 Acute Tox. 5, H313; Aquatic Acute 3, H402	2.5-<3%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and Storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· <b>Components with limit values that require monitoring at the workplace:</b>
---

<b>56-81-5 glycerol</b>
-------------------------

WES Long-term value: 10 mg/m <sup>3</sup>
---

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**  
Safety glasses

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 3)

Tightly sealed goggles.

## 9 Physical and Chemical Properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Liquid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.

· pH-value at 20 °C: 6.9

#### · Change in condition

Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	100 °C

· Flash point: > 100 °C

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature: 400 °C

· Decomposition temperature: Not determined.

· Self igniting: Product is not selfigniting.

· Explosive properties: Not determined.

#### · Explosion limits:

Lower:	0.9 Vol %
Upper:	Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density: Not determined

· Relative density Not determined.

· Vapour density Not determined.

· Evaporation rate Not determined.

#### · Solubility in / Miscibility with

Water: Fully miscible

· Partition coefficient: n-octanol/water: Not determined.

#### · Viscosity:

dynamic:	Not determined.
kinematic:	Not determined.

#### · Solvent content:

Organic solvents:	10.4 %
Water:	86.9 %

Solids content: 2.8 %

(Contd. on page 5)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 4)

· **Other information** No further relevant information available.

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

## 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

### 56-81-5 glycerol

Oral	LD50	4,090 mg/kg (mouse) 12,600 mg/kg (rat)
Dermal	LD50	10,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	>30 mg/l (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>ADG, ADN, IMDG, IATA</b></li> </ul>  | Not Reguated   |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>ADG</b></li> </ul>   | Not Reguated   |
| <ul style="list-style-type: none"> <li>· <b>ADN, IMDG, IATA</b></li> </ul>   | Not Reguated   |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>ADG, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul> | Not Reguated   |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>ADG, IMDG, IATA</b></li> </ul>   | Not Reguated   |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>                                | No   |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> </ul>  | Not applicable.                                      |
| <ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b></li> </ul>                        | Not applicable.                                      |
| <ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>   | Not dangerous according to the above specifications. |
| <ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>  | Not Reguated   |

(Contd. on page 7)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 6)

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Chemical Substances**

All ingredients are listed.

· **Standard for the Uniform Scheduling of Medicines and Poisons**

77-86-1 Tris(hydroxymethyl)aminomethane

S4

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
NK	10-20

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H228 Flammable solid.

H302 Harmful if swallowed.

H303 May be harmful if swallowed.

H313 May be harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H333 May be harmful if inhaled.

H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)



## Safety Data Sheet

according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

**Trade name: Experion Pro260 Sample Buffer**

(Contd. of page 7)

*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*Flam. Sol. 2: Flammable solids – Category 2*  
*Acute Tox. 4: Acute toxicity - oral – Category 4*  
*Acute Tox. 5: Acute toxicity - oral – Category 5*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Skin Corr. 3: Skin corrosion/irritation – Category 3*  
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*  
*Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3*

• **\* Data compared to the previous version altered.**

AU

## Safety Data Sheet

according to WHS Regulations

Printing date 20.08.2020

Revision: 10.08.2020

Hazardous according to criteria of Safe Work Australia.

### 1 Identification

- **Product identifier**
- **Trade name:** Experion™ Pro260 Gel
- **Article number:** 9706153, 10000257
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories Pty. Ltd  
Level 5, 446 Victoria Road  
Gladesville NSW 2111  
Australia  
Tel 61-2-9914-2800 (1 800 224 354) Fax 61-2-9914-2888
- **Information department:** sales.australia@bio-rad.com
- **Emergency telephone number:** 61-2-9037-2994

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**  
Acute Tox. 4 H302 Harmful if swallowed.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
Proprietary Reagent PZ 1  
methylurea
- **Hazard statements**  
H302 Harmful if swallowed.
- **Precautionary statements**  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P330 Rinse mouth.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

	Proprietary Reagent PZ 1	Acute Tox. 3, H301 Flam. Liq. 4, H227	5-10%
598-50-5	methylurea	Acute Tox. 3, H301	2.5-5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- **Description of first aid measures**
- **General information**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**  
Call for a doctor immediately.  
Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.

(Contd. on page 3)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· **Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

· **Handling**

· **Precautions for safe handling** No special measures required.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** According to product specification

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** None.

· **Specific end use(s)** No further relevant information available.

## 8 Exposure controls and personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:** Protective gloves.

· **Material of gloves** Synthetic gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Synthetic gloves

(Contd. on page 4)

## Safety Data Sheet

according to WHS Regulations

Printing date 20.08.2020

Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 3)

· **Eye protection:** Safety glasses

### 9 Physical and Chemical Properties

#### · Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form:	Fluid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.

pH-value at 20 °C:	7.6
--------------------	-----

##### · Change in condition

Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	undetermined

Flash point:	Not applicable Not determined.
--------------	-----------------------------------

Flammability (solid, gaseous)	Not applicable.
-------------------------------	-----------------

Decomposition temperature:	Not determined.
----------------------------	-----------------

Self igniting:	Product is not selfigniting.
----------------	------------------------------

Explosive properties:	Not determined.
-----------------------	-----------------

##### · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Vapour pressure at 20 °C:	23 hPa
---------------------------	--------

Density:	Not determined
----------	----------------

Relative density	Not determined.
------------------	-----------------

Vapour density	Not determined.
----------------	-----------------

Evaporation rate	Not determined.
------------------	-----------------

##### · Solubility in / Miscibility with

Water:	Fully miscible
--------	----------------

Partition coefficient: n-octanol/water:	Not determined.
---	-----------------

##### · Viscosity:

dynamic:	Not determined.
kinematic:	Not determined.

##### · Solvent content:

Water:	88.5 %
--------	--------

Solids content:	6.3 %
-----------------	-------

(Contd. on page 5)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 4)

· **Other information** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

### 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:** Harmful

### 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

AU

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 5)

Dispose of waste in accordance to applicable national, regional, or local regulations.

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

#### 14 Transport information

- |   |  |
|---|--|
| · <b>UN-Number</b>  |  |
| · <b>ADG, ADN, IMDG, IATA</b>   | Not Reguated   |
| · <b>UN proper shipping name</b>  |  |
| · <b>ADG</b>  | Not Reguated   |
|   | Not Reguated   |
| · <b>ADN, IMDG, IATA</b>  | Not Reguated   |
| · <b>Transport hazard class(es)</b>   |  |
| · <b>ADG, ADN, IMDG, IATA</b>   |  |
| · <b>Class</b>  | Not Reguated   |
| · <b>Packing group</b>  |  |
| · <b>ADG, IMDG, IATA</b>  | Not Reguated   |
| · <b>Environmental hazards:</b>   |  |
| · <b>Marine pollutant:</b>  | No   |
| · <b>Special precautions for user</b>                                       | Not applicable.                                      |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>                                  | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>   | Not Reguated   |

#### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Australian Inventory of Chemical Substances**

All ingredients are listed.

- **Standard for the Uniform Scheduling of Medicines and Poisons**

77-86-1 Tris(hydroxymethyl)aminomethane

S4

- **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 7)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 6)

- **National regulations**
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**  
H227 Combustible liquid.  
H301 Toxic if swallowed.
- **Department issuing SDS:** Environmental Health and Safety.
- **Contact:**  
Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000  
  
Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 3: Acute toxicity - oral – Category 3  
Acute Tox. 4: Acute toxicity - oral – Category 4
- **\* Data compared to the previous version altered.**



## Safety Data Sheet according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Hazardous according to criteria of Safe Work Australia.

### 1 Identification

- **Product identifier**
- **Trade name:** Experion™ Pro260 Ladder
- **Article number:** 7007256, 9706152, 10000256
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories Pty. Ltd  
Level 5, 446 Victoria Road  
Gladesville NSW 2111  
Australia  
Tel 61-2-9914-2800 (1 800 224 354) Fax 61-2-9914-2888
- **Information department:** sales.australia@bio-rad.com
- **Emergency telephone number:** 61-2-9037-2994

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**  
Skin Corr. 3 H316 Causes mild skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H316 Causes mild skin irritation.  
H319 Causes serious eye irritation.
- **Precautionary statements**  
P264 Wash thoroughly after handling.  
P280 Wear eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

56-81-5	glycerol	Acute Tox. 5, H303; Acute Tox. 5, H333	20-35%
151-21-3	sodium dodecyl sulphate	Acute Tox. 3, H311 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	1%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 2)

- **Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- **Handling**

- **Precautions for safe handling** No special measures required.

- **Information about protection against explosions and fires:** No special measures required.

- **Conditions for safe storage, including any incompatibilities**

- **Storage**

- **Requirements to be met by storerooms and receptacles:** According to product specification

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:** Keep receptacle tightly sealed.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

### 56-81-5 glycerol

WES Long-term value: 10 mg/m<sup>3</sup>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- **Breathing equipment:** Not necessary if room is well-ventilated.

- **Protection of hands:** Protective gloves.

- **Material of gloves** Synthetic gloves

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Safety glasses

(Contd. on page 4)

## Safety Data Sheet

according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

Tightly sealed goggles.

(Contd. of page 3)

### 9 Physical and Chemical Properties

#### · Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form:	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.

· pH-value at 20 °C: 6.8

##### · Change in condition

Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	undetermined

· Flash point: Not applicable  
Not determined.

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature: 400 °C

· Decomposition temperature: Not determined.

· Self igniting: Product is not selfigniting.

· Explosive properties: Not determined.

##### · Explosion limits:

Lower:	0.9 Vol %
Upper:	Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density: Not determined

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

##### · Solubility in / Miscibility with

Water: Fully miscible

· Partition coefficient: n-octanol/water: Not determined.

##### · Viscosity:

dynamic:	Not determined.
kinematic:	Not determined.

##### · Solvent content:

Organic solvents:	30.0 %
Water:	60.4 %

(Contd. on page 5)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 4)

**Solids content:** 9.6 %  
**Other information** No further relevant information available.

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

## 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

### 56-81-5 glycerol

Oral	LD50	4,090 mg/kg (mouse) 12,600 mg/kg (rat)
Dermal	LD50	10,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	>30 mg/l (Rat)

### 77-86-1 Tris(hydroxymethyl)aminomethane

Oral	LD50	5,900 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rat)

### 151-21-3 sodium dodecyl sulphate

Oral	LD50	1,288 mg/kg (rat)
Dermal	LD50	580 mg/kg (Rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**  
 The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
 Irritant

## 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 6)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 5)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
 Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- |  |                              |
|--|------------------------------|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>ADG, ADN, IMDG, IATA</b></li> </ul>  | Not Reguated                 |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>ADG</b></li> </ul>   | Not Reguated<br>Not Reguated |
| <ul style="list-style-type: none"> <li>· <b>ADN, IMDG, IATA</b></li> </ul>   | Not Reguated                 |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>ADG, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul> | Not Reguated                 |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>ADG, IMDG, IATA</b></li> </ul>   | Not Reguated                 |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>                                | No                           |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> </ul>  | Not applicable.              |
| <ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b></li> </ul>                        | Not applicable.              |

(Contd. on page 7)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 6)

- |  |  |
|--|--|
| <b>· Transport/Additional information:</b> | Not dangerous according to the above specifications. |
| <b>· UN "Model Regulation":</b>            | Not Reguated   |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Australian Inventory of Chemical Substances**

7732-18-5	water
56-81-5	glycerol
77-86-1	Tris(hydroxymethyl)aminomethane
151-21-3	sodium dodecyl sulphate
6381-92-6	Ethylenediaminetetraacetic acid disodium salt dihydrate
26628-22-8	sodium azide

- **Standard for the Uniform Scheduling of Medicines and Poisons**

77-86-1	Tris(hydroxymethyl)aminomethane	S4
---------	---------------------------------	----

- **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **National regulations**

- **Technical instructions (air):**

Class	Share in %
NK	25-35

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H302 Harmful if swallowed.

H303 May be harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H333 May be harmful if inhaled.

H335 May cause respiratory irritation.

- **Department issuing SDS:** Environmental Health and Safety.

(Contd. on page 8)

## Safety Data Sheet

### according to WHS Regulations

Printing date 20.08.2020

Revision: 13.08.2020

**Trade name: Experion™ Pro260 Ladder**

(Contd. of page 7)

**• Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

**• Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral – Category 4

Acute Tox. 5: Acute toxicity - oral – Category 5

Acute Tox. 3: Acute toxicity - dermal – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Corr. 3: Skin corrosion/irritation – Category 3

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**• \* Data compared to the previous version altered.**