



08/03/2020

Kit Components

Product code	Description
--------------	-------------

1615100	PAGE Reagent Starter Kit
----------------	---------------------------------

Components:

1610700	Ammonium Persulfate
9700106	TEMED
1610200	Bis (N,N'-Methylene-bis-acrylamide)
1610100	Acrylamide

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020




1 Identification

- **Product identifier**
- **Trade name:** **Ammonium Persulfate**
- **Catalog or product number:** 1610700, 1610754, 1610702, 1610700EDU
- **CAS Number:**
7727-54-0
- **EC number:**
231-786-5
- **Index number:**
016-060-00-6
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547 (510)741-1000
- **Information department:** lsg_techserv_us@bio-rad.com
- **Emergency telephone number:**
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.
510-741-1000
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

2 Hazard(s) identification

- **Classification of the substance or mixture**

Ox. Sol. 3	H272	May intensify fire; oxidizer.
Acute Tox. 4	H302	Harmful if swallowed.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2A	H319	Causes serious eye irritation.
Resp. Sens. 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	H335	May cause respiratory irritation.
- **Label elements**
- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**

GHS03
GHS07
GHS08
- **Signal word** Danger
- **Hazard-determining components of labeling:**
diammonium peroxodisulphate

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 1)

- **Hazard statements**

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- **Precautionary statements**

P210 Keep away from heat.

P221 Take any precaution to avoid mixing with combustibles.

P284 [In case of inadequate ventilation] wear respiratory protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Emergency overview:**

- **Routes of exposure:**

Ingestion

Inhalation

Skin

- **Classification system**

- **NFPA ratings (scale 0-4)** The substance possesses oxidizing properties.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Substances**

- **CAS No. Description:**

7727-54-0 diammonium peroxodisulphate

- **Identification number(s):**

- **EC number:** 231-786-5

- **Index number:** 016-060-00-6

- **Additional information:** For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- **Description of first aid measures**

- **General information**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation**

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing**

Immediately call a doctor.

Rinse mouth with water. Seek medical attention and appropriate follow-up.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed** Breathing difficulty

- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

- **PAC-1:**

0.3 mg/m³

- **PAC-2:**

22 mg/m³

- **PAC-3:**

130 mg/m³

7 Handling and storage

- **Handling**

- **Precautions for safe handling** Ensure good ventilation/exhaust at the workplace.

- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 3)

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7727-54-0 diammonium peroxodisulphate

TLV	Long-term value: 0.1 mg/m ³ as persulfate
-----	---

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes.
 - Avoid contact with the eyes and skin.
- **Breathing equipment:**
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
 - Safety glasses
 - Tightly sealed goggles.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Crystalline
Color:	White
Odor:	Odorless

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 4)

· Odor threshold:	Not determined.
· pH-value:	1.45
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	<160 °C undetermined
· Flash point:	Not applicable Not determined.
· Flammability (solid, gaseous)	Product is not flammable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Not determined.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C:	1.982 g/cm ³
· Bulk density: · Relative density · Vapor density · Evaporation rate	950-1,050 kg/m ³ Not determined. Not applicable. Not applicable.
· Solubility in / Miscibility with Water at 20 °C:	559 g/l
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity: dynamic: kinematic:	Not applicable. Not applicable.
Solids content: · Other information	100.0 % No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 5)

· **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values for hazardous components per OSHA criteria:**

7727-54-0 diammonium peroxodisulphate

Oral LD50 820 mg/kg (rat)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritant effect.

· **Sensitization:**

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

· **Target organs:**

Skin.

Eye.

Respiratory tract.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN1444
- **UN proper shipping name**
- **DOT** Ammonium persulfate mixture
- **ADR** 1444 AMMONIUM PERSULPHATE mixture
- **IMDG, IATA** 1444 AMMONIUM PERSULPHATE mixture
- **Transport hazard class(es)**
- **DOT, ADR, IMDG, IATA**
- **Class** 5.1 Oxidizing substances
- **Label** 5.1
- **Packing group**
- **DOT, ADR, IMDG, IATA** III
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Warning: Oxidizing substances
- **Hazard identification number (Kemler code):** 50
- **EMS Number:** F-A,S-Q
- **Segregation groups** Ammonium compounds
- **Stowage Category** A
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 7)

· **Transport/Additional information:**· **DOT**· **Quantity limitations**

Void

Void

· **ADR**· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

· **IMDG**· **Limited quantities (LQ)**· **Excepted quantities (EQ)**

5 kg

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

· **UN "Model Regulation":**

UN 1444 AMMONIUM PERSULPHATE MIXTURE, 5.1, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

Substance not listed.

· **Section 313 (40CFR372.65):**

Substance is not listed.

· **TSCA (Toxic Substances Control Act):**

ACTIVE

· **Hazardous Air Pollutants**

Substance is not listed.

· **California Proposition 65:**· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Developmental Toxicity**

Substance is not listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

Substance is not listed.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 8)

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· National regulations

- **Water hazard class:** Water hazard class 1 (Assessment by list): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Date of preparation / last revision** 08/03/2020 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Sol. 3: Oxidizing solids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

Safety Data Sheet

acc. to OSHA HCS


Printing date 08/03/2020

Reviewed on 07/24/2020

1 Identification

- **Product identifier**
- **Trade name:** **TEMED**
- **Catalog or product number:**
9700106, 1610800, 1610800EDU, 1610801, 1610801EDU, 1610802, 9701410, 10041484, 10004374
- **CAS Number:**
110-18-9
- **EC number:**
203-744-6
- **Index number:**
612-103-00-3
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547 (510)741-1000
- **Information department:** lsg_techserv_us@bio-rad.com
- **Emergency telephone number:**
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.
510-741-1000

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H332 Harmful if inhaled.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
- **Label elements**
- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**


GHS02 GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labeling:**
N,N,N',N'-tetramethylethylenediamine
- **Hazard statements**
H225 Highly flammable liquid and vapor.
H302+H332 Harmful if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 1)

- **Precautionary statements**

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Emergency overview:**

- **Routes of exposure:**

Ingestion

Inhalation

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Substances**

- **CAS No. Description:**

110-18-9 N,N,N',N'-tetramethylethylenediamine

- **Identification number(s):**

- **EC number:** 203-744-6

- **Index number:** 612-103-00-3

- **Additional information:** For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- **Description of first aid measures**

- **General information**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing**

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Rinse mouth with water. Seek medical attention and appropriate follow-up.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed** Breathing difficulty

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 2)

· **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mount respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment (See section 8). Keep unprotected persons away.
Wear protective clothing.
- **Environmental precautions:**
Prevent seepage into sewage system, workpits and cellars.
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

3.2 ppm

· PAC-2:

35 ppm

· PAC-3:

58 ppm

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
Ensure good ventilation/exhaust at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 3)

Protect against electrostatic charges.

Keep respiratory protective device available.

- **Conditions for safe storage, including any incompatibilities**

- **Storage**

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:** Not required.

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Not necessary if room is well-ventilated. Adequate ventilation required.

- **Protection of hands:** Protective gloves.

- **Material of gloves** Synthetic gloves

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Safety glasses

Tightly sealed goggles.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:

Liquid

Color:

Light yellow

- **Odor:**

Amine-like

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 4)

· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition Melting point/Melting range:	undetermined
Boiling point/Boiling range:	118-120 °C
· Flash point:	18 °C
· Flammability (solid, gaseous)	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits: Lower:	0.98 Vol %
Upper:	9.08 Vol %
· Vapor pressure:	Not determined.
· Density at 20 °C:	0.78 g/cm ³
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Soluble
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity: dynamic:	Not determined.
kinematic:	Not determined.
Organic solvents:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 5)

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values for hazardous components per OSHA criteria:

110-18-9 N,N,N',N'-tetramethylethylenediamine

Oral	LD50	1,580 mg/kg (rat)
Dermal	LD50	5,390 mg/kg (rbt)

- Primary irritant effect:

- on the skin:

Strong caustic effect on skin and mucous membranes.

Caustic effect on skin and mucous membranes.

- on the eye: Strong caustic effect.

- Sensitization: No sensitizing effects known.

- Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

Substance is not listed.

- NTP (National Toxicology Program)

Substance is not listed.

- OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

- Target organs:

Skin.

Respiratory tract.

12 Ecological information

- Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability: No further relevant information available.

- Behavior in environmental systems:

- Bioaccumulative potential: No further relevant information available.

- Mobility in soil: No further relevant information available.

- Additional ecological information:

- General notes:

Generally not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 6)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|--|------------------------------------|
| · UN-Number | UN2372 |
| · DOT, ADR, IMDG, IATA | |
| · UN proper shipping name | 1,2-Di-(dimethylamino)ethane |
| · DOT | 2372 1,2-DI-(DIMETHYLAMINO) ETHANE |
| · ADR | 2372 1,2-DI-(DIMETHYLAMINO) ETHANE |
| · IMDG, IATA | 1,2-DI-(DIMETHYLAMINO) ETHANE |
| · Transport hazard class(es) | |
| · DOT | |
| · Class | 3 Flammable liquids |
| · Label | 3, 8 |
| · ADR | |
| · Class | 3 Flammable liquids |
| · Label | 3+8 |
| · IMDG, IATA | |
| · Class | 3 Flammable liquids |
| · Label | 3 |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | II |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Warning: Flammable liquids |
| · Hazard identification number (Kemler code): | 338 |
| · EMS Number: | F-E,S-D |
| · Stowage Category | B |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 7)

· **Transport/Additional information:**· **DOT**· **Quantity limitations**

Void

Void

· **ADR**· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **IMDG**· **Limited quantities (LQ)**· **Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 2372 1,2-DI-(DIMETHYLAMINO) ETHANE, 3 (8), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

Substance not listed.

· **Section 313 (40CFR372.65):**

Substance is not listed.

· **TSCA (Toxic Substances Control Act):**

ACTIVE

· **Hazardous Air Pollutants**

Substance is not listed.

· **California Proposition 65:**· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Developmental Toxicity**

Substance is not listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

Substance is not listed.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 8)

· **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
NK	50-100

· **Water hazard class:** Generally not hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Date of preparation / last revision** 08/03/2020 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

· *** Data compared to the previous version altered.**

Safety Data Sheet

acc. to OSHA HCS


Printing date 08/03/2020

Reviewed on 07/24/2020

1 Identification

- **Product identifier**
- **Trade name:** **Bis (N,N'-Methylene-bis-acrylamide)**
- **Catalog or product number:** 1610200, 1610201, 1610201EDU
- **CAS Number:**
110-26-9
- **EC number:**
203-750-9
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547
(510)741-1000
- **Information department:** lsg_techserv_us@bio-rad.com
- **Emergency telephone number:**
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.
510-741-1000

2 Hazard(s) identification

- **Classification of the substance or mixture**
Acute Tox. 3 H301 Toxic if swallowed.
- **Label elements**
- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**

GHS06
- **Signal word** Danger
- **Hazard-determining components of labeling:**
N,N'-methylenediacrylamide
- **Hazard statements**
H301 Toxic if swallowed.
- **Precautionary statements**
P264 Wash thoroughly after handling.
P301+P310 If swallowed: Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P330 Rinse mouth.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 1)

- **Emergency overview:**
- **Routes of exposure:**
 - Ingestion
 - Inhalation
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description:**
 - 110-26-9 N,N'-methylenediacrylamide
- **Identification number(s):**
- **EC number:** 203-750-9
- **Additional information:** For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- **Description of first aid measures**
- **General information**
 - Immediately remove any clothing soiled by the product.
 - In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact**
 - Generally the product does not irritate the skin.
 - Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**
 - Do not induce vomiting; immediately call for medical help.
 - Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

US
(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:	
	0.64 mg/m ³
· PAC-2:	
	7.1 mg/m ³
· PAC-3:	
	77 mg/m ³

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Thorough dedusting.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 3)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Crystalline

Color: White

· **Odor:** sulphurous

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: >300 °C

Boiling point/Boiling range: undetermined

· **Flash point:** Not applicable
Not determined.

· **Flammability (solid, gaseous)** Product is not flammable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapor pressure:** Not applicable.

· **Density at 20 °C:** 0.77 g/cm³

· **Relative density** Not determined.

· **Vapor density** Not applicable.

· **Evaporation rate** Not applicable.

· **Solubility in / Miscibility with**

Water at 20 °C: 3 g/l

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

dynamic: Not applicable.

kinematic: Not applicable.

Solids content: 100.0 %

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: **Bis (N,N'-Methylene-bis-acrylamide)**

(Contd. of page 4)

· **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values for hazardous components per OSHA criteria:**

110-26-9 N,N'-methylenediacrylamide

Oral LD50 >50-≤300 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 5)

• **Additional ecological information:**

• **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water.
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

• **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **Other adverse effects** No further relevant information available.

13 Disposal considerations

• **Waste treatment methods**

• **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Dispose of waste in accordance to applicable national, regional, or local regulations.

• **Uncleaned packagings:**

• **Recommendation:** Disposal must be made according to official regulations.

• **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

• **UN-Number**

• **DOT, ADR, ADN, IMDG, IATA**

Not Regulated

• **UN proper shipping name**

• **DOT, ADN, IMDG, IATA**

Not Regulated

• **ADR**

Not Regulated

Not Regulated

• **Transport hazard class(es)**

• **DOT, ADR, ADN, IMDG, IATA**

• **Class**

Not Regulated

• **Packing group**

• **DOT, ADR, IMDG, IATA**

Not Regulated

• **Environmental hazards:**

• **Marine pollutant:**

No

• **Special precautions for user**

Not applicable.

• **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

• **UN "Model Regulation":**

Not Regulated

US
(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 6)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)

- Section 302/304 (40CFR355.30 / 40CFR355.40):

Substance not listed.

- Section 313 (40CFR372.65):

Substance is not listed.

- TSCA (Toxic Substances Control Act):

ACTIVE

- Hazardous Air Pollutants

Substance is not listed.

- California Proposition 65:

- Chemicals known to cause cancer:

Substance is not listed.

- Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

- Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

- Developmental Toxicity

Substance is not listed.

- Carcinogenic categories

- EPA (Environmental Protection Agency)

Substance is not listed.

- TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

- NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- National regulations

- Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environmental Health and Safety.

- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 7)

- Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000
- **Date of preparation / last revision** 08/03/2020 / -
 - **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - ACGIH: American Conference of Governmental Industrial Hygienists
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - NIOSH: National Institute for Occupational Safety
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - Acute Tox. 3: Acute toxicity – Category 3
 - *** Data compared to the previous version altered.**

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

1 Identification

- **Product identifier**
- **Trade name:** Acrylamide
- **Catalog or product number:** 1610100, 1610107, 1610103, 1610101, 1610108, 1610107EDU, 1610101EDU
- **CAS Number:**
79-06-1
- **EC number:**
201-173-7
- **Index number:**
616-003-00-0
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547 (510)741-1000
- **Information department:** lsg_techserv_us@bio-rad.com
- **Emergency telephone number:**
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.
510-741-1000

2 Hazard(s) identification

- **Classification of the substance or mixture**
Acute Tox. 3 H301 Toxic if swallowed.
Acute Tox. 4 H312 Harmful in contact with skin.
Acute Tox. 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Muta. 1B H340 May cause genetic defects.
Carc. 1B H350 May cause cancer.
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.
- **Label elements**
- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS06 GHS07 GHS08

- **Signal word** Danger

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 1)

- **Hazard-determining components of labeling:**

acrylamide

- **Hazard statements**

- H301 Toxic if swallowed.
- H312+H332 Harmful in contact with skin or if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P330 Rinse mouth.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Emergency overview:**

- **Routes of exposure:**

Ingestion
Inhalation
Skin

- **Classification system**

- **Special Hazards**

Reproductive toxin.
Carcinogen.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Substances**

- **CAS No. Description:**

79-06-1 acrylamide

- **Identification number(s):**

• **EC number:** 201-173-7• **Index number:** 616-003-00-0

- **Additional information:** For the wording of the listed risk phrases refer to section 15.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**

- **General information**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing**

Do not induce vomiting; immediately call for medical help.

Rinse mouth with water. Seek medical attention and appropriate follow-up.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed** Breathing difficulty

- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

- **Advice for firefighters**

- **Protective equipment:**

Mount respiratory protective device.

Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective clothing.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 3)

Protective Action Criteria for Chemicals

PAC-1:

0.09 mg/m³

PAC-2:

44 mg/m³

PAC-3:

100 mg/m³

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
Thorough dedusting.
Ensure good ventilation/exhaust at the workplace.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

79-06-1 acrylamide

PEL	Long-term value: 0.3 mg/m ³ Skin
REL	Long-term value: 0.03 mg/m ³ Skin; See Pocket Guide App. A
TLV	Long-term value: 0.03* mg/m ³ DSEN, Skin; *inhalable fraction and vapor

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 4)

- Avoid contact with the eyes.
 Avoid contact with the eyes and skin.
- **Breathing equipment:**
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
 - **Protection of hands:**
 Only use chemical-protective gloves with CE-labeling of category III.
 Protective gloves.
 - **Material of gloves** Synthetic gloves
 - **Penetration time of glove material**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **Eye protection:**
 Safety glasses
 Tightly sealed goggles.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Solid
Color:	White
Odor:	sulphurous
Odor threshold:	Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range:	84-85 °C
Boiling point/Boiling range:	125 °C

· Flash point: Not applicable
 Not determined.

· Flammability (solid, gaseous) Product is not flammable.

· Decomposition temperature: Not determined.

· Auto igniting: Not determined.

· Danger of explosion: Not determined.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure at 20 °C: 0.009 hPa

Density at 20 °C:	1.03 g/cm ³
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 5)

- **Solubility in / Miscibility with Water at 20 °C:** 400 g/l
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - dynamic:** Not applicable.
 - kinematic:** Not applicable.
- **Solids content:** 100.0 %
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values for hazardous components per OSHA criteria:**

79-06-1 acrylamide

Oral	LD50	354 mg/kg (Rat)
Dermal	LD50	400 mg/kg (rat)
		1,141 mg/kg (rbt)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritant effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

2A

- **NTP (National Toxicology Program)**

R

- **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 6)

- **Target organs:**
Skin.
Eye.
Respiratory tract.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water danger class 3 (Internal calculation) (Assessment by list): extremely hazardous for water.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|----------------------------------|------------------------|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | UN2074 |
| · UN proper shipping name | |
| · DOT | Acrylamide, solid |
| · ADR | 2074 ACRYLAMIDE, SOLID |
| | 2074 ACRYLAMIDE SOLID |
| · IMDG, IATA | ACRYLAMIDE, SOLID |

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 7)

· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Toxic substances
· Hazard identification number (Kemler code):	60
· EMS Number:	F-A,S-A
· Stowage Category	A
· Stowage Code	SW1 Protected from sources of heat.
· Handling Code	H2 Keep as cool as reasonably practicable
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	Void
· Quantity limitations	Void
· Remarks:	ERG 153P Lösung: EmS 6.1-02
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 2074 ACRYLAMIDE, SOLID, 6.1, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)

· Section 302/304 (40CFR355.30 / 40CFR355.40):

Substance is listed.

· Section 313 (40CFR372.65):

Substance is listed.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 8)

· **TSCA (Toxic Substances Control Act):**

ACTIVE

· **Hazardous Air Pollutants**

Substance is listed.

· **California Proposition 65:**· **Chemicals known to cause cancer:**

79-06-1 acrylamide

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

79-06-1 acrylamide

· **Developmental Toxicity**

79-06-1 acrylamide

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

L

· **TLV (Threshold Limit Value established by ACGIH)**

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is listed.

· **National regulations**· **Additional classification according to Decree on Hazardous Materials, Annexe II:**

Carcinogenic hazardous material group I (extremely dangerous)

Carcinogenic hazardous material group II (very dangerous)

Carcinogenic hazardous material group III (dangerous)

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Technical instructions (air):**

Class	Share in %
II	50-100

· **Water hazard class:** Water danger class 3 (Assessment by list): extremely hazardous for water.· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 9)

• **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

• **Date of preparation / last revision** 08/03/2020 / -

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1B: Carcinogenicity – Category 1B

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

• *** Data compared to the previous version altered.**