

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/09/2017

## 1 Identification

- **1.1 Product identifier**
- **Trade name:** KETOCHROME/17-OHCS by Column Test, REAG 3
- **Article number:** 1843008
- **Application of the substance / the mixture** In-Vitro-laboratory reagent or component
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories, Inc  
4000 Alfred Nobel Drive  
Hercules, California 94547  
USA  
Phone: 510-724-7000  
Toll-Free: 1-800-2-BIORAD (800-224-6723)  
Fax: 510-741-6373
- **Information department:**  
Technical Support:  
Email: support@bio-rad.com
- **1.4 Emergency telephone number:**  
GBK Gefahrgut Büro GmbH  
Tel.: 0049(0)6123-84463

## 2 Hazard(s) identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 2 H225 Highly flammable liquid and vapor.  
Acute Tox. 4 H302 Harmful if swallowed.  
Acute Tox. 5 H333 May be harmful if inhaled.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
Carc. 1A H350 May cause cancer.  
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labeled according to the CLP regulation.
- **Hazard pictograms**



GHS02 GHS07 GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
ethanol  
1,3-dinitrobenzene
- **Hazard statements**  
H225 Highly flammable liquid and vapor.  
H302 Harmful if swallowed.  
H333 May be harmful if inhaled.  
H319 Causes serious eye irritation.  
H350 May cause cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/09/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG 3

(Contd. of page 1)

· **Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P310 Immediately call a POISON CENTER/doctor.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**· **NFPA ratings (scale 0 - 4)**· **HMIS-ratings (scale 0 - 4)**· **2.3 Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· **3.1 Chemical characterization: Substances**· **CAS No. Description**

64-17-5 ethanol

· **Identification number(s)**· **EC number:** 200-578-6· **Index number:** 603-002-00-5· **3.2 Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

64-17-5	ethanol	50-100%
99-65-0	1,3-dinitrobenzene	1-<10%

## 4 First-aid measures

· **4.1 Description of first aid measures**· **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/09/2017

**Trade name: KETOCHROME/17-OHCS by Column Test, REAG 3**

(Contd. of page 2)

- **After swallowing:** Do not induce vomiting; immediately call for medical help.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

**PAC-1:**

64-17-5	ethanol	1,800 ppm
99-65-0	1,3-dinitrobenzene	3 mg/m <sup>3</sup>

**PAC-2:**

64-17-5	ethanol	3300* ppm
99-65-0	1,3-dinitrobenzene	33 mg/m <sup>3</sup>

**PAC-3:**

64-17-5	ethanol	15000* ppm
99-65-0	1,3-dinitrobenzene	200 mg/m <sup>3</sup>

### 7 Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/09/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG 3

(Contd. of page 3)

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.

· **7.3 Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**64-17-5 ethanol**

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

**99-65-0 1,3-dinitrobenzene**

PEL Long-term value: 1 mg/m<sup>3</sup>  
Skin

REL Long-term value: 1 mg/m<sup>3</sup>  
Skin

TLV Long-term value: 1 mg/m<sup>3</sup>, 0.15 ppm  
Skin; BEI-M

· **Ingredients with biological limit values:**

**99-65-0 1,3-dinitrobenzene**

BEI 1.5 % of hemoglobin

Medium: blood

Time: during or end of shift

Parameter: Methemoglobin (background, nonspecific, semi-quantitative)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/09/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG 3

(Contd. of page 4)

## · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye protection:



Tightly sealed goggles

## · Body protection: Protective work clothing

## 9 Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Fluid
Color:	Light yellow
Odor:	Alcohol-like
Odor threshold:	Not determined.

· pH-value: Not determined.

#### · Change in condition

Melting point/Melting range:	-114 °C (-173 °F)
Boiling point/Boiling range:	78 °C (172 °F)

· Flash point: 14 °C (57 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 425 °C (797 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

#### · Explosion limits:

Lower: 3.4 Vol %

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/09/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG 3

(Contd. of page 5)

Upper:	15 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44 mm Hg)
· Density at 20 °C (68 °F):	0.8 g/cm <sup>3</sup> (6.676 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
VOC content:	98.2 %
· 9.2 Other information	No further relevant information available.

## 10 Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with acids.  
Reacts with oxidizing agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
Nitrogen oxides  
Carbon monoxide and carbon dioxide  
Flammable gases/vapors  
Poisonous gases/vapors  
Corrosive gases/vapors

## 11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**  
Harmful if swallowed.  
May be harmful if inhaled.
- **Primary irritant effect:**
- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:**  
Causes serious eye irritation.
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

64-17-5 ethanol

I

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/09/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG 3

(Contd. of page 6)

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **12.1 Toxicity**· **Aquatic toxicity:** No further relevant information available.· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **Ecotoxicological effects:**· **Remark:** Harmful to fish· **Additional ecological information:**· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **13.1 Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **14.1 UN-Number**· **DOT, ADR, IMDG, IATA**

UN1993

· **14.2 UN proper shipping name**· **DOT**

Flammable liquids, n.o.s. (Ethanol)

· **ADR**

1993 Flammable liquids, n.o.s. (Ethanol), special provision 640D

· **IMDG**

FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))

· **IATA**

FLAMMABLE LIQUID, N.O.S. (ETHANOL)

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/09/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG 3

(Contd. of page 7)

## · 14.3 Transport hazard class(es)

## · DOT



## · Class

3 Flammable liquids

## · Label

3

## · ADR, IMDG, IATA



## · Class

3 Flammable liquids

## · Label

3

## · 14.4 Packing group

## · DOT, ADR, IMDG, IATA

II

## · 14.5 Environmental hazards:

## · Marine pollutant:

No

## · 14.6 Special precautions for user

Warning: Flammable liquids

## · Danger code (Kemler):

33

## · EMS Number:

F-E, S-E

## · Stowage Category

B

## · 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

## · Transport/Additional information:

## · ADR

## · Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

## · IMDG

## · Limited quantities (LQ)

1L

## · Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

## · UN "Model Regulation":

UN 1993 FLAMMABLE LIQUIDS, N.O.S., SPECIAL PROVISION 640D (ETHANOL), 3, II

## 15 Regulatory information

## · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## · Sara

## · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

(Contd. on page 9)

US



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/09/2017

**Trade name: KETOCHROME/17-OHCS by Column Test, REAG 3**

(Contd. of page 8)

· **Section 313 (Specific toxic chemical listings):**

99-65-0 | 1,3-dinitrobenzene

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

99-65-0 | 1,3-dinitrobenzene

· **Chemicals known to cause developmental toxicity:**

64-17-5 | ethanol

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

99-65-0 | 1,3-dinitrobenzene

D

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 | ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:**

Bio-Rad Laboratories GmbH  
Heidemannstrasse 164  
D-80939 Munich

· **Contact:**

Technical Support:  
E-Mail: cts-ce@bio-rad.com

· **Date of preparation / last revision 02/13/2017 / 19**

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organisation  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 02/13/2017

Reviewed on 02/09/2017

**Trade name: KETOCHROME/17-OHCS by Column Test, REAG 3**

(Contd. of page 9)

VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Flam. Liq. 2: Flammable liquids – Category 2  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 5: Acute toxicity – Category 5  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Carc. 1A: Carcinogenicity – Category 1A  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
· \* **Data compared to the previous version altered.**

US