

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

UK

Revision date 17-Nov-2021 Previous 16-Nov-2020 Revision Number 1

revision date

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name FIXATIVE - #10498

Safety data sheet number 10498

Pure substance/mixture Mixture

Contains Formaldehyde, Methanol, Sodium chloride

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use For research use only

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

<u>Corporate Headquarters</u> <u>Manufacturer</u> <u>Legal Entity / Contact Address</u>

Bio-Rad Laboratories Inc.

Bio-Rad

Bio-Rad Laboratories Ltd

1000 Alfred Nobel Drive

Endeavour House

Hercules, CA 94547

USA

Bio-Rad Laboratories Ltd

The Junction

Station Road

Watford, WD17 1ET

Oxford OX5 1GE

United Kingdom e-mail:

antibody_safetydatasheets@bio-rad.com

For further information, please contact

Technical Service 00800 00246 723

Techsupport.UK@bio-rad.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC UK: 44-870-8200418

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 4 - (H312)
Acute toxicity - Inhalation (Gases)	Category 4 - (H332)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Germ cell mutagenicity	Category 2 - (H341)
Carcinogenicity	Category 1B - (H350)
Specific target organ toxicity (single exposure)	Category 1 Category 3 - (H370,H335)

EGHS / BE Page 1/14

2.2. Label elements

Contains Formaldehyde, Methanol, Sodium chloride



Signal word Danger

Hazard statements

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H370 - Causes damage to organs

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

Harmful to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Formaldehyde 50-00-0	10 - 20	No data available	200-001-8	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350) STOT SE 3 (H335)	Eye Irrit. 2 :: 1%<=C<3% Skin Corr. 1B :: C>=5% Skin Irrit. 2 :: 1%<=C<5% Skin Sens. 1 :: C>=0.1% STOT SE 3 :: C>=5%		-
Methanol	2.5 - 5	No data available	200-659-6	Acute Tox. 3 (H301)	STOT SE 1 ::	-	-

EGHS / BE Page 2/14

67-56-1		Acute Tox. 3 (H311)	C>=1%	
		Acute Tox. 3 (H331)		
		STOT SE 1 (H370)		
		Flam. Liq. 2 (H225)		

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

No information available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin

reaction.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapors or mists. Use personal protective equipment as required. See

section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in

breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

EGHS / BE Page 3/14

FIXATIVE - #10498 Revision date 17-Nov-2021

Suitable Extinguishing Media surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May

Use extinguishing measures that are appropriate to local circumstances and the

cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the **Environmental precautions**

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. **Methods for containment**

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Avoid breathing

vapors or mists.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is

Page 4/14

recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up. Protect from moisture. Store away from other materials.

7.3. Specific end use(s)

Identified uses

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Formaldehyde	TWA: 0.37 mg/m ³	TWA: 0.3 ppm	-	STEL: 2.0 mg/m ³	TWA: 2 ppm
50-00-0	TWA: 0.3 ppm	TWA: 0.37 mg/m ³		TWA: 1.0 mg/m ³	TWA: 2.5 mg/m ³
	*	STEL 0.6 ppm			STEL: 2 ppm
		STEL 0.74 mg/m ³			STEL: 2.5 mg/m ³
Methanol	TWA: 200 ppm	TWA: 200 ppm	-	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³		TWA: 260.0 mg/m ³	TWA: 260 mg/m ³
	*	STEL 800 ppm		K*	K*
		STEL 1040 mg/m ³			
		H*			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Formaldehyde	-	-	Ceiling: 0.3 ppm	TWA: 0.5 ppm	TWA: 0.3 ppm
50-00-0			Ceiling: 0.4 mg/m ³	TWA: 0.6 mg/m ³	TWA: 0.37 mg/m ³
				STEL: 1 ppm	Ceiling: 1 ppm
			T14/4 000	STEL: 1.2 mg/m ³	Ceiling: 1.2 mg/m ³
Methanol	-	-	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1			TWA: 260 mg/m ³ H*	TWA: 250 mg/m ³	TWA: 270 mg/m ³
			H"	STEL: 250 ppm	STEL: 250 ppm
				STEL: 350 mg/m ³ A*	STEL: 330 mg/m ³ iho*
Chamical name	France	Commony	Germany MAK	Greece	
Chemical name	France	Germany		Greece	Hungary
Formaldehyde 50-00-0	TWA: 0.5 ppm STEL: 1 ppm	TWA: 0.3 ppm TWA: 0.37 mg/m ³	TWA: 0.3 ppm TWA: 0.37 mg/m ³	-	TWA: 0.6 mg/m ³ STEL: 0.6 mg/m ³
30-00-0	STEE. I PPIII	1 1 VVA. 0.37 mg/m²	Ceiling / Peak: 0.6		b*
			ppm		b
			Ceiling / Peak: 0.74		
			mg/m ³		
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 100 ppm	-	TWA: 260 mg/m ³
67-56-1	TWA: 260 mg/m ³	TWA: 270 mg/m ³	TWA: 130 mg/m ³		b*
	STEL: 1000 ppm	H*	Ceiling / Peak: 200		
	STEL: 1300 mg/m ³		ppm		
	*		Ceiling / Peak: 260		
			mg/m³		
			Skin		
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Formaldehyde	TWA: 0.2 ppm	-	-	TWA: 0.5 mg/m ³	-
50-00-0					
	STEL: 0.4 ppm				
Methanol	STEL: 0.4 ppm TWA: 200 ppm	TWA: 200 ppm	-	TWA: 200 ppm	-
	STEL: 0.4 ppm TWA: 200 ppm TWA: 260 mg/m ³	TWA: 260 mg/m ³	-	TWA: 200 ppm TWA: 260 mg/m ³	-
Methanol	STEL: 0.4 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 600 ppm		-		-
Methanol	STEL: 0.4 ppm TWA: 200 ppm TWA: 260 mg/m ³	TWA: 260 mg/m ³	-		-

EGHS / BE Page 5/14

Chemical name	Lu	xembourg	Malta	Netherlands	No	rway	Poland
Formaldehyde		-	-	TWA: 0.15 mg/m ³		0.5 ppm	STEL: 0.74 mg/m ³
50-00-0				STEL: 0.5 mg/m ³).6 mg/m ³	TWA: 0.37 mg/m ³
						g: 1 ppm	
						1.2 mg/m ³	
Methanol		-	-	TWA: 133 mg/m ³		100 ppm	STEL: 300 mg/m ³
67-56-1				H*		30 mg/m ³	TWA: 100 mg/m ³
						125 ppm	
						62.5 mg/m ³	
<u> </u>				21 11		H*	
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain
Formaldehyde	Ceili	ng: 0.3 ppm	TWA: 1 ppm	TWA: 0.3 ppm		-	TWA: 0.3 ppm
50-00-0			TWA: 1.2 mg/m ³	TWA: 0.37 mg/m ³			TWA: 0.37 mg/m ³
			STEL: 2 ppm				STEL: 0.6 ppm
			STEL: 3 mg/m ³				STEL: 0.74 mg/m ³
Methanol		A: 200 ppm	TWA: 200 ppm	TWA: 200 ppm		200 ppm	TWA: 200 ppm
67-56-1		: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 260 mg/m ³		60 mg/m ³	TWA: 266 mg/m ³
	STE	L: 250 ppm	P*	K*		STEL ppm	vía dérmica*
		P*				TEL mg/m ³	
						K*	
Chemical name		Sı	weden	Switzerland			ted Kingdom
Formaldehyde			-	TWA: 0.3 ppm			WA: 2 ppm
50-00-0				TWA: 0.37 mg/r			A: 2.5 mg/m ³
				STEL: 0.6 ppn			TEL: 2 ppm
				STEL: 0.74 mg/			L: 2.5 mg/m ³
Methanol			-	TWA: 200 ppn			/A: 200 ppm
67-56-1				TWA: 260 mg/n			A: 266 mg/m ³
				STEL: 800 ppr			EL: 250 ppm
				STEL: 1040 mg/	m³	STE	L: 333 mg/m ³
				H*			Sk*

Biological occupational exposure limits

Chemical name	Denmark	Finland	Fra	nce	Germany		Germany
Methanol	-	-	15 mg/L	urine	30 mg/L - urii	ne	30 mg/L
67-56-1			(Methano	l) - end of	(Methanol) - er	nd of	
			sh	nift	shift		
					30 mg/L - urii		
					(Methanol) - f	for	
					long-term		
					exposures: at		
					end of the shift		
		•			several shift	S	
Chemical name	Hungary	Irelan	d		Italy		Italy REL
Methanol	-	15 mg/L -			-		-
67-56-1		(Methanol) - e	nd of shift				
Chemical name	Slovenia	Spair)	Sw	itzerland		United Kingdom
Methanol	-	15			30		-
67-56-1							

Derived No Effect Level (DNEL) No information available. Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

EGHS / BE Page 6/14 FIXATIVE - #10498 Revision date 17-Nov-2021

Skin and body protectionWear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear to semi-clear

Colour Varies

Odour No information available.
Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNone known

None known

No data available

No informatio

pH (as aqueous solution)

Kinematic viscosity

Dynamic viscosity

No data available

No data available

No data available

None known

No data available

None known

Dynamic viscosity
Water solubility
Solubility(ies)
No data available
No data available

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk density

Liquid Density

No data available

No data available

Vapour density No data available None known

Particle characteristics

Particle SizeNo information availableParticle Size DistributionNo information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

EGHS / BE Page 7/14

FIXATIVE - #10498 Revision date 17-Nov-2021

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

10.5. Incompatible materials

Incompatible materials Acids. Bases. Oxidizing agent.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by

inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May be

absorbed through the skin in harmful amounts. Harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

EGHS / BE Page 8/14

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 714.30 mg/kg

 ATEmix (dermal)
 1,985.29 mg/kg

 ATEmix (inhalation-gas)
 7,000.00 ppm

 ATEmix (inhalation-dust/mist)
 3.58 mg/l

 ATEmix (inhalation-vapor)
 1,042.40 mg/l

Unknown acute toxicity

4 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

Oral LD50 No information available
Dermal LD50 No information available
Inhalation LC50 No information available
Inhalation LC50 No information available

Component Information

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ī	Formaldehyde	= 100 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h
	Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit) = 15800 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for

ingredients. Suspected of causing genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name		European Union		
	Formaldehyde	Muta. 2		
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for			

CarcinogenicityContains a known or suspected ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Formaldehyde	Carc. 1B

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE).

EGHS / BE Page 9/14

Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

Causes damage to organs if inhaled. May cause respiratory irritation.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Formaldehyde	-	LC50: 0.032 - 0.226mL/L	-	EC50: 11.3 - 18mg/L
1		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss)		LC50: =2mg/L (48h,
		LC50: 100 - 136mg/L		Daphnia magna)
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 22.6 - 25.7mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: 23.2 - 29.7mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: =1510µg/L (96h,		
		Lepomis macrochirus)		
		LC50: =41mg/L (96h,		
		Brachydanio rerio)		
Methanol	-	LC50: 13500 -	-	-
		17600mg/L (96h,		
		Lepomis macrochirus)		
		LC50: 18 - 20mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 19500 -		
		20700mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =28200mg/L (96h,		
		Pimephales promelas)		
		LC50: >100mg/L (96h,		
		Pimephales promelas)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

EGHS / BE Page 10/14

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Formaldehyde	0.35
Methanol	-0.77

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Formaldehyde	The substance is not PBT / vPvB PBT assessment does
	not apply
Methanol	The substance is not PBT / vPvB PBT assessment does
	not apply Further information relevant for the PBT
	assessment is necessary

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

<u>IATA</u>

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special Precautions for Users

Special Provisions None

IMDG

14.1 UN number or ID numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

14.7 Maritime transport in bulk No information available

EGHS / BE Page 11/14

according to IMO instruments

RID

14.1 UN numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

<u>ADR</u>

14.1 UN number or ID numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Formaldehyde 50-00-0	RG 43	-
Methanol 67-56-1	RG 84	-

Germany

Water hazard class (WGK) strongly hazardous to water (WGK 3)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Formaldehyde - 50-00-0	72.	-
·	28.	
Methanol - 67-56-1	69.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

H3 - STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name		Lower-tier requirements (tons)	Upper-tier requirements (tons)
Formaldehyde - 50-	-00-0	5	50
Methanol - 67-56	5-1	500	5000

EGHS / BE Page 12/14

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

<u>International Inventories</u> Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H370 - Causes damage to organs

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - Vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

EGHS / BE Page 13/14

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Note Significant changes throughout SDS. Review all sections

Revision date 17-Nov-2021

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

EGHS / BE Page 14/14