

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2022 Previous 07-Sep-2021 Revision Number 2

revision date

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name ERYTHROLYSE - #10212

Safety data sheet number 10212

Pure substance/mixture Mixture

Contains Formaldehyde, Methanol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use For research use only

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

<u>Corporate Headquarters</u> <u>Manufacturer</u> <u>Legal Entity / Contact Address</u>

Bio-Rad Laboratories Inc.

Bio-Rad

Bio-Rad Laboratories Ltd

1000 Alfred Nobel Drive

Endeavour House

Hercules, CA 94547

USA

Bio-Rad Laboratories Ltd

The Junction

Station Road

Watford, WD17 1ET

USA Kidlington Wat
Oxford UK
OX5 1GE

United Kingdom

e-mail:

antibody_safetydatasheets@bio-rad.com

For further information, please contact

Technical Service 00800 00246 723

Techsupport.UK@bio-rad.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC UK: 44-870-8200418

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

101 (EC) 10 1272/2000	
Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Gases)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Germ cell mutagenicity	Category 2 - (H341)
Carcinogenicity	Category 1B - (H350)
Specific target organ toxicity (single exposure)	Category 1 Category 3 - (H370,
	H335)

2.2. Label elements

EGHS / BE Page 1/15





Signal word Danger

Hazard statements

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H370 - Causes damage to organs

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

2.3. Other hazards

Harmful to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Diethylene glycol 111-46-6	20 - 35	No data available	203-872-2	Acute Tox. 4 (H302)	-	-	-
Formaldehyde 50-00-0	5 - 10	No data available	200-001-8	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350) STOT SE 3 (H335)	Eye Irrit. 2 :: 1%<=C<3% Skin Corr. 1B :: C>=5% Skin Irrit. 2 :: 1%<=C<5% Skin Sens. 1 :: C>=0.1% STOT SE 3 :: C>=5%	-	-
Methanol	1 - 2.5	No data available	200-659-6	Acute Tox. 3 (H301)	STOT SE 1 ::	-	-

EGHS / BE Page 2/15

6	7-56-1		Acute Tox. 3 (H311)	C>=1%	
			Acute Tox. 3 (H331)		
			STOT SE 1 (H370)		
			Flam. Liq. 2 (H225)		

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

No information available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin

reaction.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapors or mists. Use personal protective equipment as required. See

section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in

breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

EGHS / BE Page 3/15

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Large Fire

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May

cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

> ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the **Environmental precautions**

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. **Methods for containment**

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Avoid breathing

vapors or mists.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is

EGHS / Page 4/15

recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Protect from moisture. Store locked up. Store away from other materials. Store according to product and label instructions.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Diethylene glycol	-	TWA: 10 ppm	-	TWA: 10 mg/m ³	TWA: 23 ppm
111-46-6		TWA: 44 mg/m ³			TWA: 101 mg/m ³
		STEL 40 ppm			
		STEL 176 mg/m ³			
Formaldehyde	TWA: 0.37 mg/m ³	TWA: 0.3 ppm	-	STEL: 2.0 mg/m ³	TWA: 2 ppm
50-00-0	TWA: 0.3 ppm	TWA: 0.37 mg/m ³		TWA: 1.0 mg/m ³	TWA: 2.5 mg/m ³
	*	STEL 0.6 ppm			STEL: 2 ppm
		STEL 0.74 mg/m ³			STEL: 2.5 mg/m ³
Methanol	TWA: 200 ppm	TWA: 200 ppm	-	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³		TWA: 260.0 mg/m ³	TWA: 260 mg/m ³
	*	STEL 800 ppm		K*	K*
		STEL 1040 mg/m ³			
		H*			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Diethylene glycol	-	-	TWA: 2.5 ppm	TWA: 10 ppm	-
111-46-6			TWA: 11 mg/m ³	TWA: 45 mg/m ³	
				STEL: 20 ppm	
				STEL: 90 mg/m ³	
 			0 " 0 0	A*	T14/4 0 0
Formaldehyde	-	-	Ceiling: 0.3 ppm	TWA: 0.5 ppm	TWA: 0.3 ppm
50-00-0			Ceiling: 0.4 mg/m ³	TWA: 0.6 mg/m ³	TWA: 0.37 mg/m ³
				STEL: 1 ppm	Ceiling: 1 ppm
Mathanal			T\//\. 200 mm	STEL: 1.2 mg/m ³ TWA: 200 ppm	Ceiling: 1.2 mg/m ³
Methanol 67-56-1	-	-	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 250 mg/m ³	TWA: 200 ppm TWA: 270 mg/m ³
07-56-1			H*	STEL: 250 ppm	STEL: 250 ppm
			П	STEL: 250 ppm STEL: 350 mg/m ³	STEL: 250 ppm STEL: 330 mg/m ³
				A*	iho*
Chemical name	France	Germany	Germany MAK	Greece	Hungary
Diethylene glycol	-	TWA: 10 ppm	TWA: 10 ppm	-	-
111-46-6	_	TWA: 44 mg/m ³	TWA: 44 mg/m ³		
		1 ***/ (. 1 1 1119/111	Ceiling / Peak: 40		
			ppm		
			Ceiling / Peak: 176		
			mg/m³		
Formaldehyde	TWA: 0.5 ppm	TWA: 0.3 ppm	TWA: 0.3 ppm	-	TWA: 0.6 mg/m ³
50-00-0	STEL: 1 ppm	TWA: 0.37 mg/m ³	TWA: 0.37 mg/m ³		STEL: 0.6 mg/m ³
		ĺ	Ceiling / Peak: 0.6		b*
			ppm		
			Ceiling / Peak: 0.74		
			mg/m³		

EGHS / BE Page 5/15

Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1300 mg/m³	TWA: 200 ppm TWA: 270 mg/m³ H*	TWA: 100 ppm TWA: 130 mg/m³ Ceiling / Peak: 200 ppm Ceiling / Peak: 260 mg/m³ Skin	-	TWA: 260 mg/m ³ b*
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Diethylene glycol 111-46-6	TWA: 23 ppm TWA: 100 mg/m ³ STEL: 69 ppm STEL: 300 mg/m ³	-	-	TWA: 10 mg/m ³	-
Formaldehyde 50-00-0	TWA: 0.2 ppm STEL: 0.4 ppm	-	-	TWA: 0.5 mg/m ³	-
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ STEL: 600 ppm STEL: 780 mg/m³ Sk*	TWA: 200 ppm TWA: 260 mg/m³ pelle*	-	TWA: 200 ppm TWA: 260 mg/m ³	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Diethylene glycol 111-46-6	-	-	-	-	TWA: 10 mg/m ³
Formaldehyde 50-00-0	-	-	TWA: 0.15 mg/m ³ STEL: 0.5 mg/m ³	TWA: 0.5 ppm TWA: 0.6 mg/m ³ Ceiling: 1 ppm Ceiling: 1.2 mg/m ³	STEL: 0.74 mg/m ³ TWA: 0.37 mg/m ³
Methanol 67-56-1	-	,	TWA: 133 mg/m³ H*	TWA: 100 ppm TWA: 130 mg/m ³ STEL: 125 ppm STEL: 162.5 mg/m ³ H*	STEL: 300 mg/m ³ TWA: 100 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Diethylene glycol 111-46-6	-	TWA: 115 ppm TWA: 500 mg/m³ STEL: 184 ppm STEL: 800 mg/m³	TWA: 10 ppm TWA: 44 mg/m ³	TWA: 10 ppm TWA: 44 mg/m³ STEL: STEL ppm STEL: STEL mg/m³	-
Formaldehyde 50-00-0	Ceiling: 0.3 ppm	TWA: 1 ppm TWA: 1.2 mg/m³ STEL: 2 ppm STEL: 3 mg/m³	TWA: 0.3 ppm TWA: 0.37 mg/m ³	-	TWA: 0.3 ppm TWA: 0.37 mg/m ³ STEL: 0.6 ppm STEL: 0.74 mg/m ³
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm P*	TWA: 200 ppm TWA: 260 mg/m³ P*	TWA: 200 ppm TWA: 260 mg/m ³ K*	TWA: 200 ppm TWA: 260 mg/m³ STEL: STEL ppm STEL: STEL mg/m³ K*	TWA: 200 ppm TWA: 266 mg/m³ vía dérmica*
Chemical name	Sı	weden	Switzerland	Un	ited Kingdom
Diethylene glycol 111-46-6		-	TWA: 10 ppm TWA: 44 mg/m STEL: 40 ppm STEL: 176 mg/r	TV TW ST	NA: 23 ppm A: 101 mg/m³ 'EL: 69 ppm :L: 303 mg/m³
Formaldehyde 50-00-0		-	TWA: 0.3 ppm TWA: 0.37 mg/r STEL: 0.6 ppm STEL: 0.74 mg/r	n ³ TW n S m ³ STE	WA: 2 ppm A: 2.5 mg/m ³ TEL: 2 ppm EL: 2.5 mg/m ³
Methanol 67-56-1		-	TWA: 200 ppm TWA: 260 mg/n STEL: 800 ppn STEL: 1040 mg/ H*	n ³ TW n ST	VA: 200 ppm A: 266 mg/m³ EL: 250 ppm :L: 333 mg/m³ Sk*

Biological occupational exposure limits

EGHS / BE Page 6/15

Chemical name	Denmark	Finland	Fra	nce	Germany	Germany
Methanol 67-56-1	-	-	(Methano	urine I) - end of iift	30 mg/L - urii (Methanol) - er shift 30 mg/L - urii (Methanol) - i long-term exposures: at end of the shift several shift	ne for the after
Chemical name	Hungary	Irelan	d		Italy	Italy REL
Methanol 67-56-1	-	15 mg/L - (Methanol) - e			-	-
Chemical name	Slovenia	Spair)	Sw	itzerland	United Kingdom
Methanol 67-56-1	-	15			30	-

Derived No Effect Level (DNEL)
Predicted No Effect Concentration

No information available. No information available.

(PNEC)

8.2. Exposure controls

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourVaries

Odour No information available.
Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive

limits

No data available

Lower flammability or explosive No data available

limits

EGHS / BE Page 7/15

ERYTHROLYSE - #10212 Revision date 21-Feb-2022

No data available Flash point None known **Autoignition temperature** No data available None known **Decomposition temperature**

None known None known

pH (as aqueous solution) No data available No information available

No data available Kinematic viscosity None known Dynamic viscosity No data available None known No data available None known Water solubility None known Solubility(ies) No data available None known No data available **Partition coefficient** None known Vapour pressure No data available Relative density No data available None known

Bulk density No data available **Liquid Density** No data available No data available

Vapour density None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

10.5. Incompatible materials

Incompatible materials Acids. Bases. Oxidizing agent.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

EGHS / BE Page 8/15

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by

inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

Specific test data for the substance or mixture is not available. Corrosive. (based on Skin contact

> components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes. **Symptoms**

Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

912.40 mg/kg ATEmix (oral) ATEmix (dermal) 3,744.30 mg/kg ATEmix (inhalation-gas) 10,137.00 ppm ATEmix (inhalation-dust/mist) 5.50 mg/l ATEmix (inhalation-vapor) 2,065.40 mg/l

Unknown acute toxicity

21.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol	= 12565 mg/kg(Rat)	= 11890 mg/kg (Rabbit)	> 4600 mg/m³ (Rat) 4 h
Formaldehyde	= 100 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit) = 15800 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

Respiratory or skin sensitization May cause sensitization by skin contact.

Page 9/15

Germ cell mutagenicity

Contains a known or suspected mutagen. Classification based on data available for

ingredients. Suspected of causing genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Formaldehyde	Muta. 2

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	
Formaldehyde	Carc. 1B	

Reproductive toxicity

No information available.

STOT - single exposure

Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs if inhaled. May cause respiratory irritation.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Diethylene glycol	-	LC50: =75200mg/L (96h,	-	EC50: =84000mg/L (48h,
		Pimephales promelas)		Daphnia magna)
Formaldehyde	-	LC50: 0.032 - 0.226mL/L (96h, Oncorhynchus mykiss) LC50: 100 - 136mg/L (96h, Oncorhynchus	-	EC50: 11.3 - 18mg/L (48h, Daphnia magna) LC50: =2mg/L (48h, Daphnia magna)
		mykiss) LC50: 22.6 - 25.7mg/L		

EGHS / BE Page 10/15

	(96h, Pimephales		
	promelas)		
	LC50: 23.2 - 29.7mg/L		
	(96h, Pimephales		
	promelas)		
	LC50: =1510µg/L (96h,		
	Lepomis macrochirus)		
	LC50: =41mg/L (96h,		
	Brachydanio rerio)		
Methanol	- LC50: 13500 -	-	-
	17600mg/L (96h,		
	Lepomis macrochirus)		
	LC50: 18 - 20mL/L (96h,		
	Oncorhynchus mykiss)		
	LC50: 19500 -		
	20700mg/L (96h,		
	Oncorhynchus mykiss)		
	LC50: =28200mg/L (96h,		
	Pimephales promelas)		
	LC50: >100mg/L (96h,		
	Pimephales promelas)		

12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component information					
Chemical name	Partition coefficient				
Diethylene glycol	-1.98				
Formaldehyde	0.35				
Methanol	-0.77				

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Diethylene glycol	The substance is not PBT / vPvB PBT assessment does
	not apply
Formaldehyde	The substance is not PBT / vPvB PBT assessment does
	not apply
Methanol	The substance is not PBT / vPvB PBT assessment does
	not apply Further information relevant for the PBT
	assessment is necessary

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

EGHS / BE Page 11/15

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1UN number or ID numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

IMDG

14.1UN number or ID numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

14.7 Maritime transport in bulk No information available according to IMO instruments

RID

14.1UN numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

ADR

14.1 UN number or ID numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Diethylene glycol 111-46-6	RG 84	-
Formaldehyde	RG 43	-

EGHS / BE Page 12/15

50-00-0		
Methanol	RG 84	-
67-56-1		

Germany

Water hazard class (WGK) strongly hazardous to water (WGK 3)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

the product contains one or more eastance(e) easter to rection in (regulation (20) not rect/2000 (n2/10/1); runiox xxxii)		
Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Formaldehyde - 50-00-0	72.	-
-	28.	
Methanol - 67-56-1	69.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

H3 - STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Formaldehyde - 50-00-0	5	50
Methanol - 67-56-1	500	5000

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

<u>International Inventories</u> Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

EGHS / BE Page 13/15

H350 - May cause cancer

H370 - Causes damage to organs

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Note Significant changes throughout SDS. Review all sections

Revision date 21-Feb-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

EGHS / BE Page 14/15

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

EGHS / BE Page 15/15