

SAFETY DATA SHEET

1st and 2nd Floor, Lumpini 1 Building

239/2, Rajdamri Road, Lumpini,

Pathumwan, Bangkok 10330

Thailand

This safety data sheet complies with the requirements of: SS586: 2008 (2014)

Revision date 11-Jun-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name Lyphochek Urine Metals Control, Level 2

Other means of identification

Catalogue Number(s) 405

Pure substance/mixture Mixture

Contains Trichloroacetic acid. Phenol

Recommended use of the chemical and restrictions on use

Recommended use In vitro diagnostic

Uses advised against No information available

Details of the supplier of the safety data sheet

Corporate HeadquartersManufacturerLegal Entity / Contact AddressBio-Rad Laboratories Inc.Bio-Rad Laboratories Inc.Bio-Rad Laboratories Ltd.

Bio-Rad Laboratories Inc.

Bio-Rad Laboratories Inc.

Bio-Rad Laboratories Inc.

9500 Jeronimo Road

Hercules, CA 94547

Irvine, California 92618

USA USA

For further information, please contact

Technical Service +66 2 652 8313

ctsthailand@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Singapore: 65-31581349

SECTION 2: Hazards identification

GHS Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2
Specific target organ toxicity — single exposure	Category 3
Chronic aquatic toxicity	Category 2

Label elements

SGPE / BE Page 1/15



Signal word Danger

Hazard statements

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Avoid breathing dust/fume/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

If skin irritation occurs: Get medical advice/attention

Take off all contaminated clothing and wash it before reuse

IF ON SKIN: Wash with plenty of water and soap

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTRE or doctor Call a POISON CENTRE or doctor if you feel unwell

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Rinse mouth

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Collect spillage

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	EC No	CAS No	Weight-%
Trichloroacetic acid	200-927-2	76-03-9	2.5 - 5
Phenol	203-632-7	108-95-2	1 - 2.5
Sodium fluoride	231-667-8	7681-49-4	0.3 - 0.999

Zinc sulfate, monohydrate	•	7446-19-7	0.01 - 0.099
Arsenic acid (H3AsO4),	-	10048-95-0	0.01 - 0.099
disodium salt, heptahydrate			
Selenium dioxide	231-194-7	7446-08-4	0.001 - 0.01
Thallium(I) acetate	209-257-5	563-68-8	0.001 - 0.01
Mercury chloride (HgCl2)	231-299-8	7487-94-7	0.001 - 0.01
Lead chloride (PbCl2)	231-845-5	7758-95-4	0.001 - 0.01
Copper(2+) chloride dihydrate	-	10125-13-0	0.001 - 0.01
Aluminum nitrate nonahydrate	-	7784-27-2	0.001 - 0.01
Pentachlorophenol	201-778-6	87-86-5	< 0.001
Nickel(II) sulfate hexahydrate	-	10101-97-0	< 0.001
(1:1:6)			
Cobalt(II) sulfate (1:1),	-	10026-24-1	< 0.001
heptahydrate			
Chromium(III) chloride	-	10060-12-5	< 0.001
hexahydrate			
Cadmium chloride	233-296-7	10108-64-2	< 0.001
Antimonate(2-),	-	28300-74-5	< 0.001
bis[.mu(2,3-dihydroxybutanedi			
oato(4-)-O1,O2:O3,O4)]di-,			
dipotassium, trihydrate,			
stereoisomer			

Non-hazardous Proprietary Balance

ingredients

SECTION 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. Contains components derived from human urine.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or

concerned: Get medical advice/attention.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a doctor.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

For emergency responders

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Indication of any immediate medical attention and special treatment needed

Note to doctors Contains human source material and / or potentially infectious components.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

None known.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautionsAvoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Do not allow into any sewer, on the ground or into any body of water.

Methods for cleaning up Clean contaminated surface thoroughly. Use:. Disinfectant.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash it before reuse. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient

ventilation, wear suitable respiratory equipment.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Follow universal and standard precautions for

handling potentially infectious materials.

Conditions for safe storage, including any incompatibilities

SGPE / BE Page 4/15

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up. Store according to product and label instructions.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical name	Singapore	ACGIH TLV
Trichloroacetic acid	PEL: 1 ppm	TWA: 0.5 ppm
76-03-9	PEL: 6.7 mg/m ³	
Phenol	PEL: 5 ppm	TWA: 5 ppm
108-95-2	PEL: 19 mg/m ³	S*
Sodium fluoride	PEL: 2.5 mg/m ³	TWA: 2.5 mg/m ³ F
7681-49-4		
Arsenic acid (H3AsO4), disodium salt, heptahydrate 10048-95-0	PEL: 0.01 mg/m ³	TWA: 0.01 mg/m ³ As
Selenium dioxide 7446-08-4	PEL: 0.2 mg/m ³	TWA: 0.2 mg/m ³ Se
Thallium(I) acetate 563-68-8	PEL: 0.1 mg/m ³	TWA: 0.02 mg/m³ Tl inhalable particulate matter S*
Mercury chloride (HgCl2) 7487-94-7	PEL: 0.025 mg/m ³	TWA: 0.025 mg/m³ Hg S*
Lead chloride (PbCl2) 7758-95-4	PEL: 0.15 mg/m ³	TWA: 0.05 mg/m ³ Pb
Copper(2+) chloride dihydrate 10125-13-0		TWA: 1 mg/m ³ Cu dust and mist
Aluminum nitrate nonahydrate 7784-27-2	PEL: 2 mg/m ³	No data available
Pentachlorophenol 87-86-5	PEL: 0.5 mg/m ³	STEL: 1 mg/m³ inhalable fraction and vapor TWA: 0.5 mg/m³ inhalable fraction and vapor S*
Nickel(II) sulfate hexahydrate (1:1:6) 10101-97-0	PEL: 0.1 mg/m ³	TWA: 0.1 mg/m³ Ni inhalable particulate matter
Cobalt(II) sulfate (1:1), heptahydrate 10026-24-1	PEL: 0.02 mg/m ³	TWA: 0.02 mg/m³ Co inhalable particulate matter
Chromium(III) chloride hexahydrate 10060-12-5	PEL: 0.5 mg/m ³	No data available
Cadmium chloride 10108-64-2	PEL: 0.002 mg/m ³	TWA: 0.01 mg/m³ Cd TWA: 0.002 mg/m³ Cd respirable particulate matter
Antimonate(2-), bis[.mu(2,3-dihydroxybutanedioato(4-)-O1,O2:O3, O4)]di-, dipotassium, trihydrate, stereoisomer 28300-74-5	PEL: 0.5 mg/m ³	TWA: 0.5 mg/m³ Sb

Biological occupational exposure limits

Chemical name	Singapore	ACGIH
Phenol	No data available	250 mg/g creatinine - urine (Phenol
108-95-2		with hydrolysis) - end of shift
Sodium fluoride	No data available	2 mg/L - urine (Fluoride) - prior to shift
7681-49-4		3 mg/L - urine (Fluoride) - end of shift
Mercury chloride (HgCl2)	50 μg/L - urine (Mercury) -	35 µg/g creatinine - urine (Total
7487-94-7		inorganic mercury) - prior to shift

SGPE / BE Page 5/15

		15 μg/L - blood (Total inorganic mercury) - end of shift at end of workweek
Lead chloride (PbCl2) 7758-95-4	11 g/dL - blood (Hb) - 10 g/dL - blood (Hb) - 50 µg/dL - blood (Lead) - 30 µg/dL - blood (Lead) -	200 μg/L - blood (Lead) - not critical
Pentachlorophenol 87-86-5	No data available	 urine (Pentachlorophenol with hydrolysis) - prior to last shift of workweek
Cobalt(II) sulfate (1:1), heptahydrate 10026-24-1	No data available	15 μg/L - urine (Cobalt) - end of shift at end of workweek
Cadmium chloride 10108-64-2	No data available	5 μg/g creatinine - urine (Cadmium) - not critical 5 μg/L - blood (Cadmium) - not critical

Appropriate engineering controls

Engineering controls Showers

> **Eyewash stations** Ventilation systems.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin and body protection Wear suitable protective clothing.

Wear suitable gloves. Impervious gloves. **Hand protection**

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid

Appearance powder or cake, lyophilised

Colour yellow Odour Slight.

Odour threshold No information available

Remarks • Method **Property** <u>Values</u>

4.9-5.1 pН Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known None known

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available None known Vapour density No data available None known No data available Relative density None known

Water solubility Soluble in water

Solubility(ies) No data available None known

SGPE / BE Page 6/15

Revision date 11-Jun-2021

None known

None known

No data available

No data available

Partition coefficient **Autoignition temperature**

Decomposition temperature

Kinematic viscosity Dynamic viscosity Not applicable **Explosive properties Oxidising properties** Not applicable

None known No data available None known No data available None known

Other information No information available

SECTION 10: Stability and reactivity

Reactivity

No information available. Reactivity

Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidising agents. Incompatible materials

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. May cause irreversible damage to eyes. (based on components).

Specific test data for the substance or mixture is not available. Causes skin irritation. (based Skin contact

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Redness. Burning. May cause blindness. May cause redness and tearing of the eyes. **Symptoms**

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,511.20 mg/kg
ATEmix (dermal) 8,669.70 mg/kg
ATEmix (inhalation-dust/mist) 11.90 mg/l

67.999 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trichloroacetic acid	= 3320 mg/kg (Rat)	> 2000 mg/kg (Rat)	
Phenol	= 340 mg/kg (Rat) = 317 mg/kg (Rat)	= 630 mg/kg (Rabbit)	= 316 mg/m³ (Rat) 4 h
Sodium fluoride	= 52 mg/kg(Rat)	= 175 mg/kg (Rat)	
Selenium dioxide	= 48 mg/kg (Rat) = 68.1 mg/kg (Rat)	= 4 mg/kg (Rabbit)	
Mercury chloride (HgCl2)	= 1 mg/kg (Rat)	= 41 mg/kg (Rabbit) = 41 mg/kg (Rat)	
Thallium(I) acetate	= 41.3 mg/kg (Rat)		
Lead chloride (PbCl2)	> 1947 mg/kg (Rat)		
Cobalt(II) sulfate (1:1), heptahydrate	= 582 mg/kg (Rat)		
Antimonate(2-), bis[.mu(2,3-dihydroxybutanedi oato(4-)-O1,O2:O3,O4)]di-, dipotassium, trihydrate, stereoisomer	= 115 mg/kg(Rat)		
Chromium(III) chloride hexahydrate	= 1790 mg/kg (Rat)		
Nickel(II) sulfate hexahydrate (1:1:6)	= 264 mg/kg (Rat)		
Cadmium chloride	= 88 mg/kg (Rat)		
Acetic acid, manganese(2+) salt, tetrahydrate	= 3730 mg/kg (Rat)		
Pentachlorophenol	= 27 mg/kg (Rat)	= 40 mg/kg (Rabbit) = 26 mg/kg (Rat)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Product Information	
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.
Product Information	
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.

SGPE / BE Page 8/15

Product Information

Germ cell mutagenicity

Contains a known or suspected mutagen. Classification based on data available for ingredients. Suspected of causing genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Product Information	
Chemical name	European Union
Phenol	Muta. 2
Mercury chloride (HgCl2)	Muta. 2
Cadmium chloride	Muta. 1B

Carcinogenicity Based on available data, the classification criteria are not met.

Product Information	
Chemical name	European Union
Arsenic acid (H3AsO4), disodium salt, heptahydrate	Carc. 1A
Pentachlorophenol	Carc. 2
Cadmium chloride	Carc. 1B

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product Information	
Chemical name	European Union
Mercury chloride (HgCl2)	Repr. 2
Lead chloride (PbCl2)	Repr. 1A
Cadmium chloride	Repr. 1B

STOT - single exposure May cause respiratory irritation.

Product Information

STOT - repeated exposure	Based on available data, the classification criteria are not met.
Product Information	

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Phenol	EC50: 0.0188 - 0.1044mg/L	LC50: 11.9 - 25.3mg/L (96h,	EC50: 10.2 - 15.5mg/L (48h,
	(96h, Pseudokirchneriella	Lepomis macrochirus)	Daphnia magna)
	subcapitata)	LC50: 11.9 - 50.5mg/L (96h,	EC50: 4.24 - 10.7mg/L (48h,
	EC50: 187 - 279mg/L (72h,	Pimephales promelas)	Daphnia magna)
	Desmodesmus subspicatus)	LC50: 20.5 - 25.6mg/L (96h,	
	EC50: =46.42mg/L (96h,	Pimephales promelas)	
	Pseudokirchneriella	LC50: 23.4 - 36.6mg/L (96h,	
	subcapitata)	Oryzias latipes)	
		LC50: 33.9 - 43.3mg/L (96h,	
		Oryzias latipes)	
		LC50: 34.09 - 47.64mg/L (96h,	
		Poecilia reticulata)	
		LC50: 4.23 - 7.49mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 5.0 - 12.0mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 5.449 - 6.789mg/L (96h,	

SGPE / BE Page 9/15

		Oncorhynchus mykiss)	
		LC50: 7.5 - 14mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: =0.00175mg/L (96h,	
		Cyprinus carpio)	
		LC50: =11.5mg/L (96h, Lepomis	
		macrochirus)	
		LC50: =13.5mg/L (96h, Lepomis	
		macrochirus)	
		LC50: =27.8mg/L (96h,	
		,	
		Brachydanio rerio)	
		LC50: =31mg/L (96h, Poecilia	
		reticulata)	
		LC50: =32mg/L (96h,	
		Pimephales promelas)	
Sodium fluoride	EC50: =272mg/L (96h,	LC50: 38 - 68mg/L (96h,	EC50: =338mg/L (48h, Daphnia
	Pseudokirchneriella	Oncorhynchus mykiss)	magna)
	subcapitata)	LC50: =180mg/L (96h,	EC50: =98mg/L (48h, Daphnia
	EC50: =850mg/L (72h,	Pimephales promelas)	magna)
	Desmodesmus subspicatus)	LC50: =830mg/L (96h, Lepomis	
		macrochirus)	
		LC50: >530mg/L (96h, Lepomis	
		macrochirus)	
Mercury chloride (HgCl2)	-	LC50: 0.014 - 0.019mg/L (96h,	EC50: =0.0015mg/L (48h,
moreary emends (rigeiz)		Oncorhynchus mykiss)	Daphnia magna)
		LC50: 0.02 - 0.26mg/L (96h,	EC50: >0.012mg/L (48h,
		Cyprinus carpio)	Daphnia magna)
		LC50: 0.096 - 0.133mg/L (96h,	Daprina magna)
		Lepomis macrochirus)	
		LC50: 0.1 - 0.182mg/L (96h,	
		Pimephales promelas)	
		LC50: 0.13 - 0.19mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 5.933 - 10.34mg/L (96h,	
		Poecilia reticulata)	
		LC50: =0.041mg/L (96h,	
		Poecilia reticulata)	
		LC50: =0.155mg/L (96h,	
		Pimephales promelas)	
		LC50: =0.4mg/L (96h, Lepomis	
		macrochirus)	
		LC50: =4.425mg/L (96h,	
		Cyprinus carpio)	
Pentachlorophenol	EC50: 0.005 - 0.3mg/L (96h,	LC50: 0.031 - 0.038mg/L (96h,	EC50: 0.138 - 0.307mg/L (48h,
•	Pseudokirchneriella	Oncorhynchus mykiss)	Daphnia magna)
	subcapitata)	LC50: 0.079 - 0.187mg/L (96h,	
	EC50: =0.1mg/L (72h,	Pimephales promelas)	
	Pseudokirchneriella	LC50: 0.102 - 0.128mg/L (96h,	
	subcapitata)	Oncorhynchus mykiss)	
	EC50: =0.183mg/L (72h,	LC50: 0.103 - 0.129mg/L (96h,	
	Desmodesmus subspicatus)	Lepomis macrochirus)	
		LC50: 0.11 - 0.49mg/L (96h,	
		Pimephales promelas)	
		LC50: 0.170 - 0.3mg/L (96h,	
		Oryzias latipes)	
		LC50: =0.36mg/L (96h, Poecilia	
Codesium ablantata	FOED: 2.7mm/l (00h Obles !!	reticulata)	FCF0: 0.040, 0.054// (40)
Cadmium chloride	EC50: =3.7mg/L (96h, Chlorella	LC50: =0.0409mg/L (96h,	EC50: 0.012 - 0.054mg/L (48h, Daphnia magna)
	vulgaris)	Pimephales promelas)	

Persistence and degradability

Revision date 11-Jun-2021

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
Phenol	1.5
Pentachlorophenol	5.01

Mobility

Mobility in soil No information available.

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Trichloroacetic acid	The substance is not PBT / vPvB
Phenol	The substance is not PBT / vPvB
Sodium fluoride	The substance is not PBT / vPvB PBT assessment does
	not apply
Zinc sulfate, monohydrate	The substance is not PBT / vPvB
Selenium dioxide	PBT assessment does not apply
Lead chloride (PbCl2)	PBT assessment does not apply
Copper(2+) chloride dihydrate	The substance is not PBT / vPvB
Aluminum nitrate nonahydrate	PBT assessment does not apply
Chromium(III) chloride hexahydrate	The substance is not PBT / vPvB PBT assessment does
	not apply
Cadmium chloride	PBT assessment does not apply

Other adverse effects

Other adverse effects No information available

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disrupters - Evaluated Substances	Endocrine disrupting potential
Pentachlorophenol	Group III Chemical	-	-

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

ADR Not regulated

IMDG Not regulated

Transport in bulk according to No information available

Annex II of MARPOL and the IBC

Code

products

IATA Not regulated

UN number or ID number 1759

SGPE / BE Page 11/15

Packing group

Ш

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Singapore

Environmental Protection and Management (Hazardous Substances) Regulations

Verify that licence requirements are met.

Chemical name	Hazardous Substances	transport
Phenol	Exclusions: 1. Preparations containing	500kg
	<1%, weight in weight, of Phenols. 2.	
	Phenols which are intended for the	
	treatment of human ailments and other	
	medical purposes. 3. Soaps for	
	washing. 4. Tar, coal or wood, crude	
	or refined	
Sodium fluoride	Exclusions: 1. Substances containing	
	<=3%, weight in weight, of Sodium	
	fluoride or Sodium silicofluoride as a	
	preservative. 2. Substances containing	
	Sodium fluoride intended for the	
A : :1/(10A OA)	treatment of human ailments	501
Arsenic acid (H3AsO4), disodium salt, heptahydrate		50kg
Thallium(I) acetate	Present	21
Mercury chloride (HgCl2)	Exclusions: 1. controlled EEE	0kg
	containing Mercury <=0.1% maximum	
	concentration value by weight of	
	homogeneous material in controlled	
	EEE. 2. Cold cathode fluorescent lamp	
	or external electrode fluorescent lamp,	
	used for purposes other than general	
	lighting, that (a) is <=500 mm long and contains <=3.5 mg of Mercury; (b) is	
	>500 mm long but <=1500 mm long	
	and contains <=5 mg of mercury; or	
	(b) >1500 mm long and contains <=13	
	mg of mercury	
	Present	
	Exclusions: Batteries (including those	
	in button form) containing not more	
	than 0.0005% by weight of mercury	
	per cell.	
Lead chloride (PbCl2)	Exclusions: 1. controlled EEE	
	containing Lead <=0.1% maximum	
	concentration value by weight of	
	homogeneous material in controlled	
	EEE. 2. Lead in glass of cathode ray	
	tube. 3. Lead <=0.2% by weight, in	
	glass of fluorescent tube. 4. Lead	
	<=0.35% by weight, as an alloying	
	element in steel for machining	
	purposes or galvanised steel. 5. Lead	
	<=0.4% by weight, as an alloying	
	element in aluminium. 6. Lead <=4%	
	by weight, in copper alloy. 7. Lead in	
	high melting temperature type solder	
	(that is, lead-based alloy containing	

SGPE / BE Page 12/15

>=85% lead by weight). 8. Electrical and electronic component containing Lead in (a) glass or ceramic (other than dielectric ceramic in capacitor); or (b) glass or ceramic matrix compound. 9. Lead in dielectric ceramic in capacitor for rated voltage of >=125 V AC, 250 V DC. 10. Lead in bearing shell or bush for refrigerant-containing compressor for heating, ventilation, air conditioning or refrigeration application. 11. Lead in white glass for optical application. 12. Lead in filter glass or glass used for reflectance standards, 13. Lead in printing ink for the application of enamel on glass. 14 Lead in solder for (a) completing viable electrical connection between semiconductor die and carrier within integrated circuit flip chip package; (b) soldering to machined-through hole discoidal or planar array ceramic multilayer capacitor; (c) soldering thin copper wire (with diameter <= 100 µm) in power transformer. 15. Lead in soldering materials in mercury-free flat fluorescent lamp. 16. Lead oxide in surface conduction electron emitter display used in structural element. 17. Lead bound in crystal glass. 18. Lead in cermet-based trimmer potentiometer element. 18. Lead in plating layer of high-voltage diode on base of zinc borate glass body Exclusions: 1. Lead compounds in paint in which the Lead content is <=0.06% by weight of the paint. 2. Lead compounds in paint in which the container is affixed with an appropriate label, 3. The labels to be used for paints containing Lead compounds are in accordance with Part IV of the Second Schedule Pentachlorophenol Exclusions: Substances containing <=1%, weight in weight, of Chlorophenols Cadmium chloride Exclusions: 1, controlled EEE containing Cadmium <=0.01% maximum concentration value by weight of homogeneous material in controlled EEE. 2. Cadmium and its compounds in electrical contact. 3. Cadmium in filter glass or glass used for reflectance standards. 4. Cadmium in printing ink for the application of enamel on glass. 5. Cadmium alloy as electrical or mechanical solder joint to electrical conductor located directly on voice coil in transducer used in high-powered loudspeaker with sound pressure level of >=100 dB (A). 6. Cadmium and cadmium oxide in thick

film paste used on aluminium bonded	
beryllium oxide	

Environmental Public Health Act

Dispose of waste product or used containers according to local regulations.

Hazardous Waste (Control of Export, Import and Transit) Act

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Poison

Verify that licence requirements are met Verify that requirements related to using, handling, and storing substances subject to prohibition, authorisation or restriction are met

prombition, authorisation of restriction are met		
Chemical name	Poison	Poison Schedule Number
Phenol	X	Second schedule
		Fourth schedule
Sodium fluoride	X	First schedule
		Second schedule
		Third schedule
Arsenic acid (H3AsO4), disodium salt, heptahydrate	X	
Thallium(I) acetate	X	First schedule
		Sixth schedule
Lead chloride (PbCl2)		Second schedule
,		Fourth schedule

Strategic Goods (Control) Act

Verify that requirements related to using, handling, and storing substances subject to prohibition, authorisation or restriction are met.

Chemical name	Strategic Goods (Control) Act
Sodium fluoride	1C350

Workplace Safety and Health Act

See section 8 for national exposure control parameters. Comply with the health and safety at work laws.

Pre-employment screening and appropriate health surveillance

Chemical name	Pre-employment screening and appropriate health surveillance
Arsenic acid (H3AsO4), disodium salt, heptahydrate	X
- 10048-95-0	
Mercury chloride (HgCl2) - 7487-94-7	X
Lead chloride (PbCl2) - 7758-95-4	X
Cadmium chloride - 10108-64-2	X

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants

Chemical name	Annex
Pentachlorophenol - 87-86-5	A

The Rotterdam Convention

Chemical name	Chemicals Subject to Prior Informed Consent (PIC)
Mercury chloride (HgCl2) - 7487-94-7	Rotterdam
Pentachlorophenol - 87-86-5	Rotterdam

International Inventories

Contact supplier for inventory compliance status

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Label elements

P264 - Wash face, hands and any exposed skin thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P310 - Immediately call a POISON CENTER or doctor

P391 - Collect spillage

Issuing Date Bio-Rad Laboratories, Environmental Health and Safety

Revision date 11-Jun-2021

Revision Note Significant changes throughout SDS. Review all sections.

This safety data sheet complies with the requirements of: SS586: 2008 (2014)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet