

# SAFETY DATA SHEET

**Legal Entity / Contact Address** 

Bio-Rad Laboratories Pty Ltd

Level 5

Australia

446 Victoria Road,

Gladesville NSW 2111

**According to WHS Regulations** 

Revision date 21-Feb-2022 Revision Number 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product Name ERYTHROLYSE - #10212

Other means of identification

Safety data sheet number 10212

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

**Recommended use** For research use only

Uses advised against No information available

**Details of manufacturer or importer** 

Corporate Headquarters
Bio-Rad Laboratories Inc.
1000 Alfred Nobel Drive
Hercules, CA 94547

USA

Manufacturer Bio-Rad

Endeavour House Langford Business Park

Kidlington Oxford OX5 1GE United Kingdom

e-mail:

antibody\_safetydatasheets@bio-rad.com

For further information, please contact

**Technical Service** +61 2 9914 2800 or 1800 224 354

sales. australia@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Australia: 61-290372994

Emergency telephone number No information available

## **SECTION 2: Hazards identification**

## GHS Classification

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Gases)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1 - (H317)
Germ cell mutagenicity	Category 2 - (H341)
Carcinogenicity	Category 1A - (H350)
Specific target organ toxicity — single exposure	Category 1 Category 3 - (H370,

UGHS / BE Page 1/11

H335)

### Label elements

Exclamation mark Health hazard Corrosion



## Signal word

Danger

#### **Hazard statements**

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H370 - Causes damage to organs

### **Precautionary Statements - Prevention**

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapours/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

### Other hazards which do not result in classification

May be harmful in contact with skin Harmful to aquatic life

## **SECTION 3: Composition/information on ingredients**

### Substance

Not applicable

#### Mixture

JGHS / BE Page 2/11

Chemical name	CAS No	Weight-%
Diethylene glycol	111-46-6	20 - 35
Formaldehyde	50-00-0	5 - 10
Methanol	67-56-1	1 - 2.5
Sodium phosphate dibasic	7558-79-4	0.01 - 0.099
Non-hazardous ingredients	Proprietary	Balance

## **SECTION 4: First aid measures**

### **Description of first aid measures**

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

**Emergency telephone number** Poisons Information Centre, Australia: 13 11 26

Poisons Information Centre, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin

reaction.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours or mists. Use personal protective equipment as required. See

section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in

breathing.

Indication of any immediate medical attention and special treatment needed

**Note to doctors** Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitisation in

susceptible persons. Treat symptomatically.

### **SECTION 5: Firefighting measures**

**Suitable Extinguishing Media** 

JGHS / BE Page 3/11

**ERYTHROLYSE - #10212** Revision date 21-Feb-2022

Use extinguishing measures that are appropriate to local circumstances and the Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours. Product is or contains a sensitiser. May

cause sensitisation by skin contact.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

### SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate Personal precautions

ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapours or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Should not be released into the **Environmental precautions** 

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labelled containers. Methods for cleaning up

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

## SECTION 7: Handling and storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Advice on safe handling

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Remove contaminated clothing and shoes. Avoid

breathing vapours or mists.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do General hygiene considerations

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is

Page 4/11

ERYTHROLYSE - #10212 Revision date 21-Feb-2022

recommended. Wash hands before breaks and immediately after handling the product.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Protect from moisture. Store locked up. Store away from other materials. Store

according to product and label instructions.

Incompatible materials Acids. Bases. Oxidising agent.

## SECTION 8: Exposure controls/personal protection

### **Control parameters**

### **Exposure Limits**

Chemical name	Australia	ACGIH TLV
Diethylene glycol	23 ppm	
111-46-6	100 mg/m <sup>3</sup>	
Formaldehyde	1 ppm	STEL: 0.3 ppm
50-00-0	1.2 mg/m <sup>3</sup>	TWA: 0.1 ppm
	2 ppm STEL	
	2.5 mg/m <sup>3</sup> STEL	
Methanol	200 ppm	STEL: 250 ppm
67-56-1	262 mg/m <sup>3</sup>	TWA: 200 ppm
	250 ppm STEL	S*
	328 mg/m <sup>3</sup> STEL	

## **Biological occupational exposure limits**

Chemical name	Australia	ACGIH
Methanol	-	15 mg/L - urine (Methanol) - end of
67-56-1		shift

### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

UGHS / BE Page 5/11

Physical stateLiquidAppearanceLiquidColourVaries

Odour No information available.
Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

None known pН Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapour pressure Vapour density No data available None known Relative density No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known Kinematic viscosity No data available None known None known

Dynamic viscosityNo data availableExplosive propertiesNot applicableOxidising propertiesNot applicable

Other information

Molecular weight Not applicable VOC Content (%) Not applicable

## SECTION 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** 

**Conditions to avoid** Exposure to air or moisture over prolonged periods. Excessive heat.

**Incompatible materials** 

Incompatible materials Acids. Bases. Oxidising agent.

UGHS / BE Page 6/11

ERYTHROLYSE - #10212 Revision date 21-Feb-2022

### **Hazardous decomposition products**

Hazardous decomposition products None known based on information supplied.

## SECTION 11: Toxicological information

### **Acute toxicity**

### Information on likely routes of exposure

### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by

inhalation.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May be

harmful in contact with skin.

**Ingestion** Specific test data for the substance or mixture is not available Causes burns (based on

components) Ingestion causes burns of the upper digestive and respiratory tracts May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking May cause lung

damage if swallowed May be fatal if swallowed and enters airways

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

### Numerical measures of toxicity - Product Information

### The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 912.40 mg/kg

 ATEmix (dermal)
 3,744.30 mg/kg

 ATEmix (inhalation-gas)
 10,137.00 mg/l

 ATEmix (inhalation-vapour)
 2,065.40 mg/l

 ATEmix (inhalation-dust/mist)
 5.50 mg/l

### Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

21.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

**Component Information** 

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
	Diethylene glycol	= 12565 mg/kg (Rat)	= 11890 mg/kg ( Rabbit )	> 4600 mg/m³ (Rat) 4 h
Formaldehyde = 100 mg/kg ( Rat )		= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h	
	Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h

JGHS / BE Page 7/11

		= 15800 mg/kg (Rabbit)	= 64000 ppm (Rat) 4 h
Sodium phosphate dibasic	= 17 g/kg(Rat)	-	-

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

**Respiratory or skin sensitisation** May cause sensitisation by skin contact.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for

ingredients. Suspected of causing genetic defects.

Carcinogenicity None known. No information available. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia
Formaldehyde - 50-00-0	Carc. 1B

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs if inhaled. May cause

respiratory irritation.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

**Ecotoxicity** 

**Ecotoxicity** Harmful to aquatic life.

**Unknown aquatic toxicity** 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Diethylene glycol	-	LC50: =75200mg/L (96h,	-	EC50: =84000mg/L (48h,
		Pimephales promelas)		Daphnia magna)
Formaldehyde	-	LC50: 0.032 - 0.226mL/L	-	EC50: 11.3 - 18mg/L
		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss)		LC50: =2mg/L (48h,
		LC50: 100 - 136mg/L		Daphnia magna)
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 22.6 - 25.7mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: 23.2 - 29.7mg/L		
		(96h, Pimephales		
		promelas)		

JGHS / BE Page 8/11

	LC50: =1510µg/L (96h, Lepomis macrochirus) LC50: =41mg/L (96h, Brachydanio rerio)
Methanol	LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Diethylene glycol	-1.98
Formaldehyde	0.35
Methanol	-0.77

**Mobility** 

**Mobility in soil** No information available.

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

## **SECTION 13: Disposal considerations**

Waste treatment methods

Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with

**products** environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**SECTION 14: Transport information** 

ADG Not regulated

IATA Not regulated

**IMDG** Not regulated

UGHS / BE Page 9/11

### Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

## **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulations**

#### Australia

See section 8 for national exposure control parameters

### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

## Major hazard (accident/incident planning) regulation

Verify that licence requirements are met

Named hazardous chemicals

Chemical name	Threshold quantity (T)
Formaldehyde - 50-00-0	50 tonne TQ >90%

### National pollutant inventory

Subject to reporting requirement

Subject to reporting requirement	
Chemical name	National pollutant inventory
Diethylene glycol - 111-46-6	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total
Formaldehyde - 50-00-0	10 tonne/yr Threshold category 1
Methanol - 67-56-1	10 tonne/yr Threshold category 1

### Banned and/or restricted

This product contains one or more substance(s) subject to prohibition, authorisation or restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorisation or restriction are met.

to doing, thandaining, and storing substances subject to promisition, administration of restriction are moti.		
Chemical name	Carcinogen	Restricted substance
Methanol - 67-56-1		For spray painting at a concentration
		of >1% by volume

### **International Inventories**

Contact supplier for inventory compliance status

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## **SECTION 16: Other information**

Prepared By Bio-Rad Laboratories, Environmental Health and Safety

UGHS / BE Page 10 / 11

**ERYTHROLYSE - #10212** Revision date 21-Feb-2022

Revision date 21-Feb-2022

**Revision Note** Significant changes throughout SDS. Review all sections.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL

Ceiling Maximum limit value Skin designation

Carcinogen

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

Page 11/11