

SAFETY DATA SHEET

1st and 2nd Floor, Lumpini 1 Building 239/2, Rajdamri Road, Lumpini,

Pathumwan, Bangkok 10330

Thailand

This safety data sheet complies with the requirements of: SS586: 2008 (2014)

Revision date 11-Jun-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name Lyphochek Urine Metals Control, Level 1

Other means of identification

Catalogue Number(s) 400

Pure substance/mixture Mixture

Contains Trichloroacetic acid

Recommended use of the chemical and restrictions on use

Recommended use In vitro diagnostic

Uses advised against No information available

Details of the supplier of the safety data sheet

Corporate HeadquartersManufacturerLegal Entity / Contact AddressBio-Rad Laboratories Inc.Bio-Rad Laboratories Inc.Bio-Rad Laboratories Ltd.

Bio-Rad Laboratories Inc.

1000 Alfred Nobel Drive

Hercules, CA 94547

Bio-Rad Laboratories Inc.

9500 Jeronimo Road

Irvine, California 92618

USA USA

For further information, please contact

Technical Service +66 2 652 8313

ctsthailand@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Singapore: 65-31581349

SECTION 2: Hazards identification

GHS Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity — single exposure	Category 3

Label elements

SGPE / BE Page 1/15

(!)

Signal word Warning

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label)

If skin irritation occurs: Get medical advice/attention

Take off all contaminated clothing and wash it before reuse

IF ON SKIN: Wash with plenty of water and soap

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention Call a POISON CENTRE or doctor if you feel unwell

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	EC No	CAS No	Weight-%
Trichloroacetic acid	200-927-2	76-03-9	1 - 2.5
Phenol	203-632-7	108-95-2	0.3 - 0.999
Sodium fluoride	231-667-8	7681-49-4	0.1 - 0.299
Zinc sulfate, monohydrate	-	7446-19-7	0.01 - 0.099
Arsenic acid (H3AsO4), disodium salt, heptahydrate	-	10048-95-0	0.01 - 0.099
Selenium dioxide	231-194-7	7446-08-4	0.001 - 0.01
Mercury chloride (HgCl2)	231-299-8	7487-94-7	0.001 - 0.01
Aluminum nitrate nonahydrate	-	7784-27-2	0.001 - 0.01
Thallium(I) acetate	209-257-5	563-68-8	< 0.001
Pentachlorophenol	201-778-6	87-86-5	< 0.001
Lead chloride (PbCl2)	231-845-5	7758-95-4	< 0.001
Cobalt(II) sulfate (1:1),	-	10026-24-1	< 0.001

SGPE / BE Page 2/15

heptahydrate			
Cadmium chloride	233-296-7	10108-64-2	< 0.001
Antimonate(2-),	-	28300-74-5	< 0.001
bis[.mu(2,3-dihydroxybutanedi			
oato(4-)-O1,O2:O3,O4)]di-,			
dipotassium, trihydrate,			ļ
stereoisomer			ļ

Non-hazardous Proprietary Balance

ingredients

SECTION 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Contains components derived from

human urine.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical

attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a doctor.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

For emergency responders

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Indication of any immediate medical attention and special treatment needed

Note to doctorsContains human source material and / or potentially infectious components.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the None known.

chemical

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Avoid contact with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Do not allow into any sewer, on the ground or into any body of water.

Methods for cleaning up Clean contaminated surface thoroughly. Use:. Disinfectant.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable respiratory

equipment.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eves or clothing. Follow universal and standard

precautions for handling potentially infectious materials.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store according to

product and label instructions.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical name	Singapore	ACGIH TLV
Trichloroacetic acid	PEL: 1 ppm	TWA: 0.5 ppm
76-03-9	PEL: 6.7 mg/m ³	
Phenol	PEL: 5 ppm	TWA: 5 ppm
108-95-2	PEL: 19 mg/m ³	S*
Sodium fluoride	PEL: 2.5 mg/m ³	TWA: 2.5 mg/m³ F
7681-49-4	_	-

SGPE / BE Page 4/15

Arsenic acid (H3AsO4), disodium salt, heptahydrate 10048-95-0	PEL: 0.01 mg/m ³	TWA: 0.01 mg/m ³ As
Selenium dioxide 7446-08-4	PEL: 0.2 mg/m ³	TWA: 0.2 mg/m ³ Se
Mercury chloride (HgCl2) 7487-94-7	PEL: 0.025 mg/m ³	TWA: 0.025 mg/m³ Hg S*
Aluminum nitrate nonahydrate 7784-27-2	PEL: 2 mg/m ³	No data available
Thallium(I) acetate 563-68-8	PEL: 0.1 mg/m³	TWA: 0.02 mg/m³ TI inhalable particulate matter S*
Pentachlorophenol 87-86-5	PEL: 0.5 mg/m³	STEL: 1 mg/m³ inhalable fraction and vapor TWA: 0.5 mg/m³ inhalable fraction and vapor S*
Lead chloride (PbCl2) 7758-95-4	PEL: 0.15 mg/m ³	TWA: 0.05 mg/m³ Pb
Cobalt(II) sulfate (1:1), heptahydrate 10026-24-1	PEL: 0.02 mg/m ³	TWA: 0.02 mg/m³ Co inhalable particulate matter
Cadmium chloride 10108-64-2	PEL: 0.002 mg/m ³	TWA: 0.01 mg/m³ Cd TWA: 0.002 mg/m³ Cd respirable particulate matter
Antimonate(2-), bis[.mu(2,3-dihydroxybutanedioato(4-)-O1,O2:O3, O4)]di-, dipotassium, trihydrate, stereoisomer 28300-74-5	PEL: 0.5 mg/m³	TWA: 0.5 mg/m³ Sb

Biological occupational exposure limits

Chemical name	Singapore	ACGIH
Phenol 108-95-2	No data available	250 mg/g creatinine - urine (Phenol with hydrolysis) - end of shift
Sodium fluoride 7681-49-4	No data available	2 mg/L - urine (Fluoride) - prior to shift 3 mg/L - urine (Fluoride) - end of shift
Mercury chloride (HgCl2) 7487-94-7	50 μg/L - urine (Mercury) -	35 μg/g creatinine - urine (Total inorganic mercury) - prior to shift 15 μg/L - blood (Total inorganic mercury) - end of shift at end of workweek
Pentachlorophenol 87-86-5	No data available	- urine (Pentachlorophenol with hydrolysis) - prior to last shift of workweek
Lead chloride (PbCl2) 7758-95-4	11 g/dL - blood (Hb) - 10 g/dL - blood (Hb) - 50 μg/dL - blood (Lead) - 30 μg/dL - blood (Lead) -	200 μg/L - blood (Lead) - not critical
Cobalt(II) sulfate (1:1), heptahydrate 10026-24-1	No data available	15 μg/L - urine (Cobalt) - end of shift at end of workweek
Cadmium chloride 10108-64-2	No data available	5 μg/g creatinine - urine (Cadmium) - not critical 5 μg/L - blood (Cadmium) - not critical

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionWear suitable protective clothing.

Hand protection Wear suitable gloves. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid

Appearance powder or cake, lyophilised

ColouryellowOdourSlight.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 4.9-5.1

Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point No data available None known No data available None known **Evaporation rate** No data available Flammability (solid, gas) None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableNone knownVapour densityNo data availableNone knownRelative densityNo data availableNone known

Water solubility Soluble in water

Solubility(ies)
No data available
None known
Autoignition temperature
No data available
None known
None known
None known
None known
None known
None known

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties Not applicable Oxidising properties Not applicable

Other information No information available

SECTION 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Irritating to eyes. (based on

components). Causes serious eye irritation.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,194.10 mg/kg
ATEmix (dermal) 31,690.50 mg/kg
ATEmix (inhalation-dust/mist) 37.60 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trichloroacetic acid	= 3320 mg/kg (Rat)	> 2000 mg/kg (Rat)	
Phenol	= 340 mg/kg (Rat) = 317 mg/kg (Rat)	= 630 mg/kg(Rabbit)	= 316 mg/m ³ (Rat) 4 h
Sodium fluoride	= 52 mg/kg (Rat)	= 175 mg/kg (Rat)	
Selenium dioxide	= 48 mg/kg(Rat) = 68.1 mg/kg(Rat)	= 4 mg/kg (Rabbit)	

Mercury chloride (HgCl2)	= 1 mg/kg (Rat)	= 41 mg/kg (Rabbit) = 41 mg/kg (Rat)	
Pentachlorophenol	= 27 mg/kg (Rat)	= 40 mg/kg (Rabbit) = 26 mg/kg (Rat)	
Lead chloride (PbCl2)	> 1947 mg/kg (Rat)		
Acetic acid, manganese(2+) salt, tetrahydrate	= 3730 mg/kg (Rat)		
Cadmium chloride	= 88 mg/kg (Rat)		
Cobalt(II) sulfate (1:1), heptahydrate	= 582 mg/kg (Rat)		
Thallium(I) acetate	= 41.3 mg/kg (Rat)		
Antimonate(2-), bis[.mu(2,3-dihydroxybutanedi oato(4-)-O1,O2:O3,O4)]di-, dipotassium, trihydrate, stereoisomer	= 115 mg/kg(Rat)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Product Information

Serious eye damage/eye irritationClassification based on data available for ingredients. Causes serious eye irritation.

Product Information

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Product Information

Germ cell mutagenicity Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Product Information	
Chemical name	European Union
Phenol	Muta. 2
Mercury chloride (HgCl2)	Muta. 2
Cadmium chloride	Muta. 1B

 Carcinogenicity
 Based on available data, the classification criteria are not met.

Product Information	
Chemical name	European Union
Arsenic acid (H3AsO4), disodium salt, heptahydrate	Carc. 1A
Pentachlorophenol	Carc. 2
Cadmium chloride	Carc. 1B

Reproductive toxicity Based on available data, the classification criteria are not met.

Product Information		
Chemical name	European Union	
Mercury chloride (HgCl2)	Repr. 2	
Lead chloride (PbCl2)	Repr. 1A	
Cadmium chloride	Renr 1B	

STOT - single exposure May cause respiratory irritation.

Product Information

STOT - repeated exposure	Based on available data, the classification criteria are not met.
Product Information	

SGPE / BE Page 8/15

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Phenol	EC50: 0.0188 - 0.1044mg/L	LC50: 11.9 - 25.3mg/L (96h,	EC50: 10.2 - 15.5mg/L (48h,
	(96h, Pseudokirchneriella	Lepomis macrochirus)	Daphnia magna)
	subcapitata)	LC50: 11.9 - 50.5mg/L (96h,	EC50: 4.24 - 10.7mg/L (48h,
	EC50: 187 - 279mg/L (72h,	Pimephales promelas)	Daphnia magna)
	Desmodesmus subspicatus)	LC50: 20.5 - 25.6mg/L (96h,	-
	EC50: =46.42mg/L (96h,	Pimephales promelas)	
	Pseudokirchneriella	LC50: 23.4 - 36.6mg/L (96h,	
	subcapitata)	Oryzias latipes)	
		LC50: 33.9 - 43.3mg/L (96h,	
		Oryzias latipes)	
		LC50: 34.09 - 47.64mg/L (96h,	
		Poecilia reticulata)	
		LC50: 4.23 - 7.49mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 5.0 - 12.0mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 5.449 - 6.789mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 7.5 - 14mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: =0.00175mg/L (96h,	
		Cyprinus carpio)	
		LC50: =11.5mg/L (96h, Lepomis	
		macrochirus)	
		LC50: =13.5mg/L (96h, Lepomis	
		macrochirus) LC50: =27.8mg/L (96h,	
		• • • • • • • • • • • • • • • • • • • •	
		Brachydanio rerio) LC50: =31mg/L (96h, Poecilia	
		reticulata)	
		LC50: =32mg/L (96h,	
		Pimephales promelas)	
Sodium fluoride	EC50: =272mg/L (96h,	LC50: 38 - 68mg/L (96h,	EC50: =338mg/L (48h, Daphnia
	Pseudokirchneriella	Oncorhynchus mykiss)	magna)
	subcapitata)	LC50: =180mg/L (96h,	EC50: =98mg/L (48h, Daphnia
	EC50: =850mg/L (72h,	Pimephales promelas)	magna)
	Desmodesmus subspicatus)	LC50: =830mg/L (96h, Lepomis	j ,
	· ,	macrochirus)	
		LC50: >530mg/L (96h, Lepomis	
		macrochirus)	
Mercury chloride (HgCl2)	-	LC50: 0.014 - 0.019mg/L (96h,	EC50: =0.0015mg/L (48h,
		Oncorhynchus mykiss)	Daphnia magna)
		LC50: 0.02 - 0.26mg/L (96h,	EC50: >0.012mg/L (48h,
		Cyprinus carpio)	Daphnia magna)
		LC50: 0.096 - 0.133mg/L (96h,	
		Lepomis macrochirus)	
		LC50: 0.1 - 0.182mg/L (96h,	
		Pimephales promelas)	
		LC50: 0.13 - 0.19mg/L (96h,	
		Oncorhynchus mykiss)	

SGPE / BE Page 9/15

		LC50: 5.933 - 10.34mg/L (96h,	
		Poecilia reticulata)	
		LC50: =0.041mg/L (96h,	
		Poecilia reticulata)	
		LC50: =0.155mg/L (96h,	
		Pimephales promelas)	
		LC50: =0.4mg/L (96h, Lepomis	
		macrochirus)	
		LC50: =4.425mg/L (96h,	
		Cyprinus carpio)	
Pentachlorophenol	EC50: 0.005 - 0.3mg/L (96h,	LC50: 0.031 - 0.038mg/L (96h,	EC50: 0.138 - 0.307mg/L (48h,
	Pseudokirchneriella	Oncorhynchus mykiss)	Daphnia magna)
	subcapitata)	LC50: 0.079 - 0.187mg/L (96h,	
	EC50: =0.1mg/L (72h,	Pimephales promelas)	
	Pseudokirchneriella	LC50: 0.102 - 0.128mg/L (96h,	
	subcapitata)	Oncorhynchus mykiss)	
	EC50: =0.183mg/L (72h,	LC50: 0.103 - 0.129mg/L (96h,	
	Desmodesmus subspicatus)	Lepomis macrochirus)	
	· ·	LC50: 0.11 - 0.49mg/L (96h,	
		Pimephales promelas)	
		LC50: 0.170 - 0.3mg/L (96h,	
		Oryzias latipes)	
		LC50: =0.36mg/L (96h, Poecilia	
		reticulata)	
Cadmium chloride	EC50: =3.7mg/L (96h, Chlorella	LC50: =0.0409mg/L (96h,	EC50: 0.012 - 0.054mg/L (48h,
	vulgaris)	Pimephales promelas)	Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
Phenol	1.5
Pentachlorophenol	5.01

Mobility

Mobility in soil No information available.

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Trichloroacetic acid	The substance is not PBT / vPvB
Phenol	The substance is not PBT / vPvB
Sodium fluoride	The substance is not PBT / vPvB PBT assessment does
	not apply
Zinc sulfate, monohydrate	The substance is not PBT / vPvB
Selenium dioxide	PBT assessment does not apply
Aluminum nitrate nonahydrate	PBT assessment does not apply
Lead chloride (PbCl2)	PBT assessment does not apply
Cadmium chloride	PBT assessment does not apply

Other adverse effects

Other adverse effects No information available

Chemical name	EU - Endocrine Disrupters	EU - Endocrine Disrupters -	Endocrine disrupting potential
			•

SGPE / BE Page 10/15

	Candidate List	Evaluated Substances	
Pentachlorophenol	Group III Chemical	-	-

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

products

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

SECTION 14: Transport information

Not regulated <u>ADR</u>

IMDG Not regulated

No information available Transport in bulk according to

Annex II of MARPOL and the IBC

Code

<u>IATA</u> Not regulated

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Singapore

Environmental Protection and Management (Hazardous Substances) Regulations

Verify that licence requirements are met.

Chemical name	Hazardous Substances	transport
Phenol	Exclusions: 1. Preparations containing <1%, weight in weight, of Phenols. 2. Phenols which are intended for the treatment of human ailments and other medical purposes. 3. Soaps for washing. 4. Tar, coal or wood, crude or refined	500kg
Sodium fluoride	Exclusions: 1. Substances containing <=3%, weight in weight, of Sodium fluoride or Sodium silicofluoride as a preservative. 2. Substances containing Sodium fluoride intended for the treatment of human ailments	
Arsenic acid (H3AsO4), disodium salt, heptahydrate	-	50kg
Mercury chloride (HgCl2)	Exclusions: 1. controlled EEE containing Mercury <=0.1% maximum concentration value by weight of homogeneous material in controlled EEE. 2. Cold cathode fluorescent lamp or external electrode fluorescent lamp, used for purposes other than general lighting, that (a) is <=500 mm long and contains <=3.5 mg of Mercury; (b) is >500 mm long but <=1500 mm long	0kg

SGPE / BE Page 11/15

and contains <=5 mg of mercury; or (b) >1500 mm long and contains <=13 mg of mercury Present Exclusions: Batteries (including those in button form) containing not more than 0.0005% by weight of mercury per cell. Thallium(I) acetate Present Pentachlorophenol Exclusions: Substances containing <=1%, weight in weight, of Chlorophenols Lead chloride (PbCl2) Exclusions: 1. controlled EEE containing Lead <=0.1% maximum concentration value by weight of homogeneous material in controlled EEE. 2. Lead in glass of cathode ray tube. 3. Lead <=0.2% by weight, in glass of fluorescent tube. 4. Lead <=0.35% by weight, as an alloying element in steel for machining purposes or galvanised steel. 5. Lead <=0.4% by weight, as an alloying element in aluminium. 6. Lead <=4% by weight, in copper alloy. 7. Lead in high melting temperature type solder (that is, lead-based alloy containing >=85% lead by weight). 8. Electrical and electronic component containing Lead in (a) glass or ceramic (other than dielectric ceramic in capacitor); or (b) glass or ceramic matrix compound. 9. Lead in dielectric ceramic in capacitor for rated voltage of >=125 V AC, 250 V DC. 10. Lead in bearing shell or bush for refrigerant-containing compressor for heating, ventilation, air conditioning or refrigeration application. 11. Lead in white glass for optical application. 12. Lead in filter glass or glass used for reflectance standards. 13. Lead in printing ink for the application of enamel on glass. 14. Lead in solder for (a) completing viable electrical connection between semiconductor die and carrier within integrated circuit flip chip package; (b) soldering to machined-through hole discoidal or planar array ceramic multilayer capacitor; (c) soldering thin copper wire (with diameter <= 100 µm) in power transformer. 15. Lead in soldering materials in mercury-free flat fluorescent lamp. 16. Lead oxide in surface conduction electron emitter display used in structural element. 17. Lead bound in crystal glass. 18. Lead in cermet-based trimmer potentiometer

element. 18. Lead in plating layer of high-voltage diode on base of zinc borate glass body Exclusions: 1. Lead compounds in

	paint in which the Lead content is <=0.06% by weight of the paint. 2. Lead compounds in paint in which the container is affixed with an appropriate label. 3. The labels to be used for paints containing Lead compounds are in accordance with Part IV of the Second Schedule	
Cadmium chloride	Exclusions: 1. controlled EEE containing Cadmium <=0.01% maximum concentration value by weight of homogeneous material in controlled EEE. 2. Cadmium and its compounds in electrical contact. 3. Cadmium in filter glass or glass used for reflectance standards. 4. Cadmium in printing ink for the application of enamel on glass. 5. Cadmium alloy as electrical or mechanical solder joint to electrical conductor located directly on voice coil in transducer used in high-powered loudspeaker with sound pressure level of >=100 dB (A). 6. Cadmium and cadmium oxide in thick film paste used on aluminium bonded beryllium oxide	

Environmental Public Health Act

Dispose of waste product or used containers according to local regulations.

Hazardous Waste (Control of Export, Import and Transit) Act

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Poison

Verify that licence requirements are met Verify that requirements related to using, handling, and storing substances subject to prohibition, authorisation or restriction are met

Chemical name	Poison	Poison Schedule Number
Phenol	X	Second schedule
		Fourth schedule
Sodium fluoride	Χ	First schedule
		Second schedule
		Third schedule
Arsenic acid (H3AsO4), disodium salt, heptahydrate	Χ	
Thallium(I) acetate	X	First schedule
		Sixth schedule
Lead chloride (PbCl2)		Second schedule
		Fourth schedule

Strategic Goods (Control) Act

Verify that requirements related to using, handling, and storing substances subject to prohibition, authorisation or restriction are met.

Chemical name	Strategic Goods (Control) Act
Sodium fluoride	1C350

Workplace Safety and Health Act

See section 8 for national exposure control parameters. Comply with the health and safety at work laws.

Pre-employment screening and appropriate health surveillance

Chemical name	Pre-employment screening and appropriate health surveillance
Arsenic acid (H3AsO4), disodium salt, heptahydrate	X
- 10048-95-0	
Mercury chloride (HgCl2) - 7487-94-7	X
Lead chloride (PbCl2) - 7758-95-4	X
Cadmium chloride - 10108-64-2	X

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants

The electrical contention on the electrical contention of the electrical c	
Chemical name	Annex
Pentachlorophenol - 87-86-5	A

The Rotterdam Convention

Chemical name	Chemicals Subject to Prior Informed Consent (PIC)
Mercury chloride (HgCl2) - 7487-94-7	Rotterdam
Pentachlorophenol - 87-86-5	Rotterdam

International Inventories

Contact supplier for inventory compliance status

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Label elements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P312 - Call a POISON CENTER or doctor if you feel unwell

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Issuing Date Bio-Rad Laboratories, Environmental Health and Safety

Revision date 11-Jun-2021

Revision Note Significant changes throughout SDS. Review all sections.

This safety data sheet complies with the requirements of: SS586: 2008 (2014)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SGPE / BE Page 15 / 15