


Material Safety Data Sheet

United States
English

Section 1. Chemical product and company identification

| | | | |
|-----------------------------|--|---|----------------|
| Product name | Stop Solution; part of 'IFN γ , Human - High-Sensitivity, Biotrak™ Assay' | | |
| Catalogue Number | RPN2787 |  9 0 R P N 2 7 8 7 | |
| Component Number | NIF1415 | | |
| Material uses | Industrial applications: Analytical chemistry. Research. | | |
| Product type | Liquid. | | |
| Validation date | 3 August 2011 | | |
| Print date | 04 August 2011 | | |
| Supplier | GE Healthcare UK Ltd Amersham Place Little Chalfont Buckinghamshire HP7 9NA England +44 0870 606 1921 | | |
| <u>In case of emergency</u> | US | ChemTrec (US) | 1-800-424-9300 |
| | Canada | ChemTrec (US) | 1-703-527-3887 |

2. Hazards identification

| | |
|--|--|
| Physical state | Liquid. |
| Odor | Odorless. |
| OSHA/HCS status | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
| Emergency overview | CANCER HAZARD - CONTAINS MATERIAL WHICH CAN CAUSE CANCER. |
| Precautionary measures | Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. |
| Routes of entry | Dermal contact. Eye contact. Ingestion. |
| <u>Potential acute health effects</u> | |
| Eyes | No known significant effects or critical hazards. |
| Skin | No known significant effects or critical hazards. |
| Inhalation | No known significant effects or critical hazards. |
| Ingestion | No known significant effects or critical hazards. |
| <u>Potential chronic health effects</u> | |
| Chronic effects | No known significant effects or critical hazards. |
| Carcinogenicity | Contains material which can cause cancer. Risk of cancer depends on duration and level of exposure. |
| Mutagenicity | No known significant effects or critical hazards. |
| Teratogenicity | No known significant effects or critical hazards. |
| Developmental effects | No known significant effects or critical hazards. |
| Fertility effects | No known significant effects or critical hazards. |
| Inhalation | No specific data. |
| Ingestion | No specific data. |
| Skin | No specific data. |
| Eyes | No specific data. |
| Medical conditions aggravated by over-exposure | None known. |



Article Number
25006539-10



Page: 1/6

Validation date 3 August 2011

Version 3

See toxicological information (Section 11)

3. Composition/information on ingredients

| <u>Name</u> | <u>CAS number</u> | <u>% by weight</u> |
|----------------|-------------------|--------------------|
| sulphuric acid | 7664-93-9 | <1 |

Section 4. First aid measures

| | |
|-----------------------------------|---|
| Eye contact | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. |
| Skin contact | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately. |
| Inhalation | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately. |
| Ingestion | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately. |
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

Section 5. Fire-fighting measures

| | |
|---|---|
| Flammability of the product | In a fire or if heated, a pressure increase will occur and the container may burst. |
| Extinguishing media | |
| Suitable | Use an extinguishing agent suitable for the surrounding fire. |
| Not suitable | None known. |
| Special exposure hazards | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| | |
|----------------------------------|---|
| Personal precautions | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8). |
| Environmental precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods for cleaning up | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal. |
| Small spill | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

Section 7. Handling and storage

| | |
|-----------------|--|
| Handling | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure - obtain special instructions before use. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Storage | Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |



Section 8. Exposure controls/personal protection

Product name

sulphuric acid

Exposure limits

ACGIH TLV (United States, 2/2010). Notes: Refers to Appendix A -- Carcinogens. Thoracic fraction. See Appendix C, paragraph B. Thoracic Particulate Mass TLVs (TPM-TLVs) for those materials that are hazardous when deposited anywhere within the lung airways and the gas-exchange region. Sulfuric acid contained in strong inorganic acid mists ACGIH 2004 Adoption

TWA: 0.2 mg/m³ 8 hour(s).

NIOSH REL (United States, 6/2009).

TWA: 1 mg/m³ 10 hour(s).

OSHA PEL (United States, 11/2006).

TWA: 1 mg/m³ 8 hour(s).

OSHA PEL 1989 (United States, 3/1989).

TWA: 1 mg/m³ 8 hour(s).

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9. Physical and chemical properties

Physical state

Liquid.

Flash point

[Product does not sustain combustion.]

Color

Colorless.

Odor

Odorless.

Molecular weight

98.08

pH

2 to 3 [Conc. (% w/w): 100%]

Volatility

0% (v/v)

VOC

0 % (w/w) [ISO 11890-1]

Solubility

Easily soluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

Stability

The product is stable.

Materials to avoid

No specific data.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions of reactivity

Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.

Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.



Section 11. Toxicological information

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------|---------|------------|----------|
| sulphuric acid | LD50 Oral | Rat | 2140 mg/kg | - |

Conclusion/Summary Not available.

Sensitizer

Conclusion/Summary Not available.

Classification

| Product/ingredient name | ACGIH | IARC | EPA | NIOSH | NTP | OSHA |
|-------------------------|-------|------|-----|-------|---------|------|
| sulphuric acid | A2 | 1 | - | - | Proven. | - |

Section 12. Ecological information

Environmental effects No known significant effects or critical hazards.

Aquatic ecotoxicity

| Product/ingredient name | Test | Result | Species | Exposure |
|-------------------------|------|------------------------------------|--|----------|
| sulphuric acid | - | Acute LC50 42500 ug/L Marine water | Crustaceans - Aesop shrimp - Pandalus montagui - Adult | 48 hours |
| | - | Acute LC50 42000 ug/L Fresh water | Fish - Western mosquitofish - Gambusia affinis - Adult | 96 hours |

Conclusion/Summary Not available.

Biodegradability

Conclusion/Summary Not available.

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Waste disposal The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

International transport regulations

Not classified.

Section 15. Regulatory information

HCS Classification Carcinogen

U.S. Federal regulations

TSCA 8(a) IUR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: sulphuric acid

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.



Clean Air Act Section 112(b)
Hazardous Air Pollutants (HAPs)

Not listed

Clean Air Act Section 602 Class I
Substances

Not listed

Clean Air Act Section 602 Class II
Substances

Not listed

DEA List I Chemicals (Precursor
Chemicals)

Not listed

DEA List II Chemicals (Essential
Chemicals)

Not listed

SARA 313

| | <u>Product name</u> | <u>CAS number</u> | <u>Concentration</u> |
|---------------------------------|---------------------|-------------------|----------------------|
| Form R - Reporting requirements | sulphuric acid | 7664-93-9 | <1 |
| Supplier notification | sulphuric acid | 7664-93-9 | <1 |

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations

| | |
|---------------|--|
| Massachusetts | None of the components are listed. |
| New York | The following components are listed: Sulfuric acid |
| New Jersey | The following components are listed: SULFURIC ACID; DIHYDROGEN SULFATE |
| Pennsylvania | The following components are listed: SULFURIC ACID |

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

| <u>Ingredient name</u> | <u>Cancer</u> | <u>Reproductive</u> | <u>No significant risk level</u> | <u>Maximum acceptable dosage level</u> |
|------------------------|---------------|---------------------|----------------------------------|--|
| sulphuric acid | Yes. | No. | No. | No. |

United States inventory (TSCA 8b) All components are listed or exempted.

International regulations


| | |
|---|--|
| International lists | Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Japan inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. |
| Chemical Weapons Convention List Schedule I Chemicals | Not listed |
| Chemical Weapons Convention List Schedule II Chemicals | Not listed |
| Chemical Weapons Convention List Schedule III Chemicals | Not listed |

Section 16. Other information

Label requirements CANCER HAZARD - CONTAINS MATERIAL WHICH CAN CAUSE CANCER.

The customer is responsible for determining the PPE code for this material.

National Fire Protection
Association (U.S.A.)



Indicates information that has changed from previously issued version.

History

| | | | |
|------------------|----------------|------------------------|------------------------|
| Date of printing | 04 August 2011 | Date of previous issue | No previous validation |
| Date of issue | 03 August 2011 | Version | 3 |

Notice to reader

Article Number

25006539-10



9 5 2 5 0 0 6 5 3 9 1 0

Page: 5/6

Validation date 3 August 2011

Version 3

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number

25006539-10



9 5 2 5 0 0 6 5 3 9 1 0

Page: 6/6

Validation date 3 August 2011

Version 3