GE Healthcare

SAFETY DATA SHEET

New Zealand

Section 1. Identification

Product name

Kvick™ Start 50 cm², 5 kD, PES

Catalogue Number

11-0006-02

Other means of identification

Product type

Liquid.

Not available.

Identified uses Use in laboratories

Supplier

GE Healthcare UK Ltd Amersham Place

Little Chalfont Buckinghamshire HP7 9NA England

+44 0870 606 1921

GE Healthcare Bio-Sciences

8 Tangihua Street Auckland 1010

Person who prepared the MSDS:

Emergency telephone number (with hours of operation)

msdslifesciences@ge.com 0800 733 893

(10am - 7pm)

Section 2. Hazards identification

HSNO Classification Not classified.

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment:

This material is not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

GHS label elements

Signal word No signal word.

Hazard statements No known significant effects or critical hazards.

Precautionary statements

Prevention Not applicable. Response Not applicable. Not applicable. Storage Not applicable. Disposal

Symbol

Other hazards which do not result

in classification

None known.



11000602

Validation date 24 February 2015

Kvick™ Start 50 cm², 5 kD, PES 11-0006-02

Section 3. Composition/information on ingredients

Substance/mixture Mixture Other means of identification Not available

CAS number/other identifiers

CAS number Not applicable. EC number Mixture. Product code 11-0006-02

Ingredient name % CAS number glycerol 20 - 22 56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical

attention if symptoms occur.

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for

and remove any contact lenses. Get medical attention if irritation occurs.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards. Eye contact No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation No specific data. Ingestion No specific data. Skin No specific data. No specific data. Eyes

Indication of immediate medical attention and special treatment needed, if necessary

Specific treatments Not available

Notes to physician No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known.

Specific hazards arising from the

chemical

products

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition Decomposition products may include the following materials:

> carbon dioxide carbon monoxide

Hazchem code

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No Special precautions for fire-fighters

action shall be taken involving any personal risk or without suitable training.



Article Number Page: 2/7

11000602 Validation date 24 February 2015



Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste

disposal container. Dispose of via a licensed waste disposal contractor.

Large spill Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses,

basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact

information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should

be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective

equipment before entering eating areas.

Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 0 to 50°C (32 to 122°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name Exposure limits

glycerol NZ OSH (New Zealand, 2/2013).

WES-TWA: 10 mg/m³ 8 hours. Form: Mist and Inspirable dust containing no asbestos and less than 1% free silica

170 1166 31

Appropriate engineering controls No special ventilation requirements. Good general ventilation should be sufficient to control worker

exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure

below any recommended or statutory limits.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the

requirements of environmental protection legislation. In some cases, fume scrubbers, filters or

 $engineering\ modifications\ to\ the\ process\ equipment\ will\ be\ necessary\ to\ reduce\ emissions\ to\ acceptable$

levels

Individual protection measures

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking

and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that

eyewash stations and safety showers are close to the workstation location.

Respiratory protection Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times

when handling chemical products if a risk assessment indicates this is necessary.

Eye protection Safety eyewear complying with an approved standard should be used when a risk assessment indicates

this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection:

safety glasses with side-shields.

Skin protection Personal protective equipment for the body should be selected based on the task being performed and

the risks involved and should be approved by a specialist before handling this product.



Article Number

11000602



Page: 3/7
Validation date 24 February 2015

Kvick™ Start 50 cm², 5 kD, PES 11-0006-02

Section 9. Physical and chemical properties

Appearance

Physical state Liquid. Colour Colourless. Odour Odourless. Odour threshold Not available. pН Not available. Melting point Not available. **Boiling point** Not available. Flash point Not applicable. **Burning** rate Not applicable. **Burning time** Not applicable. **Evaporation rate** Not available. Not available. Flammability (solid, gas) Lower and upper explosive Not available.

(flammable) limits

Vapour pressure Not available. Vapour density Not available. Not available. Relative density

Solubility Easily soluble in the following materials: cold water and hot water.

Solubility in water Not available. Partition coefficient: n-octanol/ Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. SADT Not available. Viscosity Not available.

Aerosol product

Type of aerosol Not applicable. Heat of combustion Not available. Ignition distance Not applicable. **Enclosed space ignition - Time** Not applicable.

equivalent

Enclosed space ignition -Not applicable.

Deflagration density

Flame height Not applicable. Flame duration Not applicable.

Section 10. Stability and reactivity

Chemical stability The product is stable.

Under normal conditions of storage and use, hazardous reactions will not occur. Possibility of hazardous reactions

Conditions to avoid No specific data. Incompatible materials No specific data.

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.



Article Number 11000602 Validation date 24 February 2015



Page: 4/7

Kvick™ Start 50 cm², 5 kD, PES 11-0006-02

Section 11. Toxicological information

Information on the likely routes of exposure

InhalationNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.Eye contactNo known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

InhalationNo specific data.IngestionNo specific data.Skin contactNo specific data.Eye contactNo specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Acute toxicity

Product/ingredient nameResultSpeciesDoseExposureglycerolLD50 OralRat12600 mg/kg-

Irritation/Corrosion

Not available.

Sensitisation

Not available.

Potential chronic health effects

General No known significant effects or critical hazards. Inhalation No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards. Eye contact No known significant effects or critical hazards. Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. Fertility effects No known significant effects or critical hazards.

Chronic toxicity

Not available.

Carcinogenicity

Not available.

Mutagenicity

Not available.

Teratogenicity

Not available.

Reproductive toxicity

Not available

Specific target organ toxicity

Not available.

Aspiration hazard

Not available.

Numerical measures of toxicity



Article Number Page: 5/7

11000602



Validation date 24 February 2015

Version 5

Kvick™ Start 50 cm², 5 kD, PES 11-0006-02

Acute toxicity estimates

Not available.

Section 12. Ecological information

Ecotoxicity No known significant effects or critical hazards.

Aquatic and terrestrial toxicity

Not available.

Persistence/degradability

Product/ingredient name Aquatic half-life **Photolysis** Biodegradability

glycerol >60%; 28 day(s) Readily

Bioaccumulative potential

Product/ingredient name **BCF Potential** LogPow -1.76 glycerol low

Mobility in soil

Soil/water partition coefficient (Koc) Not available

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*
New Zealand Class	Not regulated.	-	-	-
ADG Class	Not regulated.	-	-	-
UN Class	Not regulated.	-	-	-
ADR/RID Class	Not regulated.	-	-	-
IATA Class	Not regulated.	-	-	-

IMDG Class	Not regulated.	-	-	-
DC+ D				

PG*: Packing group

Section 15. Regulatory information

New Zealand Inventory of

Chemicals (NZIoC)

All components are listed or exempted.

HSNO Approval Number HSR002596

HSNO Group Standard Laboratory Chemicals and Reagent Kits

HSNO Classification Not classified.

Australia inventory (AICS) All components are listed or exempted.

Safety, health and environmental

No known specific national and/or regional regulations applicable to this product (including its

regulations specific for the product

ingredients).



Article Number 11000602



Kvick™ Start 50 cm², 5 kD, PES 11-0006-02

Section 16. Other information

History

Date of printing24 February 2015Date of issue/ Date of revision24 February 2015Date of previous issue4/4/2011.

Version 5

Key to abbreviations ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland

Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978. ("Marpol" = marine pollution)

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

UN = United Nations

References Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



11000602

Article Number Page: 7/7

Validation date 24 February 2015