



## Suma® Machine Rinse Aid Machine Warewash Rinse Aid

Revision: 2025-02-14

Version: 01.0

### 1. IDENTIFICATION

**Product name:** Suma® Machine Rinse Aid  
Machine Warewash Rinse Aid

**SDS #:** MS0802510

**Recommended use:**

- Industrial/Institutional
- Rinse additive
- This product is intended to be diluted prior to use

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249 SDS Internet Address: <a href="https://sds.diversey.com">https://sds.diversey.com</a>	Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Flammable liquids, Category 3  
Eye irritation, Category 2A

**Signal word:****Warning.**

#### Hazard Statements

**FLAMMABLE LIQUID AND VAPOR. CAUSES SERIOUS EYE IRRITATION.**

#### Precautionary Statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating or lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Call a Poison Center or doctor/physician if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Keep cool. Store in a well-ventilated place. Keep container tightly closed. Dispose of in accordance with all federal, state and local applicable regulations.

**Health hazards not otherwise classified (HHNOC)** - Not applicable**Physical hazards not otherwise classified (PHNOC)** - Not applicable

#### Classification for the diluted product 1:1600

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### Hazard and Precautionary Statements

None required.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Classified Ingredients

Ingredient(s)	CAS #	Weight %
Sodium xylene sulfonate	1300-72-7	10 - 30%
Isopropyl alcohol	67-63-0	1 - 5%

### 4. FIRST AID MEASURES

#### Undiluted Product:

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

**Skin:** Wash with plenty of water for at least 15 minutes.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed** Not applicable.

#### Diluted Product:

**Eyes:** Rinse with plenty of water.

**Skin:** No specific first aid measures are required

**Inhalation:** No specific first aid measures are required

**Ingestion:** IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

### 5. FIRE-FIGHTING MEASURES

**Specific methods:**

No special methods required

**Suitable extinguishing media:**

Use dry chemical, CO<sub>2</sub>, water spray or "alcohol" foam.

**Specific hazards:**

Keep product and empty container away from heat and sources of ignition.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:**

Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions**

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

**and clean-up methods:**

### 7. HANDLING AND STORAGE

**Handling:** FLAMMABLE LIQUID AND VAPOR. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating or lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Store in a well-ventilated place. Keep cool. Store locked up.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Guidelines:

Ingredient(s)	ACGIH	OSHA
Isopropyl alcohol	400 ppm (STEL) 200 ppm (TWA)	400 ppm (TWA) 980 mg/m <sup>3</sup> (TWA)

**Undiluted Product:****Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels.

**Personal Protective Equipment**

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

<b>Eye protection:</b>	Chemical-splash goggles.
<b>Hand protection:</b>	Chemical-resistant gloves.
<b>Skin and body protection:</b>	No personal protective equipment required under normal use conditions.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over-exposure.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

**Diluted Product:****Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels.

**Personal Protective Equipment**

<b>Eye protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hand protection:</b>	No personal protective equipment required under normal use conditions.
<b>Skin and body protection:</b>	No personal protective equipment required under normal use conditions.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Physical State** Liquid

**Evaporation Rate:** No information available

**Odor threshold:** No information available.

**Melting point/freezing point (°C):** Not determined

**Autoignition temperature:** No information available

**Solubility in other solvents:** No information available

**Density:** 1.0805 Kg/L

**Bulk density:** No information available

**Flash point (°F):** 113°F ≈ 45 °C

**Kinematic viscosity** No information available

**VOC:** 5.5 % \*

**Flammability (Solid or Gas):** Not applicable

**Sustained combustion:** The product sustains combustion

**Explosion limits:** - upper: Not determined - lower: Not determined

**Color:** Clear , Dark , Blue

**Odor:** No Odor/Odorless Alcohol

**Boiling point/range:** Not determined

**Decomposition temperature:** Not determined

**Solubility:** Completely Soluble

**Relative Density (relative to water):** 1.08

**Vapor density:** No information available

**Vapor pressure:** No information available.

**Partition coefficient (n-octanol/water):** No information available

**Elemental Phosphorus:** 0.00 % by wt.

**pH:** ≈ 7.25

**Corrosion to metals:** Not corrosive to metals

**Dilution pH:** ≈ 8

**Dilution Flash Point (°F):** 113 °F 45 °C

**VOC % by wt. at use dilution:** 0 %

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

**10. STABILITY AND REACTIVITY**

<b>Reactivity:</b>	Not Applicable
<b>Stability:</b>	The product is stable
<b>Possibility of hazardous reactions:</b>	None known
<b>Hazardous decomposition products:</b>	None reasonably foreseeable.
<b>Materials to avoid:</b>	Do not mix with any other product or chemical unless specified in the use directions.
<b>Conditions to avoid:</b>	None known.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure:**

Skin contact, Inhalation, Eye contact

#### **Delayed, immediate, or chronic effects and symptoms from short and long-term exposure**

**Skin contact:** Unlikely to be irritant in normal use.

**Eye contact:** Causes serious eye irritation. Symptoms may include pain, redness, and watering.

**Ingestion:** May be irritating to mouth, throat and stomach.

**Inhalation:** Symptoms may include coughing and difficulty breathing. May be irritating to nose, throat, and respiratory tract.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):**

**Carcinogen Listings:** Isopropyl alcohol is only classified as an IARC 1 carcinogen & OSHA due to possible exposure to sulfuric acid mist that can be generated during its manufacture. We do not manufacture isopropyl alcohol; therefore, it is not considered a carcinogen in our products.

#### **Numerical measures of toxicity**

**ATE - Oral (mg/kg):** >2000

**ATE - Dermal (mg/kg):** >2000

**ATE - Inhalatory, gases (mg/l):** >20000

**ATE - Inhalatory, mists (mg/l):** >5

**ATE - Inhalatory, vapors (mg/l):** >20

### **12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Mobility:** No information available.

**Other adverse effects** No information available.

### **13. DISPOSAL CONSIDERATIONS**

**Waste from residues / unused products (undiluted product):** This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Waste from residues / unused products (diluted product):** This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**RCRA Hazard Class (undiluted product):** Not Regulated

**RCRA Hazard Class (diluted product):** Not Regulated

**Contaminated Packaging:** Do not re-use empty containers.

### **14. TRANSPORT INFORMATION**

**DOT/TDG/IMDG:** The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

**DOT (Ground) Bill of Lading Description:** UN1993, FLAMMABLE LIQUIDS, N.O.S., (isopropyl alcohol), 3, III

**IMDG (Ocean) Bill of Lading Description:** UN1993, FLAMMABLE LIQUIDS, N.O.S., (isopropyl alcohol), 3, III

### **15. REGULATORY INFORMATION**

**International Inventories at CAS# Level**TSCA  
DSLAll components are listed or otherwise exempt  
All components are listed on DSL/NDL or otherwise exempt.**US RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Sodium xylene sulfonate	1300-72-7	-	-	-	-
Polyalkylene glycol	9003-11-6	-	-	-	-
Isopropyl alcohol	67-63-0	X	X	X	-
Sodium sulfate	7757-82-6	X	-	X	-

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Isopropyl alcohol	67-63-0	1 - 5%			X

**Canadian Regulations****16. OTHER INFORMATION****NFPA (National Fire Protection Association)**

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 2

Flammability 2

Instability 0

Special Hazards -

**Diluted Product:**

Health 0

Flammability 0

Instability 0

Special Hazards -

Revision: 2025-02-14

Version: 01.0

Reason for revision:

Not applicable

Prepared by:

North American Regulatory Affairs

Additional advice:

• Does not contain an added fragrance

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*