FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

: FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER Product name

Other means of identification Not applicable

Recommended use Cleaning product

Restrictions on use Reserved for industrial and professional use.

Product dilution information Product is sold ready to use.

Company Performance Food Group

> 12500 West Creek Parkway Richmond, Virginia USA 23238

1-804-484-7700

Emergency health

information

833-571-1403

Issuing date 08/02/2022

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to Metals : Category 1 : Category 1A Skin corrosion Serious eye damage : Category 1

GHS label elements

Hazard pictograms



Signal Word Danger

Hazard Statements May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

> Keep only in original container. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in corrosive resistant container with a resistant

inner liner. Disposal:

905119-01 1/9

FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%) 5 - 10 Sodium hydroxide 1310-73-2 1 - 5 2-butoxyethanol 111-76-2 Monoethanolamine 141-43-5 1 - 5 Alcohols, C9-11, ethoxylated 68439-46-3 1 - 5 Sodium Xylenesulfonate 1300-72-7 1 - 5

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Get medical attention if irritation develops and

persists.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Special protective equipment : Use personal protective equipment.

905119-01 2 / 9

FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER

for fire-fighters

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not Advice on safe handling

> breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Form of exposure | Permissible concentration | Basis |
|------------------|-----------|------------------|---------------------------|-----------|
| sodium hydroxide | 1310-73-2 | С | 2 mg/m3 | ACGIH |
| | | С | 2 mg/m3 | NIOSH REL |
| | | TWA | 2 mg/m3 | OSHA Z-1 |
| | | С | 2 mg/m3 | OSHA P0 |
| | | С | 2 mg/m3 | |
| 2-butoxyethanol | 111-76-2 | TWA | 20 ppm | ACGIH |
| | | TWA | 5 ppm 24 mg/m3 | NIOSH REL |
| | | TWA | 50 ppm 240 mg/m3 | OSHA Z-1 |
| | | TWA | 25 ppm 120 mg/m3 | OSHA P0 |
| | | PEL | 20 ppm | |

905119-01 3/9

FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER

| | | | 97 mg/m3 | |
|------------------|----------|------|-------------------|-----------|
| monoethanolamine | 141-43-5 | TWA | 3 ppm | ACGIH |
| | | STEL | 6 ppm | ACGIH |
| | | TWA | 3 ppm 8 mg/m3 | NIOSH REL |
| | | ST | 6 ppm 15 mg/m3 | NIOSH REL |
| | | TWA | 3 ppm 6 mg/m3 | OSHA Z-1 |
| | | TWA | 3 ppm 8 mg/m3 | OSHA P0 |
| | | STEL | 6 ppm 15 mg/m3 | OSHA P0 |
| | | PEL | 3 ppm 8 mg/m3 | |
| | | STEL | 6 ppm 15 mg/m3 | |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, orange

Odor : slight

pH : 13.0 - 14.0, (100 %)

Flash point : Not applicable
Odor Threshold : No data available
Melting point/freezing point : No data available
Initial boiling point and : No data available

boiling range

905119-01 4 / 9

FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available : No data available Vapor pressure Relative vapor density : No data available : 1.006 - 1.17 Relative density

Water solubility : soluble

Solubility in other solvents Partition coefficient: n-

octanol/water

: No data available : No data available

Autoignition temperature : No data available Thermal decomposition : No data available : No data available Viscosity, kinematic : No data available Explosive properties

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Hazardous decomposition

products

exposure

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Causes digestive tract burns. Ingestion

Inhalation : May cause nose, throat, and lung irritation.

905119-01 5/9

FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

: Redness, Pain, Corrosion Eye contact

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg : 4 h Acute toxicity estimate : 95.07 mg/l Acute inhalation toxicity

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye

irritation

: No data available

Respiratory or skin

sensitization

: No data available

: No data available Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available Toxicity to daphnia and other

aquatic invertebrates

: No data available

Toxicity to algae : No data available

Components

Toxicity to fish : 2-butoxyethanol

96 h LC50 Fish: > 100 mg/l

Alcohols, C9-11, ethoxylated

96 h LC50 Oncorhynchus mykiss (rainbow trout): 5 mg/l

905119-01 6/9

FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER

Components

Toxicity to daphnia and other : Sodium hydroxide

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): 40 mg/l

Monoethanolamine

48 h LC50 Daphnia magna (Water flea): 65 mg/l

Alcohols, C9-11, ethoxylated

48 h EC50 Daphnia magna (Water flea): 2.5 mg/l

Components

Toxicity to algae : 2-butoxyethanol

72 h EC50 Aquatic Plant: 911 mg/l

Alcohols, C9-11, ethoxylated

96 h EC50 Pseudokirchneriella subcapitata (algae): 1.4 mg/l

Sodium Xylenesulfonate 96 h EC50: 230 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

> recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1824

Description of the goods : Sodium hydroxide solution

905119-01 7/9

FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1824

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ |
|------------------|-----------|--------------------|-----------------------|
| | | | (lbs) |
| Sodium hydroxide | 1310-73-2 | 1000 | 13290 |
| | | | |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to Metals

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

2-butoxyethanol 111-76-2 1 - 5 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

| Chemical Name | CAS-No. | Function | List(s) |
|------------------------------|------------|----------------|----------------|
| water | 7732-18-5 | Diluent | Not Applicable |
| Sodium hydroxide | 1310-73-2 | Cleaning Agent | 20 |
| 2-butoxyethanol | 111-76-2 | Cleaning Agent | 20 |
| Monoethanolamine | 141-43-5 | Cleaning Agent | Not Applicable |
| Alcohols, C9-11, ethoxylated | 68439-46-3 | Cleaning Agent | Not Applicable |
| Sodium Xylenesulfonate | 1300-72-7 | Stabilizer | Not Applicable |
| Chelating agent | Withheld | Cleaning Agent | Not Applicable |
| Colorant | Withheld | Dye | Not Applicable |

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

905119-01 8 / 9

FIRST MARK SPECIAL PREMIUM OVEN & GRILL CLEANER

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):

not determined

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

| HEALTH | 3 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date : 08/02/2022

Version : 1.5

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

905119-01 9 / 9