

IODINE 260 PREMIX

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : IODINE 260 PREMIX

Other means of identification : Not applicable

Recommended use Intermediate

Restrictions on use Reserved for industrial and professional use.

Product dilution information Product is sold ready to use.

Company Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date 09/19/2024

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1B Serious eye damage : Category 1

repeated exposure (Oral)

repeated exposure

(Inhalation)

Specific target organ toxicity - : Category 1 (Endocrine system)

Specific target organ toxicity - : Category 1 (Endocrine system)

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements Causes severe skin burns and eye damage.

Causes damage to organs (Endocrine system) through prolonged or

repeated exposure if swallowed.

Causes damage to organs (Endocrine system) through prolonged or

repeated exposure if inhaled.

Precautionary Statements Prevention:

> Do not breathe mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective

gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes.

IODINE 260 PREMIX

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Get medical advice/ attention if you feel unwell. Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

iodine 7553-56-2 30 - 60 sodium iodide 7681-82-5 10 - 30

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/ attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

929182 2 / 9

IODINE 260 PREMIX

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

: 15 °C to 50 °C Storage temperature

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
iodine	7553-56-2	TWA (Inhalable fraction and vapor)	0.001 ppm	ACGIH
		Ceiling	0.1 ppm 1 mg/m3	NIOSH REL
		С	0.1 ppm 1 mg/m3	OSHA Z1
sodium iodide	7681-82-5	TWA (Inhalable	0.01 mg/m3 (lodine)	ACGIH

IODINE 260 PREMIX

fraction)

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

: When workers are facing concentrations above the exposure limit they Respiratory protection

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

> practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color red brown Odor iodine

рΗ : 4.5, (100 %)

Flash point Not applicable, Does not sustain combustion.

Odor Threshold : No data available Melting point/freezing point : No data available

Initial boiling point and

boiling range

octanol/water

: > 100 °C

: No data available Evaporation rate Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit No data available Vapor pressure No data available Relative vapor density : No data available

: 2.7 Relative density

: soluble Water solubility

: No data available Solubility in other solvents Partition coefficient: n-

: No data available

Autoignition temperature : No data available

IODINE 260 PREMIX

Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available : No data available Oxidizing properties Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

: No dangerous reaction known under conditions of normal use. Reactivity

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Bases

Acids

Organic materials

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : May cause damage to organs through prolonged or repeated

exposure.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Product

IODINE 260 PREMIX

Acute oral toxicity : No data available

Acute inhalation toxicity : 4 h Acute toxicity estimate : 7.97 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : 2,475 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available

Components

Aspiration toxicity

Acute oral toxicity : iodine

LD50 Rat: 315 mg/kg

sodium iodide

: No data available

LD50 Rat: 4,340 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Very toxic to aquatic life.

Product

Toxicity to fish : No data available Toxicity to daphnia and other : No data available

aquatic invertebrates

: No data available

Toxicity to algae Components

Toxicity to fish : iodine

96 h LC50 Oncorhynchus mykiss (rainbow trout): 1.67 mg/l

Components

Toxicity to daphnia and other : iodine

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): 0.55 mg/l

sodium iodide

48 h LC50: 0.17 mg/l

Components

Toxicity to algae : iodine

72 h EC50 Desmodesmus subspicatus (green algae): 0.13 mg/l

IODINE 260 PREMIX

Persistence and degradability

Not applicable - inorganic

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1903

Description of the goods : Disinfectant, liquid, corrosive, n.o.s.

(sodium iodide)

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1903

Proper shipping name : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

(sodium iodide)

Class : 8
Packing group : II
Marine pollutant : yes

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

929182 7 / 9

IODINE 260 PREMIX

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

not determined

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

China. Inventory of Existing Chemical Substances in China (IECSC):

not determined

Taiwan Chemical Substance Inventory (TCSI):


not determined

SECTION 16. OTHER INFORMATION

929182 8 / 9

IODINE 260 PREMIX

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date : 09/19/2024

Version : 3.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

929182 9 / 9