

SAFETY DATA SHEET

Issue Date 17-Sep-2013 Revision Date 07-Jan-2015 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code 26095 Product Name S C Plus

Other means of identification

Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For

SSDC, Inc. 2901 Belmeade Carrollton, TX 75006 Phone: (800) 532-7732

Emergency telephone number

24 Hour Emergency Phone Number 1-800-535-5053

2. HAZARDS IDENTIFICATION

Classification

| Acute toxicity - Oral | Category 5 |
|---|---------------------------|
| Acute toxicity - Dermal | Category 5 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Skin corrosion/irritation | Category 1 Sub-category A |
| Serious eye damage/eye irritation | Category 1 |

Label elements

Emergency Overview

Danger

Hazard statements

May be harmful if swallowed May be harmful in contact with skin Harmful if inhaled Causes severe skin burns and eye damage



Appearance White Physical state Powder Odor Odorless

Precautionary Statements - Prevention

Use in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If irritation persists, call a physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water. See a physician immediately.

Precautionary Statements - Storage

Store locked up. Keep out of reach of children. Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|--|------------|----------|--------------|
| Sodium Hydroxide | 1310-73-2 | 30-60 | * |
| Sodium Carbonate | 497-19-8 | 10-30 | * |
| Sodium Metasilicate | 6834-92-0 | 10-30 | * |
| EDTA-Acid | 60-00-4 | 7-13 | * |
| Sodium Dichloroisocyanurate, Dihydrate | 51580-86-0 | 1-5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician. For minor skin contact, avoid spreading material on unaffected skin. For severe

burns, immediate medical attention is required.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub

affected area. Immediate medical attention is required.

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth

to an unconscious person. Call a physician or poison control center immediately.

Self-protection of the first aiderUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Ingestion causes acute irritation and burns to the mucous membranes of the mouth,

trachea, esophagus and stomach. Causes severe skin burns and eye damage. May cause

respiratory irritation. May cause drowsiness or dizziness.

S C Plus

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion productsContact with metals in presence of moisture will produce hydrogen gas, which can form explosive mixture in air.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required. Evacuate personnel to safe areas. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Avoid creating dust. Sweep up and shovel into suitable containers for disposal. Dilute

residual material with dilute acetic acid (vinegar) to pH of less than 10.

7. HANDLING AND STORAGE

Precautions for safe handling

confined areas. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation,

wear suitable respiratory equipment.

Revision Date 07-Jan-2015

S C Plus

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep in properly labeled containers.

Strong acids. Metals such as aluminum, tin, lead and zinc especially in the presence of Incompatible materials

moisture.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Guidelines**

exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------|------------------------------|--|------------------------------|
| Sodium Hydroxide | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ |
| 1310-73-2 | | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Apply technical measures to comply with occupational exposure limits. Eyewash stations. **Engineering Controls**

Showers.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear chemical resistant gloves. Other protective equipment not required under normal use.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Avoid contact with skin, eyes or clothing. Wear

> suitable gloves and eye/face protection. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Powder **Appearance** White Odor Odorless

Odor threshold No Information available

Property Values Remarks • Method 1% solution

pН 12.5 - 13.5

Specific Gravity N/A

Viscosity No Information available No Information available Melting point/freezing point

Boiling point / boiling range N/A N/A Flash point **Evaporation rate** N/A

No Information available Flammability (solid, gas)

Upper flammability limit: N/A

Lower flammability limit: N/A
Vapor pressure N/A
Vapor density N/A

Water solubilityNo Information availablePartition CoefficientNo Information available

(n-octanol/water)

Autoignition temperature No Information available Decomposition temperature No Information available

Other Information

Density Lbs/Gal

VOC Content (%)

No Information available

No Information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Contact with metals in presence of moisture will produce hydrogen gas, which can form explosive mixture in air.

Conditions to avoid

Avoid moisture. Elevated temperature.

Incompatible materials

Strong acids. Metals such as aluminum, tin, lead and zinc especially in the presence of moisture.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact May be harmful in contact with skin.

Ingestion Causes burns. May be harmful if swallowed.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------------|---------------------|-------------------------|------------------------|
| Sodium Hydroxide 1310-73-2 | Yes | = 1350 mg/kg (Rabbit) | Yes |
| Sodium Carbonate 497-19-8 | = 4090 mg/kg (Rat) | Yes | = 2300 mg/m³ (Rat) 2 h |
| Sodium Metasilicate 6834-92-0 | = 600 mg/kg (Rat) | Yes | Yes |

Information on toxicological effects

Symptoms See section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Revision Date 07-Jan-2015

S C Plus

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

SensitizationNo Information available.Germ cell mutagenicityNo Information available.CarcinogenicityNo Information available.Reproductive toxicityNo Information available.STOT - single exposureMay cause respiratory irritation.STOT - repeated exposureNo Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target organ effectsEYES, Respiratory system, Skin.Aspiration hazardNo Information available.

•

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

3.73% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|----------------------------------|---|--|---|
| Sodium Hydroxide 1310-73-2 | Yes | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | Yes |
| Sodium Carbonate 497-19-8 | 242: 120 h Nitzschia mg/L EC50 | 310 - 1220: 96 h Pimephales promelas mg/L LC50 static 300: 96 h Lepomis macrochirus mg/L LC50 static | 265: 48 h Daphnia magna mg/L EC50 |
| Sodium Metasilicate 6834-92-0 | Yes | 210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50 | 216: 96 h Daphnia magna mg/L EC50 |
| EDTA-Acid 60-00-4 | 1.01: 72 h Desmodesmus subspicatus mg/L EC50 | 34 - 62: 96 h Lepomis macrochirus mg/L LC50 static 44.2 - 76.5: 96 h Pimephales promelas mg/L LC50 static | 113: 48 h Daphnia magna mg/L EC50 Static |

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects No Information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name California Hazardous Waste Status |
|---|
|---|

Revision Date 07-Jan-2015

S C Plus

| Sodium Hydroxide | Toxic |
|------------------------------|-----------|
| 1310-73-2 | Corrosive |
| Sodium Carbonate 497-19-8 | Corrosive |

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, 1ATA and IMDG to assure regulatory compliance.

DOT

DOT Proper Shipping name
UN1759, Corrosive solid, n.o.s. (contains sodium hydroxide and sodium metasilicate), 8, PG II

15. REGULATORY INFORMATION

International Inventories

TSCA Does not comply **DSL/NDSL** Does not comply **EINECS/ELINCS** Does not comply Does not comply **ENCS IECSC** Complies **KECL** Does not comply Does not comply **PICCS** Complies **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium Hydroxide 1310-73-2 | 1000 lb | Yes | Yes | Х |
| EDTA-Acid 60-00-4 | 5000 lb | Yes | Yes | Х |

S C Plus Revision Date 07-Jan-2015

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|------------------|--------------------------|----------------|--------------------------|
| Sodium Hydroxide | 1000 lb | Yes | RQ 1000 lb final RQ |
| 1310-73-2 | | | RQ 454 kg final RQ |
| EDTA-Acid | 5000 lb | Yes | RQ 5000 lb final RQ |
| 60-00-4 | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Sodium Hydroxide 1310-73-2 | X | X | X |
| EDTA-Acid 60-00-4 | X | X | X |
| Sodium Dichloroisocyanurate, Dihydrate 51580-86-0 | Yes | Х | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Legend

N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known

Issue Date 17-Sep-2013
Revision Date 07-Jan-2015
Revision Note New format
Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet