Escherichia coli (ATCC 11229) Stanhylneneeus aureus (ATCC 6538) Enterobacter aerogenes (ATCC 13048) Pseudomonas aeruginosa (ATCC 15442) Enterococcus faecalis (ATCC 29212)

Non-Food Contact One Step Cleaner / Sanitizer in 90 seconds at 1:21.3 dilution (6 fl. oz./gal) in 200 ppm hard water modified in the presence of 5% fetal bovine serum against the following pathogenic bacteria. Listeria monocytogenes (ATCC 7644)

<u>In 1 minute:</u> *Influenza B Virus (ATCC VR-1535)

In 3 minutes: *Influenza A Virus H1N1 *Rhinovirus Type 37 (ATCC VR-1147) VIRUCIDAL* kills at 1:32 dilution (4 fl. oz./gal) against the following viruses modified in the presence of 5% blood serum

In 3 minutes diluted in 200 ppm hard water: In 5 minutes diluted in 400 ppm hard water:

*Human Coronavirus (SARS) (ATCC VR-740) *Rotavirus (Strain WA) *Influenza A Virus H1N1 Rhinovirus Type 37 (ATCC VR-1147) *Canine Parvovirus (ATCC VR-2017) *Poliovirus (chat strain)
*Herpes Simplex Virus Type 2 (ATCC VR-734) *Canine Distemner Virus (ATCC VR-128) *Newcastle Disease Virus (ATCC VR-108) *Herpes Simplex Virus Type 1 (ATCC VR-733) *Respiratory Syncytial Virus (ATCC VR-26) *Influenza B Virus (ATCC VR-1535)

*Vaccinia Virus (ATCC VR-119) SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HBV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS: **Personal Protection:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Disposal of Infectious Material: Blood, body fluids, cleaning materials and other clothing must be autoclaved and disposed of according to local regulations for infectious waste FUNGICIDAL kills in 5 minutes at 1:32 dilution (4 fl. oz/gal) in 400 ppm hard water against the following fungi modified in the presence of 5% blood serum, per the following contac

VETERINARY DEFICES: Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Saturate surfaces with a use-solution 1:32 (4 fl. oz./gal) for a period of 5 minutes.

Wipe or allow to air dry. Saturate all animal handling and restraining equipment as well as forks, shovels, and scrapers used to remove litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding and watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

DISINFECTION AND DEODORIZING OF ANIMAL HOUSING FACILITIES (BARNS, KENNELS, CAGES, HUTCHES, ETC): Remove animals and feed from facilities. Remove

litter, waste matter, and gross soils. Empty all troughs, rack and other feeding and watering equipment. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Saturate surfaces with a use-solution (4-6 fl. oz./gal) for a period of 5 minutes. Apply use-solution by coarse trigger sprayer to hard, non-porous surfaces. Spray 6-8 inches from the surface: making sure to wet surfaces thoroughly. See list of viruses under disinfection directions for use. Ventilate buildings and other closed spaces. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse. Allow to air dry before reintroducing animals.

STORAGE & DISPOSAL DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: Store this product in a cool, dry area, away from direct sunlight and heat.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot

be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional

CONTAINER HANDLING AND DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

EC LAB

Peroxide

NET CONTENTS: 2 US GAL (7.57 L) Oasis™

KEEP OUT OF REACH OF CHILDREN

See side panel for precautionary statements and first aid.

Intentionally filled to 2 gallons

EC

OTHER INGREDIENTS:

NET CONTENTS: 2 US GAL (7.57 L) Oasis™

Intentionally filled to 2 gallons

Peroxide

PELIGRO: Si usted no puede leer inglés, pida ayuda y pregunte sobre el contenido y las instrucciones de uso antes de emplear este producto.

DANGER: If you cannot read English, request help and ask about the content and instructions before using this product.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eve damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear protective eyewear such as safety glasses and chemical resistant gloves when handling the concentrate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center

or doctor for further treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a

poison control center or doctor. Do not give anything to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label

with you when calling poison control center or doctor or going for treatment.
FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026

OUTSIDE NORTH AMERICA, CALL 1-651-222-5352

EPA Est. No.: 1677-IL-2 (J), 303-IN-1 (L), 1677-WV-1 (V), 1677-CA-2 (R), 1677-TX-1 (D), 5389-NC-1 (G), 1677-GA-1 (M), 1677-MN-1 (P), 60156-IL-1 (SI), 58046-TX-2 (X).

This product may be patented: www.ecolab.com/patents

Ecolab Inc. 1 Ecolab Place KEEP OUT OF REACH OF CHILDREN

St. Paul, MN 55102 USA © 2019 Ecolab USA Inc. · All rights reserved See side panel for precautionary statements and first aid.

SleeveCo

Hydrogen Peroxide OTHER INGREDIENTS: .

TOTAL:..

Ecolab: 2 1/2 Gallon F-Style Layflat: 15 11/16'

Height: 5 1/2

Container#: BO4417& 4418

1/16" White