SleeveCo

In 5 minutes diluted in 400 ppm hard water
*Adenovirus type 5 (ATCC VR-5) Rhinovirus Type 37 (ATCC VR-1147) *Poliovirus (chat strain)

General Directions for use with Electrostatic Spraying

*Herpes Simplex Virus Type 2 (ATCC VR-734)

*Respiratory Syncytial Virus (ATCC VR-26)

*Hepatitis B Virus

*Rotavirus (Strain WA) *Canine Parvovirus (ATCC VR-2017) *Canine Distemper Virus (ATCC VR-128) *Newcastle Disease Virus (ATCC VR-108) *Herpes Simplex Virus Type 1 (ATCC VR-733)
*Influenza B Virus (ATCC VR-1535)

*Human Coronavirus (SARS) (ATCC VR-740)

**Reachial Virus (ATCC VR-19)

Special instructions for Cleaning and Decontamination against hiv-1 and HBV on Surfaces / Objects soiled with Blood / Body Fluids: ersonal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Allow surface to remain visibly wet for 1 minute to kill HIV-1, 5 minutes to kill HBV.

Disposal of Infectious Material: Blood, body fluids, cleaning materials and other clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal. FUNGICIDAL kills in 5 minutes at 1:32 dilution (4 fl. oz/gal) in 400 ppm hard water against the following fungi modified in the presence of 5% blood serum, per the following contact times.

emove by-standers and pets from the area to be treated. Do not use for treatment of humans, air, or for fumigation. Spray droplet particle size should be set to a limit volume median diameter of >40um. Use half face respirator with chemical specific cartridge and N95 filters. Plan the spray routine to minimize unnecessary exposure to treated areas (for example, begin applying product in the 2-rogin. Use that lace respiration with oriental specime can rouge and work means a spiral routine spiral immensurable properties. The routine spiral routin

For use as a Multi-Surface One-Step Cleaner and Disinfectant by Electrostatic Spraying
To disinfect hard, non-porous surfaces, dilute at 1.32 (4 fl. oz/gal). For visibly soiled areas, pre-cleaning is required. Apply use solution with electrostatic sprayer to hard, non-porous environmenta surfaces. Spray approximately 6 to 12 inches from the surfaces: making sure to wet surfaces thoroughly. All surfaces must remain visibly wet for the required contact time indicated in the directions surfaces, spiraly approximately of the Timeter Horitu resident and a surfaces, throughly find recession and the timeter than the timeter than

environmental surfaces. Spray approximately 6 to 12 inches from the surfaces; making sure to wet surfaces thoroughly. All surfaces must remain visibly wet for the required time indicated in the directions for use, reapplying if necessary. Let air dry. When using on food contact surfaces, thoroughly rinse all treated surfaces with potable water. VETERINARY OFFICES: Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities

occupied or traversed by animals. Empty all feeding and watering appliances. Saturate surfaces with a use-solution 1:32 (4 fl. oz/gal) for a period of 5 minutes. Wipe or allow to air dry. Saturate all animal handling and restraining equipment as well as forks, shovels, and scrapers used to remove litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding and watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

DISINFECTION AND DEDDORIZING OF ANIMAL HOUSING FACILITIES (BARNS, KENNELS, CAGES, HUTCHES, ETC): Remove animals and feed from facilities. Remove litter, waste matter, and gross soils. Empty all troughs, rack and other feeding and watering equipment. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Saturate surfaces with a use-solution (4-6 fl. oz/gal) for a period of 5 minutes. Apply use-solution by coarse trigger sprayer to hard, non-porous surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. See list of viruses under disinfection directions for use. Ventilate buildings and other closed spaces. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse. Allow to air dry before reintroducing animals.

STORAGE & DISPOSAL

D NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: Store this product in a cool, dry area, away from direct sunlight and heat. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of

by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. ONTAINER HANDLING AND DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

EC LAB

ECSLAB®

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

PRECAUTIONARY STATEMENTS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear protective evewear such as safety classes and chemical resistant cloves when handling the concentrate. Wash thoroughly with soap and water after handling and efore eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison

control center or doctor. Do not give anything to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with

you when calling poison control center or doctor or going for treatment.

FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026

OUTSIDE NORTH AMERICA, CALL 1-651-222-5352

Cleaner and **Disinfectant**

Peroxide

NET CONTENTS: 2 US GAL (7.57 L) Oasis™ Intentionally filled to 2 gallons

Hydrogen Peroxide OTHER INGREDIENTS: .

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 1677-238
EPA Est. No.: 1677-IL-2 (J), 303-IN-1 (L), 1677-WV-1 (V), 1677-CA-2 (R), 1677-TX-1 (D), 5389-NC-1 (G), 1677-GA-1 (M), 1677-MN-1 (P), 60156-IL-1 (SI), 58046-TX-2 (X). Superscript refers to first letter of date code.

This product may be patented: www.ecolab.com/patent

St. Paul, MN 55102 USA © 2020 Ecolab USA Inc. · All rights reserved Made in USA

Ecolab: 2 1/2 Gallon F-Style Layflat: 15 11/16'

Height: 5 1/2 Container#: BO4417& 4418

EPA PROOF IN PROCESS (PLEASE DATE AND INITIAL WHEN FINISHED) 02/23/17 | 03/17/17 | 04/04/17 | 08/08/17 | 08/15/17 | 10/24/17 | 10/24/18 | 11/08/18 | 3/28/19 | 01/21/20 | 03/02/20 | 09/25/20 | 10/05/20 GN CM CM KH KH KH KF KH KY* KF KH KF KH

In 30 seconds diluted in 400 ppm hard water:

n 1 minute diluted in 400 ppm hard water:

*SARS Coronavirus 2 (SARS CoV-2) (BEI Resources NR-52281) (Strain Isolate USA-WA 1/2020)

* When EPA art is finalized and going to print vendor put an * next to your initials.

Non-Food Contact Sanitizer: Add 4 - 6 fl. oz/gal to sanitize hard, non-porous, non-food contact surfaces against: Staphylococcus aureus (ATCC 6538), Enterobacter aerogenes

ATCC 13048), Salmonella enterica (ATCC 10708), Escherichia coli (ATCC 1129), Pseudomonas aeruginosa (ATCC 15442), and Enterococcus faecalis (ATCC 29212). Add 6 fl. oz./gal

Pre-clean heavily soiled areas. Apply sanitizer use-solution with a cloth, mop, sponge, coarse sprayer or by immersion. Treated surfaces must remain wet for 90 seconds.

in 200 ppm hard water to sanitize hard, non-porous, non-food contact surfaces against Listeria monocytogenes (ATCC 7644).

Wipe dry with a sponge, mop, or cloth or allow to air dry.



Peroxide **Multi Surface** Cleaner and

4 1/2" Front Spout

NET CONTENTS: 2 US GAL (7.57 L) Oasis™ Intentionally filled to 2 gallons

ACTIVE INGREDIENT: OTHER INGREDIENTS:

92.0%

KEEP OUT OF REACH OF CHILDREN

DANGER 92.0% 100.0%



1/16" White