

## SAFETY DATA SHEET

**NALCO® EC6818A**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC6818A

Other means of identification : Not applicable.

Recommended use : ODOR CONTROL, Non-Biocide Application Only

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Champion Company  
7705 Highway 90-A  
Sugar Land, Texas 77478  
USA  
TEL: (281) 263-7000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 03/20/2015

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Oxidizing liquids : Category 3

Skin corrosion : Category 1A

Serious eye damage : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central Nervous System)

#### GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : May intensify fire; oxidiser.  
Causes severe skin burns and eye damage.  
May cause respiratory irritation.  
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**  
Keep away from heat. Keep/Store away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

## SAFETY DATA SHEET

**NALCO® EC6818A**

clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Concentration: (%)
Acetic Acid	64-19-7	30 - 60
Peroxyacetic Acid	79-21-0	10 - 30
Hydrogen Peroxide	7722-84-1	10 - 30

### Section: 4. FIRST AID MEASURES

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
------------------------------	---

## SAFETY DATA SHEET

### NALCO® EC6818A

Unsuitable extinguishing media	: None known.
Specific hazards during firefighting	: Special protective equipment for firefighters Strong oxidizer when water is removed. Combustibles may catch fire more easily after being wetted by product and dried. May intensify combustion of other materials. Oxidizer. Contact with other material may cause fire. Materials can initiate spontaneous combustion of paper, wood, cloth, and other organic materials. Ignition may be rapid, but can be delayed for several hours. Rapid oxygen evolution from decomposition may increase the intensity of a fire. Clothing may ignite on contact.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides
Special protective equipment for firefighters	: In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Never soak up spilled or leaked acids and bases with sawdust, wood chips or similar materials. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for neutralization* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer. *NEUTRALIZATION : once diluted, neutralize with a suitable alkali such as sodium bicarbonate.

#### Section: 7. HANDLING AND STORAGE

Advice on safe handling	: Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions for safe storage	: Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Pressure bursts may occur due to gas evolution if the container is not adequately vented.

## SAFETY DATA SHEET

**NALCO® EC6818A**

Store between the following temperatures: -10 and 50°C.

Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is tested prior to use.

Unsuitable material : not determined

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Acetic Acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		STEL	15 ppm 37 mg/m <sup>3</sup>	NIOSH REL
		TWA	10 ppm 25 mg/m <sup>3</sup>	NIOSH REL
		TWA	10 ppm 25 mg/m <sup>3</sup>	OSHA Z1
Hydrogen Peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m <sup>3</sup>	NIOSH REL
		TWA	1 ppm 1.4 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Effective exhaust ventilation system Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

## SAFETY DATA SHEET

### NALCO® EC6818A

Appearance	: Liquid
Colour	: Clear Colorless
Odour	: Amine
Flash point	: 96.0 °C Method: closed cup
pH	: 1.8, 100 %
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100.0 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.11 (20.0 °C)
Density	: 9.2 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition temperature	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
VOC	: 46.6 % Calculation method

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: Extremes of temperature Direct sources of heat. Exposure to sunlight. Do not allow product to evaporate to dryness. Dried product residue can act as an oxidizer.
Incompatible materials	: Bases Contact with strong alkalies (e.g. ammonia and its solutions, carbonates, sodium hydroxide (caustic), potassium hydroxide,

## SAFETY DATA SHEET

**NALCO® EC6818A**

calcium hydroxide (lime), cyanide, sulfide, hypochlorites, chlorites)  
may generate heat, splattering or boiling and toxic vapors.

Hazardous decomposition products : Decomposition products may include the following materials:  
Carbon oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and lung irritation. Inhalation may cause central nervous system effects.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough, Dizziness, Drowsiness

#### Toxicity

##### Product

Acute oral toxicity : Acute toxicity estimate : 2,390 mg/kg

Acute inhalation toxicity : Acute toxicity estimate : 26.44 mg/l  
Exposure time: 4 h

Acute dermal toxicity : Acute toxicity estimate : 2,240 mg/kg

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

#### Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## SAFETY DATA SHEET

**NALCO® EC6818A**

OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : Toxic to aquatic life.

#### Product

Toxicity to fish	: LC50 Rainbow Trout: 8.4 mg/l Exposure time: 96 h Test substance: Product  NOEC Rainbow Trout: 5.0 mg/l Exposure time: 96 h Test substance: Product  LC50 Inland Silverside: 1.3 mg/l Exposure time: 96 h Test substance: Product  NOEC Inland Silverside: 4.2 mg/l Exposure time: 96 h Test substance: Product
Toxicity to daphnia and other aquatic invertebrates	: LC50 Ceriodaphnia dubia: 2.9 mg/l Exposure time: 48 h Test substance: Product  NOEC Ceriodaphnia dubia: 1.3 mg/l Exposure time: 48 h Test substance: Product  LC50 Mysid Shrimp (Mysidopsis bahia): 10.0 mg/l Exposure time: 96 h Test substance: Product

## SAFETY DATA SHEET

**NALCO® EC6818A**

NOEC Mysid Shrimp (*Mysidopsis bahia*): 5.0 mg/l

Exposure time: 96 h

Test substance: Product

Toxicity to algae : EC50 *Pseudokirchneriella subcapitata* (green algae): 15.29 mg/l

Exposure time: 96 h

Test substance: Product

IC50 *Pseudokirchneriella subcapitata* (green algae): 8.78 mg/l

Exposure time: 96 h

Test substance: Product

NOEC *Pseudokirchneriella subcapitata* (green algae): 3 mg/l

Exposure time: 96 h

Test substance: Product

### Components

Toxicity to bacteria : Peroxyacetic Acid  
5.1 mg/l

### Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5%  
Water : 30 - 50%  
Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

### Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

### Other information

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Hazardous Waste: : D002, D001



## SAFETY DATA SHEET

**NALCO® EC6818A**

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID  
Technical name(s) : PEROXYACETIC ACID  
UN/ID No. : UN 3109  
Transport hazard class(es) : 5.2 , 8  
Packing group : II  
Reportable Quantity (per package) : 660 lbs  
RQ Component : PEROXYACETIC ACID

#### Air transport (IATA)

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID  
Technical name(s) : Peroxyacetic Acid  
UN/ID No. : UN 3109  
Transport hazard class(es) : 5.2 , 8  
Packing group : II  
Reportable Quantity (per package) : 660 lbs  
RQ Component : PEROXYACETIC ACID

#### Sea transport (IMDG/IMO)

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID  
Technical name(s) : PEROXYACETIC ACID  
UN/ID No. : UN 3109  
Transport hazard class(es) : 5.2 , 8  
Packing group : II

### Section: 15. REGULATORY INFORMATION

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**CERCLA Reportable Quantity**

## SAFETY DATA SHEET

**NALCO® EC6818A**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetic Acid	64-19-7	5000	15924

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Peroxyacetic Acid	79-21-0	500	3289

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 302** : The following components are subject to reporting levels established by SARA Title III, Section 302:  
Peroxyacetic Acid Proprietary

Hydrogen Peroxide 7722-84-1

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
Peroxyacetic Acid 79-21-0 10 - 30 %

### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS :

### TOXIC SUBSTANCES CONTROL ACT (TSCA)


The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

## Section: 16. OTHER INFORMATION

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>1</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

## SAFETY DATA SHEET

**NALCO® EC6818A**

Revision Date : 03/20/2015  
Version Number : 1.0  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

For additional copies of an MSDS visit [www.nalco.com](http://www.nalco.com) and request access.